İRTU

www.irtugroup.com

2026 CATALOG



Experience The Confidence Of High Quality



About Us


Since 1995, IRTU Group has operated in the low- and medium-voltage electrical sector as an experienced, solution-oriented company committed to quality. We develop and manufacture products that meet the needs of the sector and are suitable for use to internationally recognised standards.

Our core expertise includes glass-fibre-reinforced polyester (BMC) products, flame-retardant (V0) plastic insulators and UPGM 203 glass-fibre polyester sheets used in busbar support applications. We also manufacture brass earthing terminals, distribution units, copper earthing busbars and a wide range of panel consumables within our own organisation.

Our commitment to quality and responsive service is supported by recognised standards and certifications, including CE conformity and ISO 9001 quality management, together with the required product-specific test documentation.

INDEX

PLASTIC INDOOR TYPE INSULATORS	2-5
PLASTIC BUSBAR SUPPORT INSULATORS	6-15
PLASTIC TRANSITION INSULATORS	16
CONNECTION EQUIPMENT	17
POLYESTER INDOOR TYPE INSULATORS	18-23
POLYESTER BUSBAR SUPPORT INSULATORS	24-28
UPGM HAND LAY-UP GLASS FIBRE PLATES	29-30
UPGM 203 SMC GLASS FIBRE PLATES	31
MEDIUM-VOLTAGE INDOOR INSULATORS	34
TRANSFORMER BUSHING INSULATORS	35
VOLTAGE CABLE HOLDER AND BELLOWS	36
DISTRIBUTION UNITS	38-42
INSULATED PANEL GROUNDING TERMINALS	43
INSULATED AND GROUNDING TERMINALS	44-47
EARTHING BARS	48
POWER DISTRIBUTION BUSBAR	49
COPPER CONNECTION AND U TERMINALS	50
FLEXIBLE CONNECTION BUSBARS	51
MCB COMB BUSBARS	52-54
LED LIGHTING	56-57
SIGNAL AND BUTTON GROUPS	58
PANEL SOCKET	59
PANEL LABELS	60
MCB LABELS AND COVER PLATES	61
PVC AND SHEET METAL ATTENTION LABELS	62
PIPE AND CABLE SUPPORT EQUIPMENT	63
BLIND PLUGS	64
PROJECT POCKETS AND PANEL VENTILATION	65
PANEL SHEET ACCESSORIES	66
INSULATED FERRULES	68-69
CABLE LUGS	70-81
CABLE TRUNKING	82
CABLE COLLECTORS	83
HEAT-SHRINK TUBING	84-85
PANEL INSULATION EQUIPMENT	86-87
CABLE TIES AND CLIPS	88-89
PANEL MOUNTING RAILS	90
SILICONE TUBING, GASKETS AND SPIRAL WRAP	91
TERMINAL STRIPS AND SOCKET CONNECTORS	92-94
TRANSFORMER AND STEATITE TERMINALS	95
BRASS CABLE GLANDS, NUTS AND BLIND STOPS	96-97
SPIRAL CONDUIT AND GLANDS	98-100
CURRENT TRANSFORMERS	102-105
CYLINDRICAL FUSES AND CARTRIDGES	106



PLASTIC (V0) INSULATORS

Low-voltage plastic insulators are manufactured from flame-retardant (V0) material. They are used for the same applications as BMC insulators. Their lower brittleness makes them more flexible than BMC insulators.

PLASTIC (V0)
INSULATORS






Low-voltage post insulators are manufactured from flame-retardant (V0) material and are used for the same applications as BMC insulators. Their greater flexibility gives them a lower breakage rate than BMC insulators. Material characteristics are listed below:

- Glass-fibre-reinforced polyamide (PA6), flame-retardant, with 30% glass fibre content.
- Standard colour: Black.
- Nuts: zinc-plated steel (brass available on request).
- Bolts: Cr3 8.8 steel.

Application	General electrotechnical application. Temperature range	-40 °C to +130 °C	
Physical Properties	Glass Fibre Content Density Moulding Shrinkage Water Absorption	30% 1.56 g/cm^3 <0.03% <0.2% (<25 mg)	DIN EN ISO 62
Mechanical Properties	Martens Degree Flexural Strength Impact Strength	>200 °C 205 N/mm^2 14 kJ/m^2	DIN 53462 DIN EN ISO 178 DIN EN ISO 180
Electrical Properties	Surface Resistivity Volume Resistivity Dielectric Strength Tracking Resistance	10^{14} Ωcm 10^{14} Ωcm 150 kV/cm CTI 600	DIN IEC 60093 DIN IEC 60093 DIN EN 60243-1 DIN IEC 60112
Flammability	Glow-Wire Flammability	960 °C	DIN EN 60695



960°C 30s




Busbar Standoff Insulators With Double Side Screw

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM1001	M5	5	12	12	18	25.5	0.6	3	1.00	8.50	500	GET A QUOTE
IRTU-PLSM1002	M6	6	16	16	21	29.5	0.6	3	1.00	8.70	300	GET A QUOTE
IRTU-PLSM1003	M8	8	15	15	31.5	40	1	3	4.00	7.10	100	GET A QUOTE
IRTU-PLSM1004	M10	10	15	15	31.5	40	1	3	4.00	9.50	100	GET A QUOTE
IRTU-PLSM1013	M8	8	18	18	43.3	50	1	3	4.00	9.50	100	GET A QUOTE
IRTU-PLSM1014	M10	10	18	18	43.3	50	1	3	4.00	9.50	100	GET A QUOTE



960°C 30s




Busbar Standoff insulators with One Side Screw

Code	Type	Dimensions(mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM1005	M5	5	12	9	18	25.5	0.6	3	1.00	8.00	500	GET A QUOTE
IRTU-PLSM1006	M6	6	16	12	21	29.5	0.6	3	1.00	7.50	300	GET A QUOTE
IRTU-PLSM1007	M8	8	15.5	15	31.5	40	1	3	4.00	5.80	100	GET A QUOTE
IRTU-PLSM1008	M10	10	15	15	31.5	40	1	3	4.00	7.70	100	GET A QUOTE
IRTU-PLSM1015	M8	8	18	15	43.3	50	1	3	4.00	7.70	100	GET A QUOTE
IRTU-PLSM1016	M10	10	18	15	43.3	50	1	3	4.00	7.70	100	GET A QUOTE



960°C 30s




Two Sided Blind Standoff Insulators

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM1009	M5	5	9	9	18	25.5	0.6	3	1.00	7.50	500	GET A QUOTE
IRTU-PLSM1010	M6	6	12	12	21	29.5	0.6	3	1.00	6.30	300	GET A QUOTE
IRTU-PLSM1011	M8	8	15	15	31.5	40	1	3	4.00	4.60	100	GET A QUOTE
IRTU-PLSM1012	M10	10	15	15	31.5	40	1	3	4.00	5.00	100	GET A QUOTE
IRTU-PLSM1017	M8	8	15	15	43.3	50	1	3	4.00	5.00	100	GET A QUOTE
IRTU-PLSM1018	M10	10	15	15	43.3	50	1	3	4.00	5.00	100	GET A QUOTE
IRTU-PLSM1019	M12	10	15	15	43.3	50	1	3	4.00	5.00	100	GET A QUOTE

Two Sided Blind Standoff Insulators SW30/H30






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM303006	M6	6	11	11	30	30	1	3	4	6	100	GET A QUOTE
IRTU-PLSM303008	M8	8	11	11	30	30	1	3	4	6.20	100	GET A QUOTE
IRTU-PLSM303010	M10	10	11	11	30	30	1	3	4	6.50	100	GET A QUOTE

Two Sided Blind Standoff Insulators SW32/H35






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM323506	M6	6	11	11	32	35	1	3	4	6.70	100	GET A QUOTE
IRTU-PLSM323508	M8	8	11	11	32	35	1	3	4	6.90	100	GET A QUOTE
IRTU-PLSM323510	M10	10	11	11	32	35	1	3	4	7.20	100	GET A QUOTE

Two Sided Blind Standoff Insulators SW40/H40






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-PLSM404006	M6	6	11	11	40	40	1	3	4	6.70	100	GET A QUOTE
IRTU-PLSM404008	M8	8	11	11	40	40	1	3	4	6.90	100	GET A QUOTE
IRTU-PLSM404010	M10	10	11	11	40	40	1	3	4	7.20	100	GET A QUOTE

Two Sided Blind Standoff Insulators 1N500






960°C 30s

Code	Type	Nut Measure (A)	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/18 pcs	Box Qty.	Price (pcs)
IRTU-PLSM1020	1N500	M8	3	15	5.00	7.00	32	GET A QUOTE
IRTU-PLSM1021	1N500	M10	3	15	5.00	7.00	32	GET A QUOTE
IRTU-PLSM1022	1N500	M12	3	15	5.00	7.00	32	GET A QUOTE

3x1F (10mm) - 3x1F (5mm) Busbar Support Insulator (4 TIJ)




Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C1	C2	D	E1	E2	F1	F2	H			
IRTU-PLST1015	3x1F / 5-10mm	74	74	58.14	220	25	35	10.5	5.5	Ø8.5	5	50	GET A QUOTE



3x1F (10mm) - 3x2F (2x5mm) Busbar Support Insulator (4 TIJ)




Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C1	C2	D	E1	E2	F1	F2	H			
IRTU-PLST1023	3x1F / 5-10mm	74	74	58.14	220	25	35	10.5	5.5	Ø8.5	5	50	GET A QUOTE



3x1F Busbar Support Insulator




Code	Type	Dimensions (mm)								Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2	H			
IRTU-PLST1001	3x1F / 5-10mm (Type Test)	74	73	196	25	34.5	10.5	5.5	Ø8.5	5	50	GET A QUOTE
IRTU-PLST1000	3x1F / 5-10mm	74	73	196	25	34.5	10.5	5.5	Ø8.5	5	50	GET A QUOTE




3x1F+N (5-10mm) Busbar Support Insulator




Code	Type	Dimensions (mm)								Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2	H			
IRTU-PLST1003	3x1F+N/5-10mm	65	65	240	25.5	35.0	10.5	5.5	Ø9	5	50	GET A QUOTE







4x1F (10mm) - 4x2F (5mm) Busbar Support Insulator



Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	A1	A2	A3	B	C	D	E	F	L			
IRTU-PLST1021	4x1F - 10 mm	10.5	54	65		64.5	61.5	8.5	25	35	285	5	50	GET A QUOTE
	4x2F -5mm	5.5	48.5	48.5	16	64.5	61.5	8.5	25	35	285			







3x2F (10mm) Busbar Support Insulator




Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A1	A2	C1	C2	D	E1	E2	F	H			
IRTU-PLST1002	3x2F / 10 mm.	20.5	81.3	80	105	290	25.0	34.5	10.5	Ø8.5	5	50	GET A QUOTE






3x2F (10mm) - 3x4F (5mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	A1	A2	A3	A4	B	C	D	E	F	L			
IRTU-PLST1022	3x2F - 10 mm.	10.5	84.5	20.5	74	31	106	87.5	8.5	30	35	305	5	50	GET A QUOTE
	3x4F - 5 mm.	5.5	73.5	10.5	68	37	106	87.5	8.5	30	35	305			




4x2F (10mm) - 4x2F (5mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A1	A2	C1	C2	D	E1	E2	F1	F2	H			
IRTU-PLST1016	4x2F / 10 mm. 4x2F / 5 mm.	31	64	95	95	340	25.0	35	10.5	5.5	Ø8.5	5	50	GET A QUOTE






4x2F (10 mm) - 4x4F (5 mm) Busbar Support Insulator



960°C 30s


Code	Type	Dimensions (mm)								Min. Resistance kN	Box Qty	Unit Price (pcs)
		L	W	H	PD1	PD2	SW1	SW2	TH			
IRTU-PLST1026	4x2F / 10 mm. 4x4F / 5 mm.	31	64	95	95	370	25.0	35	10.5	5	50	GET A QUOTE




3x3F (10mm) - 3x4F (5mm) Busbar Support Insulator




Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	A1	A2	A3	A4	B	C	D	E	F	L			
IRTU-PLST1024	3x3F - 10 mm.	10.5	74	20.5	125.5	51.5	125.5	109.5	8.5	30	35	380	5	50	GET A QUOTE
	3x5F - 5 mm.	5.5	78	10.5	125.5	47.5	125.5	109.5	8.5	30	35	380	5	50	







1x6F (5 mm) Busbar Support Insulator



Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F1	I	E1	E2	G			
IRTU-PLST1025	1x6F/5 mm.	10.5	25.0	8x12.4	95	5.5	75	30.0	37.0	5.0	5	100	GET A QUOTE








Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1325	1x6F/5 mm 3 Phase Close Set	6	575 mm	1	GET A QUOTE
IRTU-PLST1425	1x6F/5 mm 3 Phase+N Close Set	8	675 mm	1	GET A QUOTE


1x4F (5 mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	I	F	E1	E2	G			
IRTU-PLST1020	1x4F/5 mm.	15.5	25	8x12.4	90	75	5.5	30	37	10	5	100	GET A QUOTE







Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1320	1x4F/5 m 3 Phase Close Set	6	575 mm	1	GET A QUOTE
IRTU-PLST1420	1x4F/5 mm 3 Phase+N Close Set	8	675 mm	1	GET A QUOTE


1x4F (5 mm) Busbar Support Insulator




65kA

960°C 30s

Code	Type	Dimensions (mm)								Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F1	E1	E2	G			
IRTU-PLST1005	1x4F/5 mm.	10.5	20.0	8	65.0	5.5	35.5	30	5.0	5	100	GET A QUOTE








Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1305	1x4F/5 mm 3 Phase Close Set	6	430 mm	1	GET A QUOTE
IRTU-PLST1405	1x4F/5 mm 3 Phase+N Close Set	8	600 mm	1	GET A QUOTE

1x4F (10 mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)							Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2			
IRTU-PLST1009	1x4F / 10mm	20.5	115	10.5	100	35	35	10	5	100	GET A QUOTE




1x4F (10 mm) Busbar Support Insulator



80kA 960°C 30s

Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F	I	E1	E2	G			
IRTU-PLST1006	1x4F/10 mm.	20.5	20.0	8.4x8.4	115	105	100	35	35	10	5	100	GET A QUOTE






Code	Type	Number of Insulators	The Length of the Sheet Profile	Box Qty.	Price (pcs)
IRTU-PLST1306	1x4F/10 mm 3 Phase Close Set	6	575 mm	1	GET A QUOTE
IRTU-PLST1406	1x4F/10 mm 3 Phase+N Close Set	8	675 mm	1	GET A QUOTE


1x3F (5 mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)									Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F	I	E1	E2	G			
IRTU-PLST1011	1x3F/5 mm.	10.5	25.0	8x12.4	65.0	5.5	50.0	30.0	37.0	5.0	5	100	GET A QUOTE








Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1311	1x3F/5 mm 3 Phase Close Set	6	430 mm	1	GET A QUOTE
IRTU-PLST1411	1x3F/5 mm 3 Phase+N Close Set	8	600 mm	1	GET A QUOTE


1x2F - 1x3F (5-10 mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)					Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	D	H	E1	E2			
IRTU-PLST1012	1x2F - 1x3F / 5-10mm	20.5	120	100	35	30	5	100	GET A QUOTE







1x3F (10mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F	H	I	E1	E2	G			
IRTU-PLST1008	1x3F / 10 mm.	20.5	25	8x12.4	90	10.5	12	10.5	30	37	Ø10	5	100	GET A QUOTE
IRTU-PLST1018	1x3F / 10 mm.	20.5	25	8x12.4	90	10.5	9.5	75	30	37	Ø10	5	100	GET A QUOTE








Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1308	1x3F/10 mm 3 Phase Close Set	6	575 mm	1	GET A QUOTE
IRTU-PLST1408	1x3F/10 mm 3 Phase+N Close Set	8	675 mm	1	GET A QUOTE


1x3F (10 mm) Busbar Support Insulator





960°C 30s

Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	D	F	I	E1	E2	G	C	C1	N	M			
IRTU-PLST1010	1x3F/10 mm.	21	69.6	10.5	51.5	55	25	10	63	35.5	3.35	15.7	5	100	GET A QUOTE












Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1310	1x3F/10 mm 3 Phase Close Set	6	575 mm	1	GET A QUOTE
IRTU-PLST1410	1x3F/10 mm 3 Phase+N Close Set	8	675 mm	1	GET A QUOTE


1x2F (10 mm) Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)										Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	C	C1	D	F	H	I	E1	E2	G			
IRTU-PLST1007	1x2F / 10 mm.	20.5	25	8x12.4	65	10.5	12	50	30	37	Ø10	5	100	GET A QUOTE
IRTU-PLST1017	1x2F / 10 mm.	20.5	25	8x12.4	65	10.5	9.5	50	30	33	Ø10	5	100	GET A QUOTE










Code	Type	Number of Insulators Used	The Length of the Sheet Profile Used	Box Qty	Unit Price (pcs)
IRTU-PLST1307	1x2F/10 mm 3 Phase Close Set	6	430 mm	1	GET A QUOTE
IRTU-PLST1407	1x2F/10 mm 3 Phase+N Close Set	8	600 mm	1	GET A QUOTE

Cable Transition Insulator



Code	Type	Dimensions (mm)					Box Qty	Unit Price (pcs)
		A	B	C	D	H		
IRTU-PLST5001	Cable Transition Insulators	Ø44.50	Ø31.5	M10	M10	72.50	50	GET A QUOTE







3 Phase Connection Set

Product Description	Product Image	Piece
Insulator		6
Bottom Link Profile		1
Top Link Profile		1
Stud		4
Nut		8
Washer		8

3 Phase Connection Diagram







4 Phase Connection Set


Product Description	Product Image	Piece
Insulator		8
Bottom Link Profile		1
Top Link Profile		1
Stud		5
Nut		10
Washer		10

4 Phase Connection Diagram







Transition Insulator





Code	Type	Dimensions (mm)					Min. Resistance kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E			
IRTU-PLST1013	Transition Insulators 20x3/20x4/30x5/30x10	45.0	45.0	35.0	35.0	5.80	5	100	GET A QUOTE
IRTU-PLST1014	Transition Insulators 25x5/20x10/40x10/50x10	60.0	60.0	45.0	45.0	6.50	5	100	GET A QUOTE











BUSHING PROPERTIES	
Material	Glass Reinforced Polyamide 6.6
Temperature Resistance	140°C
Nonflammability	UL94-V0
Voltage Tolerance	690V
Insulation Voltage U	690V
Impulse Voltage U	8 kV
Glow Wire	960°C





PVC Pipe



Plastic



Steel

M8 Threaded Rod




Code	Type	A	L	Box Qty	Unit Price (pcs)
IRTU-PTJ2008	M8 Plastic Threaded Rod	M8	200mm	100 Pcs	GET A QUOTE
IRTU-CTJ2008	M8 Steel Threaded Rod	M8	200mm	100 Pcs	GET A QUOTE
IRTU-CTJ8002	M8 Steel Threaded Rod	M8	2 m	100 m	GET A QUOTE



PVC Insulation Pipe



Code	Type	A	L	Box Qty	Unit Price (m)
IRTU-PVCB4767	PVC Insulation Pipe	13mm	2 m	50	GET A QUOTE





POLYESTER INSULATORS

Low-voltage support insulators rated up to 1000 V are used to mount copper busbars on bases in indoor applications.
Made from BMC, a glass-fibre-reinforced polyester, they combine flexible high-strength fibres with resistance to environmental conditions. The material provides high specific strength, thermal performance, low weight, excellent dielectric properties, mouldability and design flexibility.

POLYESTER (BMC)
INSULATORS






Low-voltage post insulators rated up to 1000 V are used to mount copper busbars on bases in indoor applications.
Made from BMC, glass-fibre-reinforced polyester combines high-strength fibres with good thermal performance, low weight and excellent dielectric properties.

Material characteristics:
- Glass-fibre-reinforced polyester (BMC), 18% glass fibre.
- Standard colour: Irox Red 130; other colours available on request.
- Cap nuts: zinc-plated steel; brass available on request.
- Bolt: Cr3 8.8 steel.

Proper Operating Temperature	General electrotechnical application. Temperature range	-40 °C to +130 °C	
Physical Properties	Glass Fibre Content Density Moulding Shrinkage Water Absorption	18% 1.75 g/cm³ <0.1% <0.2% (<25 mg)	 DIN 53479 DIN EN ISO 62
Mechanical Properties	Martens Degree Flexural Strength Impact Strength	>200 °C 25-30 kJ/m²	DIN 53462 DIN EN ISO 178 DIN EN ISO 179
Electrical Properties	Surface Resistivity Volume Resistivity Dielectric Strength Flame Resistance	10^{14} Ωcm 10^{14} Ωcm 150 kV/cm CTI 600	DIN IEC 60093 DIN IEC 60093 DIN EN 60243-1 DIN IEC 60112
Flammability	Glow –wire Flammability	960 °C	DIN EN 60695

Busbar Standoff Insulators with Double-Sided Screw






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg / box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM1001	M5	5	12	12	22	24	0.6	3	0.75	11.00	500	GET A QUOTE
IRTU-POLM1002	M6	6	15	15	27	28	0.6	3	1.00	12.00	300	GET A QUOTE
IRTU-POLM1003	M8	8	16	19	40	40	1	3	2.50	10.50	100	GET A QUOTE
IRTU-POLM1004	M10	10	12	15	40	40	1	3	2.70	14.00	100	GET A QUOTE

Busbar Standoff Insulators with Single-Sided Screw






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg / box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM1005	M5	5	12	12	22	24	0.6	3	0.75	10.50	500	GET A QUOTE
IRTU-POLM1006	M6	6	15	15	27	28	0.6	3	1.00	10.80	300	GET A QUOTE
IRTU-POLM1007	M8	8	16	15	40	40	1	3	2.50	9.80	100	GET A QUOTE
IRTU-POLM1008	M10	10	15	15	40	40	1	3	2.70	11.40	100	GET A QUOTE

Double-Sided Blind Standoff Insulators






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg / box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM1009	M5	5	9	9	22	24	0.6	3	0.75	10.00	500	GET A QUOTE
IRTU-POLM1010	M6	6	12	12	27	28	0.6	3	1.00	9.90	300	GET A QUOTE
IRTU-POLM1011	M8	8	15	15	40	40	1	3	2.50	8.80	100	GET A QUOTE
IRTU-POLM1012	M10	10	15	15	40	40	1	3	2.70	8.90	100	GET A QUOTE

Double-Sided Blind Standoff Insulators SW30/H30






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM303006	M6	6	11	11	30	30	1	3	4	6	200	GET A QUOTE
IRTU-POLM303008	M8	8	11	11	30	30	1	3	6	6.20	200	GET A QUOTE
IRTU-POLM303010	M10	10	11	11	30	30	1	3	6	6.50	200	GET A QUOTE

Double-Sided Blind Standoff Insulators SW40/H40






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM404006	M6	6	11	11	40	40	1	3	6	10	100	GET A QUOTE
IRTU-POLM404008	M8	8	11	11	40	40	1	3	9	10.60	100	GET A QUOTE
IRTU-POLM404010	M10	10	11	11	40	40	1	3	9	10.80	100	GET A QUOTE

Double-Sided Blind Standoff Insulators SW50/H50







960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM1019	M8	8	15	15	50	50	1	3	9	20.00	100	GET A QUOTE
IRTU-POLM1020	M10	10	15	15	50	50	1	3	9	21.00	100	GET A QUOTE
IRTU-POLM1021	M12	12	15	15	50	50	1	3	10	22.00	100	GET A QUOTE

Double-Sided Blind Standoff Insulators SW48/H76






960°C 30s

Code	Type	Dimensions (mm)					Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/1 box	Box Qty.	Price (pcs)
		a1	b1	b2	SW	h						
IRTU-POLM487608	M8	8	15	15	48	76	1	3	10	23.50	50	GET A QUOTE
IRTU-POLM487610	M10	10	15	15	48	76	1	3	12	24.00	50	GET A QUOTE
IRTU-POLM487612	M12	12	15	15	48	76	1	3	12	25.00	50	GET A QUOTE

Double-Sided Blind Standoff Insulators 1N500






960°C 30s

Code	Type	Nut Measure (A)	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/18 pcs	Box Qty.	Price (pcs)
IRTU-POLM1016	1N500	M8	3	15	5.00	7.00	32	GET A QUOTE
IRTU-POLM1017	1N500	M10	3	15	5.00	7.00	32	GET A QUOTE
IRTU-POLM1018	1N500	M12	3	15	5.00	7.00	32	GET A QUOTE

Double-Sided Blind Standoff Insulators






960°C 30s

Code	Type	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/18 pcs	Box Qty.	Price (pcs)
IRTU-POLM1013	1NMD-1	3	20	6.00	9.00	18	GET A QUOTE






Double-Sided Blind Standoff Insulators


Code	Type	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/18 pcs	Box Qty.	Price (pcs)
IRTU-POLM1014	1NMA-2	3	15	5.50	6.65	18	GET A QUOTE





Double-Sided Blind Standoff Insulators

Code	Type	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight kg/18 pcs	Box Qty.	Price (pcs)
IRTU-POLM1015	1NMC-3	3	15	5.00	4.60	18	GET A QUOTE



Busbar Standoff Insulator

Code	Type	Usage Voltage ~ kV	Test Voltage ~ kV	Voltage Resistance kN	Weight gr / pcs	Box Qty.	Price (pcs)
IRTU-POLM203858	H:20mm	3	15	5.00	0.150	50	GET A QUOTE
IRTU-POLM303858	H:30mm	3	15	5.00	0.175	50	GET A QUOTE


- Product Used for carrying copper busbars vertically and horizontally.
- Insulators can be applied independently according to connection span length and mounted to the main chassis with the sheet metal part.
- Insulators are mounted onto the main chassis with a metal sheet part.

3x1F Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)									Min. Strength kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E1	E2	F1	F2	H			
IRTU-POLT1002	3x1F/5-10 mm	74.5	74.5	73	193	30	30	10.5	5.5	Ø11	5	40	GET A QUOTE




3x1F Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)									Min. Strength kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E1	E2	F1	F2	H			
IRTU-POLT1012	3x1F/5-10 mm	74	74	74	193	30	30	6	11	Ø9.5	5	50	GET A QUOTE




3x1F+N Busbar Support Insulator



960°C 30s


Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2	H			
IRTU-POLT1013	3x1F+N/5-10 mm	74	74	269	30	28	11	6	Ø9.5	5	50	GET A QUOTE




3x1F+N Busbar Support Insulator



Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2	H			
IRTU-POLT1005	3x1F+N/5-10 mm	60	60	230	40	34.5	10.5	5.5	Ø9	5	32	GET A QUOTE







3x2F Busbar Support Insulators



Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E1	E2	F1	H			
IRTU-POLT1007	3x2F/10 mm	82	82	105	285	31	30	10.5	Ø11	5	50	GET A QUOTE
IRTU-POLT1008	3x2F/5 mm	91.5	91.5	105	285	31	30	5.5	Ø11	5	50	GET A QUOTE







3x2F Busbar Support Insulator



Code	Type	Dimensions (mm)									Min. Strength kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E1	E2	F1	F2	H			
IRTU-POLT1015	3x2F/5-10 mm	82	82	105	285	31	30	10.5	5.5	Ø11	5	50	GET A QUOTE






3x2F+N Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)									Min. Strength kN	Box Qty	Unit Price (pcs)
		A1	A2	C	D	E1	E2	F1/F2	G	H			
IRTU-POLT1009	3x2F+N/5-10 mm	20.5	65	85.5	303	31	30	10.5/ 5.5	54.5	Ø8.5	5	50	GET A QUOTE




3x3F Busbar Support Insulator



960°C 30s

Code	Type	Dimensions (mm)										Min. Strength kN	Box Qty	Unit Price (pcs)
		A1	A2	C1	C2	D	E1	E2	F1	F2	G H			
IRTU-POLT1010	3x3F/5-10 mm	20.5	65	98.75	106	340	30	30	10.5	5.5	10 Ø8.5	5	50	GET A QUOTE




1x4F Busbar Support Insulator



960°C 30s


Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F1	F2	H			
IRTU-POLT1004	1x4F/5 mm	22	110	134	31	29	5.5	10.5	Ø9	5	50	GET A QUOTE
IRTU-POLT1001	1x4F/10 mm	22	110	134	31	29	10.5	10.5	Ø9	5	50	GET A QUOTE




3x1FK Busbar Support Insulator



960°C 30s




Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	C	D	E1	E2	F	G	H			
IRTU-POLT100	3x1FK/5 mm Copper		110	134	31	29	5.5	27	Ø9	5	50	GET A QUOTE




3x1FY+N Busbar Support Insulator




960°C 30s




Code	Type	Dimensions (mm)								Min. Strength kN	Box Qty	Unit Price (pcs)
		A	B	C	D	E1	E2	F	H			
IRTU-POLT1006	3x1FY + N	25	10	125	150	38	40	20	Ø6	5	26	GET A QUOTE







3x2F+N




3x1F+N




3x3F



3x1F



1x4F-10mm



3x2F-10mm



UPGM 203 GLASS FIBRE PLATE

Properties	Test Method	Unit
Flexural strength across	IS0 178	MPa
Flexural Modulus	IS0 178 / IEC 60893-2	MPa
Izod impact strength paralell to laminations	IS0 180	Kj/m²
Charpy impact strength parallel to laminations	ISO 179-1 / ISO 179-2	Kj/m²
Electric strength at 90° in oil perpendicular to laminations	IEC 60243-1 / IEC 60296	kW/mm
Electric strength at 90° in oil perpendicular to laminations	IEC 60243-1 / IEC 60296	kW/mm
Insulation resistance after immersion in water	IEC 60167	M

Properties	Test Method	Unit
Proof tracking index	IEC 60112	CTI
Tracking and erosion resistance	IEC 60587	Class
Flammability	IEC 60695-10-11 IEC 60893-3	UL94
Glow wire	TS EN 60695-2-13	°C
Water Absorption	TS EN 60893-2	Mg
Compressive strength	TS EN ISO 604	N/mm²
Pressure strength along across	ISO 527	N/mm²

- **Standard format** 800 mm x 1200 mm
- **Material** UPGM, polyester resin / glass fiber mat 7735
- **Norm** UPGM 203 according to EN 60893; HM 2472 according to DIN 7735
- **Type of production** Pressed
- **Colour** Standard colour: RAL 7035; produced to the specified colour code
- **Thickness** 3 mm to 50 mm
- **Working temperature** -40 + 155 °C
- **Density** 1.9 g/cm³

Certification

- 960 °C GLOW-WIRE TEST
- 50kA TYPE TESTING
- SURFACE LEAKAGE TEST
- DENSITY AND IMPACT TEST
- COMPARISON DURABILITY TEST
- DIELECTRIC TEST
- CE CERTIFICATE

UPGM 203

UPGM 203 is a halogen-free laminate made from glass-fibre mat and unsaturated polyester resin. Its strong mechanical, thermal and electrical properties make it suitable for switchboards, transformers and other applications requiring Class F material. It complies with the UL 94 V0 flammability classification and tracking requirements, and can be manufactured by either SMC or hand lay-up methods.




UPGM 203 HAND LAY UP

Code	Product Name	Dimension (mm)			Unit Price (pcs)
		Thickness (mm)	Width (mm)	Height (mm)	
IRTU-CEP038001200	GLASS FIBRE PLATE	3	800	1200	GET A QUOTE
IRTU-CEP058001200		5	800	1200	GET A QUOTE
IRTU-CEP108001200		10	800	1200	GET A QUOTE
IRTU-CEP158001200		15	800	1200	GET A QUOTE
IRTU-CEP208001200		20	800	1200	GET A QUOTE
IRTU-CEP258001200		25	800	1200	GET A QUOTE
IRTU-CEP308001200		30	800	1200	GET A QUOTE
IRTU-CET030301200	GLASS FIBRE PLATE	3	30	1200	GET A QUOTE
IRTU-CET030401200		3	40	1200	GET A QUOTE
IRTU-CET030501200		3	50	1200	GET A QUOTE
IRTU-CET030601200		3	60	1200	GET A QUOTE
IRTU-CET050301200	GLASS FIBRE PLATE	5	30	1200	GET A QUOTE
IRTU-CET050401200		5	40	1200	GET A QUOTE
IRTU-CET050501200		5	50	1200	GET A QUOTE
IRTU-CET050601200		5	60	1200	GET A QUOTE
IRTU-CET100301200	GLASS FIBRE PLATE	10	30	1200	GET A QUOTE
IRTU-CET100401200		10	40	1200	GET A QUOTE
IRTU-CET100501200		10	50	1200	GET A QUOTE
IRTU-CET100601200		10	60	1200	GET A QUOTE
IRTU-CET150301200	GLASS FIBRE PLATE	15	30	1200	GET A QUOTE
IRTU-CET150401200		15	40	1200	GET A QUOTE
IRTU-CET150501200		15	50	1200	GET A QUOTE
IRTU-CET150601200		15	60	1200	GET A QUOTE
IRTU-CET200301200	GLASS FIBRE PLATE	20	30	1200	GET A QUOTE
IRTU-CET200401200		20	40	1200	GET A QUOTE
IRTU-CET200501200		20	50	1200	GET A QUOTE
IRTU-CET200601200		20	60	1200	GET A QUOTE
IRTU-CET250301200	GLASS FIBRE PLATE	25	30	1200	GET A QUOTE
IRTU-CET250401200		25	40	1200	GET A QUOTE
IRTU-CET250501200		25	50	1200	GET A QUOTE
IRTU-CET250601200		25	60	1200	GET A QUOTE
IRTU-CET300301200	GLASS FIBRE PLATE	30	30	1200	GET A QUOTE
IRTU-CET300401200		30	40	1200	GET A QUOTE
IRTU-CET300501200		30	50	1200	GET A QUOTE
IRTU-CET300601200		30	60	1200	GET A QUOTE
IRTU-CET500301200	GLASS FIBRE PLATE	50	30	1200	GET A QUOTE
IRTU-CET500401200		50	40	1200	GET A QUOTE
IRTU-CET500501200		50	50	1200	GET A QUOTE
IRTU-CET500601200		50	60	1200	GET A QUOTE







UPGM 203 SMC PRODUCTION

Code	Product Name	Dimension (mm)			Unit Price (pcs)
		Thickness (mm)	Width (mm)	Height (mm)	
IRTU-SMCP038001200	SMC GLASS FIBRE PLATE	3	800	1200	GET A QUOTE
IRTU-SMCP058001200		5	800	1200	GET A QUOTE
IRTU-SMCP108001200		10	800	1200	GET A QUOTE
IRTU-SMCP158001200		15	800	1200	GET A QUOTE
IRTU-SMCP208001200		20	800	1200	GET A QUOTE
IRTU-SMCP258001200		25	800	1200	GET A QUOTE
IRTU-SMCP308001200		30	800	1200	GET A QUOTE
IRTU-SMCT030301200	SMC GLASS FIBRE PLATE	3	30	1200	GET A QUOTE
IRTU-SMCT030401200		3	40	1200	GET A QUOTE
IRTU-SMCT030501200		3	50	1200	GET A QUOTE
IRTU-SMCT030601200		3	60	1200	GET A QUOTE
IRTU-SMCT050301200	SMC GLASS FIBRE PLATE	5	30	1200	GET A QUOTE
IRTU-SMCT050401200		5	40	1200	GET A QUOTE
IRTU-SMCT050501200		5	50	1200	GET A QUOTE
IRTU-SMCT050601200		5	60	1200	GET A QUOTE
IRTU-SMCT100301200	SMC GLASS FIBRE PLATE	10	30	1200	GET A QUOTE
IRTU-SMCT100401200		10	40	1200	GET A QUOTE
IRTU-SMCT100501200		10	50	1200	GET A QUOTE
IRTU-SMCT100601200		10	60	1200	GET A QUOTE
IRTU-SMCT150301200	SMC GLASS FIBRE PLATE	15	30	1200	GET A QUOTE
IRTU-SMCT150401200		15	40	1200	GET A QUOTE
IRTU-SMCT150501200		15	50	1200	GET A QUOTE
IRTU-SMCT150601200		15	60	1200	GET A QUOTE
IRTU-SMCT200301200	SMC GLASS FIBRE PLATE	20	30	1200	GET A QUOTE
IRTU-SMCT200401200		20	40	1200	GET A QUOTE
IRTU-SMCT200501200		20	50	1200	GET A QUOTE
IRTU-SMCT200601200		20	60	1200	GET A QUOTE
IRTU-SMCT250301200	SMC GLASS FIBRE PLATE	25	30	1200	GET A QUOTE
IRTU-SMCT250401200		25	40	1200	GET A QUOTE
IRTU-SMCT250501200		25	50	1200	GET A QUOTE
IRTU-SMCT250601200		25	60	1200	GET A QUOTE
IRTU-SMCT300301200	SMC GLASS FIBRE PLATE	30	30	1200	GET A QUOTE
IRTU-SMCT300401200		30	40	1200	GET A QUOTE
IRTU-SMCT300501200		30	50	1200	GET A QUOTE
IRTU-SMCT300601200		30	60	1200	GET A QUOTE
IRTU-SMCT500301200	SMC GLASS FIBRE PLATE	50	30	1200	GET A QUOTE
IRTU-SMCT500401200		50	40	1200	GET A QUOTE
IRTU-SMCT500501200		50	50	1200	GET A QUOTE
IRTU-SMCT500601200		50	60	1200	GET A QUOTE





UPGM 203 GLASS FIBRE PLATE

UPGM 203 is a halogen-free laminate made from glass-fibre mat and unsaturated polyester resin. Its excellent electrical, mechanical and thermal properties make it suitable for switchboards, transformers and other applications where Class F material is required. The product meets the UL 94 V0 flammability classification and tracking requirements. According to customer requirements, UPGM 203 can be manufactured using either SMC or hand lay-up production methods.

MEDIUM-VOLTAGE INSULATORS AND EQUIPMENT



INDOOR INSULATORS
- Post insulators.
- Voltage-divider post insulators.



TRANSFORMER BUSHING INSULATORS
- Used in oil-filled distribution and power transformers.
- 250 A - 450 A LV bushing insulators.



CABLE HOLDERS
- Switchgear cable holder.
- Cable carrying strap.




CABLE BELLOWS
- Switchgear cable bellows.
- 180 x 64 mm plastic bellows.

Post Insulators




Code	Type		Um (kW)	Min. Bending	Measurement										Min. Creepage	Sheds	Price (PCS)
IEC	VDE	IEC	kV	N	H	e	D	a	b	c	t1	t2	t3	t4	mm		
IRTU-M1002	10 N 500	JO4-75	12	4000	130	36	62	M16	M12	M6	24	15	14	36	160	5	GET A QUOTE
IRTU-M1003	10 N 1000	JO8-75		8000	130	46	80	M20	M16	M10	27	33	15	42	187	5	GET A QUOTE
IRTU-M2001	20 N 500	JO4-125	24	4000	130	36	74	M16	M12	M6	33	15	14	50	320	8	GET A QUOTE
IRTU-M2002	20 N 1000	JO8-125		8000	210	46	86	M20	M16	M10	27	33	15	44	320	8	GET A QUOTE
IRTU-M3001	30 N 500	JO4-170	36	4000	300	36	76	M16	M12	M6	33	15	14	54	445	11	GET A QUOTE
IRTU-M3002	30 N 1000	JO10-170		10000	300	46	99	M24	M16	M10	36	33	15	60	445	11	GET A QUOTE




Voltage Divider Post Insulator



Code	Type	Um (kW)	Min. Bending	Measurement											Min. Creepage	Sheds	Price (PCS)
		kV	N	H	e	D	s	a	b	v	t1	t2	t3	t4	mm		
IRTU-DG1201	10 N 10000	12	8000	130	46	80	30	M20	M16	M10	17	20	17	20	160	5	GET A QUOTE
IRTU-DG2401	20 N 500	24	4000	210	36	74	30	M20	M12	M6	35	20	14	47	320	5	GET A QUOTE
IRTU-DG2402	20 N 10000		8000	210	46	86	30	M16	M16	M10	35	27	20	47	320	8	GET A QUOTE
IRTU-DG3601	30 N 500	36	4000	300	36	82	34	M24	M12	M6	19	22	17	50	435	11	GET A QUOTE
IRTU-DG3602	30 N 1000		8000	300	46	99	34	M24	M16	M10	36	21	17	57	435	11	GET A QUOTE







- Used in oil-filled distribution and power transformers.
- Made of plastic material.













Code	Type	Product Name	Box Qty	Price (pcs)
IRTU-BS250	DT 250	250 A LV Bushing Insulators	100	GET A QUOTE
IRTU-BS630	DT 630	630 A LV Bushing Insulators	100	GET A QUOTE
IRTU-BS1000	DT 1000	1000 A LV Bushing Insulators	100	GET A QUOTE
IRTU-BS2000	DT 2000	2000 A LV Bushing Insulators	100	GET A QUOTE
IRTU-BS3150	DT 3150	3150 A LV Bushing Insulators	100	GET A QUOTE
IRTU-BS4500	DT 4500	4500 A LV Bushing Insulators	100	GET A QUOTE

Medium-Voltage Switchgear Cable Bellows



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-PKT 1040	Ø60 mm Plastic Cable Bellows	100	GET A QUOTE
IRTU-PKT 1030	Ø100 mm Plastic Cable Bellows	120	GET A QUOTE

Used at MV cable entries for sealing.

Bellows



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-PKT1050	Plastic Bellows (180x64mm)	60	GET A QUOTE
IRTU-PKT1050 V0	Plastic Bellows, V0 (180 x 64 mm)	60	GET A QUOTE

Cable Carriers



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-7001	80 Cable Carrier	50	GET A QUOTE

- Suitable for indoor and tunnel cable routing.
- Multiple units can be connected by interlocking.
- Flame-retardant plastic.

Medium-Voltage Switchgear Cable Holder



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-PKT1020	Plastic Cable Holder	50	GET A QUOTE

- Used in MV cable entries.
- Flame-retardant and halogen-free.
- Suitable for Ø50-80 mm cables.

DISTRIBUTION PRODUCTS AND PANEL GROUNDING SOLUTIONS



DISTRIBUTION UNITS
- 80 A - 125 A - 160 A - 200 A - 250 A.
- 1-, 2-, 3- and 4-pole units.
- Monoblock distribution units.




CONNECTION TERMINALS
- Copper connection terminals.
- Busbar connection terminals.
- Track-system connection terminals.
- U clamps.
- Spring-pressure connection terminals.




INSULATED PANEL GROUNDING TERMINALS
- 80 A - 125 A - 160 A.
- Panel grounding terminals.
- Neutral terminals.
- Insulated grounding terminals.



COPPER GROUND BUSBARS
- Grounding busbars.
- Busbar brackets.
- Panel grounding terminals.
- Copper grounding busbars.
- Equipotential bonding bars.




MCB COMB BUSBARS
- Single-phase busbars.
- Three-phase + neutral busbars.
- L1+N - L2+N - L3+N bars.
- Motor-protection busbars.



FLEXIBLE CONNECTION BUSBARS
- Flexible connection busbars.
- Insulated braided copper connections.
- Insulated flexible copper busbars.

80A 1-Pole Distribution Unit (6.5 x 9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-550204	2+4 6 HOLE UNITS	60	42	44	125	GET A QUOTE
IRTU-550205	2+5 7 HOLE UNITS	66	42	44	120	GET A QUOTE
IRTU-550208	2+8 10 HOLE UNITS	82	42	44	100	GET A QUOTE
IRTU-550210	2+10 12 HOLE UNITS	100	42	44	90	GET A QUOTE
IRTU-550213	2+13 15 HOLE UNITS	115	42	44	75	GET A QUOTE
IRTU-550218	2+18 20 HOLE UNITS	142	42	44	50	GET A QUOTE
IRTU-550223	2+23 25 HOLE UNITS	175	42	44	40	GET A QUOTE
IRTU-550228	2+28 30 HOLE UNITS	215	42	44	30	GET A QUOTE

80A 1-Pole Covered Distribution Unit (6.5 x 9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-551204	2+4 6 HOLE UNITS	60	42	44	110	GET A QUOTE
IRTU-551205	2+5 7 HOLE UNITS	66	42	44	100	GET A QUOTE
IRTU-551208	2+8 10 HOLE UNITS	82	42	44	80	GET A QUOTE
IRTU-551210	2+10 12 HOLE UNITS	100	42	44	70	GET A QUOTE
IRTU-551213	2+13 15 HOLE UNITS	115	42	44	50	GET A QUOTE
IRTU-551218	2+18 20 HOLE UNITS	142	42	44	40	GET A QUOTE
IRTU-551223	2+23 25 HOLE UNITS	175	42	44	30	GET A QUOTE
IRTU-551228	2+28 30 HOLE UNITS	215	42	44	20	GET A QUOTE

80A 2-Pole Distribution Unit (6.5 x 9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-650205	2+5 HOLE	65	45	47	22	GET A QUOTE
IRTU-650208	2+8 HOLE	88	45	47	15	GET A QUOTE
IRTU-650210	2+10 HOLE	102	45	47	14	GET A QUOTE
IRTU-650213	2+13 HOLE	126	45	47	12	GET A QUOTE
IRTU-650218	2+18 HOLE	162	45	47	6	GET A QUOTE
IRTU-650220	2+20 HOLE	175	45	47	6	GET A QUOTE

80A 4-Pole Distribution Unit (6.5 x 9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-651205	2+5 HOLE	65	90	50	10	GET A QUOTE
IRTU-651208	2+8 HOLE	87	90	50	8	GET A QUOTE
IRTU-651210	2+10 HOLE	102	90	50	6	GET A QUOTE
IRTU-651213	2+13 HOLE	126	90	50	5	GET A QUOTE
IRTU-651218	2+18 HOLE	162	90	50	4	GET A QUOTE
IRTU-651220	2+20 HOLE	175	90	50	4	GET A QUOTE
IRTU-651223	2+23 HOLE	197	90	50	4	GET A QUOTE

125A 1-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-730205	2+5 7 HOLE UNITS	76	44	42	65	GET A QUOTE
IRTU-730208	2+8 10 HOLE UNITS	100	44	42	48	GET A QUOTE
IRTU-730210	2+10 12 HOLE UNITS	115	44	42	45	GET A QUOTE
IRTU-730213	2+13 15 HOLE UNITS	135	44	42	40	GET A QUOTE
IRTU-730218	2+18 20 HOLE UNITS	170	44	42	30	GET A QUOTE
IRTU-730220	2+20 22 HOLE UNITS	185	44	42	30	GET A QUOTE
IRTU-730223	2+23 25 HOLE UNITS	207	44	42	25	GET A QUOTE
IRTU-730228	2+28 30 HOLE UNITS	245	44	42	20	GET A QUOTE

125A 1-Pole Covered Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-731205	2+5 7 HOLE UNITS	76	44	42	75	GET A QUOTE
IRTU-731208	2+8 10 HOLE UNITS	100	44	42	60	GET A QUOTE
IRTU-731210	2+10 12 HOLE UNITS	115	44	42	50	GET A QUOTE
IRTU-731213	2+13 15 HOLE UNITS	135	44	42	40	GET A QUOTE
IRTU-731218	2+18 20 HOLE UNITS	170	44	42	30	GET A QUOTE
IRTU-731220	2+20 22 HOLE UNITS	185	44	42	30	GET A QUOTE
IRTU-731223	2+23 25 HOLE UNITS	207	44	42	20	GET A QUOTE
IRTU-731228	2+28 30 HOLE UNITS	245	44	42	20	GET A QUOTE

125A 2-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-720205	2+5 HOLE	65	45	47	22	GET A QUOTE
IRTU-720208	2+8 HOLE	88	45	47	15	GET A QUOTE
IRTU-720210	2+10 HOLE	102	45	47	14	GET A QUOTE
IRTU-720213	2+13 HOLE	126	45	47	12	GET A QUOTE
IRTU-720218	2+18 HOLE	162	45	47	6	GET A QUOTE
IRTU-720220	2+20 HOLE	175	45	47	6	GET A QUOTE

125A 4-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-741205	2+5 HOLE	65	90	50	29	GET A QUOTE
IRTU-741208	2+8 HOLE	87	90	50	16	GET A QUOTE
IRTU-741210	2+10 HOLE	102	90	50	12	GET A QUOTE
IRTU-741213	2+13 HOLE	126	90	50	10	GET A QUOTE
IRTU-741218	2+18 HOLE	162	90	50	8	GET A QUOTE
IRTU-741220	2+20 HOLE	175	90	50	8	GET A QUOTE
IRTU-741223	2+23 HOLE	197	90	50	8	GET A QUOTE

125A 4-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-740205	2+5 HOLE	65	90	74	10	GET A QUOTE
IRTU-740208	2+8 HOLE	87	90	74	8	GET A QUOTE
IRTU-740210	2+10 HOLE	102	90	74	6	GET A QUOTE
IRTU-740213	2+13 HOLE	126	90	74	5	GET A QUOTE
IRTU-740218	2+18 HOLE	162	90	74	4	GET A QUOTE
IRTU-740220	2+20 HOLE	175	90	74	4	GET A QUOTE
IRTU-740223	2+23 HOLE	197	90	74	4	GET A QUOTE

125A 3-Pole Distribution Unit (7 x 12 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-103205	2+5 HOLE	88	130	55	12	GET A QUOTE
IRTU-103208	2+8 HOLE	110	130	55	8	GET A QUOTE
IRTU-103210	2+10 HOLE	124	130	55	8	GET A QUOTE
IRTU-103213	2+13 HOLE	150	130	55	6	GET A QUOTE
IRTU-103218	2+18 HOLE	185	130	55	4	GET A QUOTE
IRTU-103220	2+20 HOLE	200	130	55	4	GET A QUOTE

125A 4-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-104205	2+5 HOLE	88	144	55	12	GET A QUOTE
IRTU-104208	2+8 HOLE	110	144	55	8	GET A QUOTE
IRTU-104210	2+10 HOLE	124	144	55	8	GET A QUOTE
IRTU-104213	2+13 HOLE	150	144	55	6	GET A QUOTE
IRTU-104218	2+18 HOLE	185	144	55	4	GET A QUOTE
IRTU-104220	2+20 HOLE	200	144	55	4	GET A QUOTE

125A 5-Pole Distribution Unit (7 x 12 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-105205	2+5 HOLE	88	151	95	8	GET A QUOTE
IRTU-105208	2+8 HOLE	110	151	95	4	GET A QUOTE
IRTU-105210	2+10 HOLE	124	151	95	4	GET A QUOTE
IRTU-105213	2+13 HOLE	150	151	95	4	GET A QUOTE
IRTU-105218	2+18 HOLE	185	151	95	4	GET A QUOTE
IRTU-105220	2+20 HOLE	200	151	95	4	GET A QUOTE

160A 1-Pole Distribution Unit (10 x 15 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-150205	2+5 7 HOLE UNITS	110	40	40	25	GET A QUOTE
IRTU-150208	2+8 10 HOLE UNITS	120	40	40	25	GET A QUOTE
IRTU-150210	2+10 12 HOLE UNITS	155	40	40	15	GET A QUOTE
IRTU-150213	2+13 15 HOLE UNITS	180	40	40	15	GET A QUOTE
IRTU-150218	2+18 20 HOLE UNITS	220	40	40	10	GET A QUOTE
IRTU-150220	2+20 22 HOLE UNITS	240	40	40	10	GET A QUOTE

160A 3-Pole Distribution Unit (10 x 15 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-151205	2+5 HOLE	105	130	55	12	GET A QUOTE
IRTU-151208	2+8 HOLE	145	130	55	8	GET A QUOTE
IRTU-151210	2+10 HOLE	165	130	55	8	GET A QUOTE
IRTU-151213	2+13 HOLE	200	130	55	6	GET A QUOTE
IRTU-151218	2+18 HOLE	255	130	55	4	GET A QUOTE
IRTU-151220	2+20 HOLE	275	130	55	4	GET A QUOTE

160A 4-Pole Distribution Unit (10 x 15 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-152205	2+5 HOLE	105	144	55	12	GET A QUOTE
IRTU-152208	2+8 HOLE	145	144	55	8	GET A QUOTE
IRTU-152210	2+10 HOLE	165	144	55	8	GET A QUOTE
IRTU-152213	2+13 HOLE	200	144	55	6	GET A QUOTE
IRTU-152218	2+18 HOLE	255	144	55	4	GET A QUOTE
IRTU-152220	2+20 HOLE	275	144	55	4	GET A QUOTE

160A 5-Pole Distribution Unit (10 x 15 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-153205	2+5 HOLE	105	151	95	8	GET A QUOTE
IRTU-153208	2+8 HOLE	145	151	95	4	GET A QUOTE
IRTU-153210	2+10 HOLE	165	151	95	4	GET A QUOTE
IRTU-153213	2+13 HOLE	200	151	95	4	GET A QUOTE
IRTU-153218	2+18 HOLE	255	151	95	4	GET A QUOTE
IRTU-153220	2+20 HOLE	275	151	95	4	GET A QUOTE



250A 4-Pole Distribution Unit (4 x 20 mm Copper)

Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-425007	1 INPUT - 7 OUTPUT	220	150	95	6	GET A QUOTE
IRTU-425010	1 INPUT - 10 OUTPUT	280	150	39	4	GET A QUOTE
IRTU-425014	1 INPUT - 14 OUTPUT	314	150	39	4	GET A QUOTE




Busbar Forming Insulator Feet (3/4-Pole - Max. 40 x 10 mm)

Code	Product Name	Box Qty.	Unit Price (Set / 2 pcs)
İRTPF-4003	3-Pole Insulator Feet (Max. 40 x 10)	1	GET A QUOTE
İRTPF-4004	4-Pole Insulator Feet (Max. 40 x 10)	1	GET A QUOTE

* Supplied as 1 set: right + left units.




With its UL 94 V0 flame-retardant rating, ergonomic compact design and high short-circuit strength, the system provides a safe and clean busbar arrangement while resisting electrodynamic forces and mechanical impact. Form 1, 2, 3 and 4 configurations support straightforward assembly and operation.




Product features:
- Screws are Cr3+ plated.
- Manufactured from MS58 brass.
- Plastic components are flame-retardant (V0).
- Interlocking plastic insulation components can be produced in different sizes.

One Pole Insulated Panel Grounding Terminal 80A (6.5x9 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TKG10010	1x10 HOLE ONE POLE	128	115	25.65	100	GET A QUOTE
IRTU-TKG10011	1x11 HOLE ONE POLE	128	115	25.65	100	GET A QUOTE
IRTU-TKG10015	1x15 HOLE ONE POLE	128	115	25.65	100	GET A QUOTE
IRTU-TKG10020	1x20 HOLE ONE POLE	183	168	25.65	100	GET A QUOTE
IRTU-TKG10030	1x30 HOLE ONE POLE	225	213	25.65	100	GET A QUOTE

Two Pole Insulated Panel Grounding Terminal 80A (6.5x9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TKG20008	2x8 HOLE TWO POLE	182	168	25.65	100	GET A QUOTE
IRTU-TKG20011	2x11 HOLE TWO POLE	182	168	25.65	100	GET A QUOTE
IRTU-TKG20015	2x15 HOLE TWO POLE	260	245	25.65	100	GET A QUOTE

Three Pole Insulated Panel Grounding Terminal 80A - 125A




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TKG30011	3x11 HOLE THREE POLE (6.5x9 mm)	260	245	25.65	100	GET A QUOTE
IRTU-TKG31011	3x11 HOLE THREE POLE (7x12 mm)	260	245	25.65	100	GET A QUOTE

Terminals with Plastic Cover 63A (6x8 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-IKV6304	4 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKV6305	5 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKV6306	6 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKV6307	7 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKV6309	9 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKV6310	10 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKV6312	12 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKV6315	15 INSULATED TERMINAL	116	11	20	150	GET A QUOTE

Terminals with Plastic Cover 80A (6.5x9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-IK8004	4 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IK8005	5 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IK8006	6 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IK8007	7 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IK8009	9 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IK8010	10 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IK8012	12 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IK8015	15 INSULATED TERMINAL	116	11	20	150	GET A QUOTE

Terminals with Plastic Cover 63A (6x8 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-IKR6304	4 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR6305	5 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR6306	6 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR6307	7 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR6309	9 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR6310	10 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR6312	12 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR6315	15 INSULATED TERMINAL	116	11	20	150	GET A QUOTE

Terminals with Plastic Cover 80A (6.5x9 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-IKR8004	4 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR8005	5 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR8006	6 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR8007	7 INSULATED TERMINAL	71	11	20	200	GET A QUOTE
IRTU-IKR8009	9 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR8010	10 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR8012	12 INSULATED TERMINAL	116	11	20	150	GET A QUOTE
IRTU-IKR8015	15 INSULATED TERMINAL	116	11	20	150	GET A QUOTE

Panel Grounding Terminals with Plastic Foot 63A (6x8 mm)




Code	Product Name	L	H	Box Qty.	Unit Price (pcs)
IRTU-TKA8006	6 PERFORATED TERMINAL WITH FOOT	85	21	100	GET A QUOTE
IRTU-TKA8007	7 PERFORATED TERMINAL WITH FOOT	90	21	90	GET A QUOTE
IRTU-TKA8010	10 PERFORATED TERMINAL WITH FOOT	108	21	80	GET A QUOTE
IRTU-TKA8012	12 PERFORATED TERMINAL WITH FOOT	120	21	70	GET A QUOTE
IRTU-TKA8015	15 PERFORATED TERMINAL WITH FOOT	138	21	70	GET A QUOTE
IRTU-TKA8020	20 PERFORATED TERMINAL WITH FOOT	165	21	50	GET A QUOTE
IRTU-TKA8022	22 PERFORATED TERMINAL WITH FOOT	177	21	50	GET A QUOTE
IRTU-TKA8025	25 PERFORATED TERMINAL WITH FOOT	190	21	50	GET A QUOTE
IRTU-TKA8030	30 PERFORATED TERMINAL WITH FOOT	220	21	50	GET A QUOTE

Panel Grounding Terminals with Plastic Foot 80A (6.5x9 mm)




Code	Product Name	L	H	Box Qty.	Unit Price (pcs)
IRTU-TKA9006	6 PERFORATED TERMINAL WITH FOOT	87	22	100	GET A QUOTE
IRTU-TKA9007	7 PERFORATED TERMINAL WITH FOOT	94	22	90	GET A QUOTE
IRTU-TKA9010	10 PERFORATED TERMINAL WITH FOOT	106	22	80	GET A QUOTE
IRTU-TKA9012	12 PERFORATED TERMINAL WITH FOOT	124	22	70	GET A QUOTE
IRTU-TKA9015	15 PERFORATED TERMINAL WITH FOOT	141	22	70	GET A QUOTE
IRTU-TKA9020	20 PERFORATED TERMINAL WITH FOOT	168	22	50	GET A QUOTE
IRTU-TKA9022	22 PERFORATED TERMINAL WITH FOOT	181	22	50	GET A QUOTE
IRTU-TKA9025	25 PERFORATED TERMINAL WITH FOOT	196	22	50	GET A QUOTE
IRTU-TKA9030	30 PERFORATED TERMINAL WITH FOOT	231	22	50	GET A QUOTE

Panel Grounding Terminals with Plastic Foot 125A (7x12 mm)




Code	Product Name	L	H	Box Qty.	Unit Price (pcs)
IRTU-TKA1206	6 PERFORATED TERMINAL WITH FOOT	91	22	150	GET A QUOTE
IRTU-TKA1207	7 PERFORATED TERMINAL WITH FOOT	98	22	150	GET A QUOTE
IRTU-TKA1210	10 PERFORATED TERMINAL WITH FOOT	120	22	100	GET A QUOTE
IRTU-TKA1212	12 PERFORATED TERMINAL WITH FOOT	137	22	100	GET A QUOTE
IRTU-TKA1215	15 PERFORATED TERMINAL WITH FOOT	156	22	100	GET A QUOTE
IRTU-TKA1220	20 PERFORATED TERMINAL WITH FOOT	186	22	100	GET A QUOTE
IRTU-TKA1225	25 PERFORATED TERMINAL WITH FOOT	226	22	80	GET A QUOTE
IRTU-TKA1230	30 PERFORATED TERMINAL WITH FOOT	266	22	75	GET A QUOTE

Panel Grounding Terminals with Plastic Foot 160A (10x15 mm)



Code	Product Name	L	H	Box Qty.	Unit Price (pcs)
IRTU-TKA1507	7 PERFORATED TERMINAL	110	30	100	GET A QUOTE
IRTU-TKA1510	10 PERFORATED TERMINAL	145	30	100	GET A QUOTE
IRTU-TKA1512	12 PERFORATED TERMINAL	172	30	75	GET A QUOTE
IRTU-TKA1515	15 PERFORATED TERMINAL	199	30	50	GET A QUOTE
IRTU-TKA1520	20 PERFORATED TERMINAL	225	30	50	GET A QUOTE

Single Installations Panel Grounding Terminals 63A (6x8 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TK6804	4 PERFORATED TERMINAL	33	6	8	1500	GET A QUOTE
IRTU-TK6805	5 PERFORATED TERMINAL	38	6	8	1250	GET A QUOTE
IRTU-TK6806	6 PERFORATED TERMINAL	45	6	8	1000	GET A QUOTE
IRTU-TK6807	7 PERFORATED TERMINAL	50	6	8	1000	GET A QUOTE
IRTU-TK6809	9 PERFORATED TERMINAL	62	6	8	750	GET A QUOTE
IRTU-TK6810	10 PERFORATED TERMINAL	68	6	8	750	GET A QUOTE
IRTU-TK6812	12 PERFORATED TERMINAL	80	6	8	500	GET A QUOTE

Panel Grounding Terminals without Plastic Foot 63A (6x8 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TK8006	6 PERFORATED TERMINAL	52	6	8	500	GET A QUOTE
IRTU-TK8007	7 PERFORATED TERMINAL	57	6	8	500	GET A QUOTE
IRTU-TK8010	10 PERFORATED TERMINAL	76	6	8	400	GET A QUOTE
IRTU-TK8012	12 PERFORATED TERMINAL	88	6	8	400	GET A QUOTE
IRTU-TK8015	15 PERFORATED TERMINAL	105	6	8	250	GET A QUOTE
IRTU-TK8020	20 PERFORATED TERMINAL	134	6	8	250	GET A QUOTE
IRTU-TK8022	22 PERFORATED TERMINAL	146	6	8	250	GET A QUOTE

Single Installations Panel Grounding Terminals 80A (6.5x9 mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TK9004	4 PERFORATED TERMINAL	33	9	6.5	1500	GET A QUOTE
IRTU-TK9005	5 PERFORATED TERMINAL	38	9	6.5	1250	GET A QUOTE
IRTU-TK9006	6 PERFORATED TERMINAL	45	9	6.5	1000	GET A QUOTE
IRTU-TK9007	7 PERFORATED TERMINAL	50	9	6.5	1000	GET A QUOTE
IRTU-TK9009	9 PERFORATED TERMINAL	62	9	6.5	750	GET A QUOTE
IRTU-TK9010	10 PERFORATED TERMINAL	68	9	6.5	750	GET A QUOTE
IRTU-TK9012	12 PERFORATED TERMINAL	80	9	6.5	500	GET A QUOTE

Panel Grounding Terminals without Plastic Foot 80A (6.5x9 mm)




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-TK0006	6 PERFORATED TERMINAL	62	9	6.5	500	GET A QUOTE
IRTU-TK0007	7 PERFORATED TERMINAL	69	9	6.5	500	GET A QUOTE
IRTU-TK0010	10 PERFORATED TERMINAL	83	9	6.5	400	GET A QUOTE
IRTU-TK0012	12 PERFORATED TERMINAL	99	9	6.5	400	GET A QUOTE
IRTU-TK0015	15 PERFORATED TERMINAL	116	9	6.5	250	GET A QUOTE
IRTU-TK0020	20 PERFORATED TERMINAL	143	9	6.5	250	GET A QUOTE
IRTU-TK0022	22 PERFORATED TERMINAL	156	9	6.5	250	GET A QUOTE
IRTU-TK0025	25 PERFORATED TERMINAL	173	9	6.5	100	GET A QUOTE
IRTU-TK0030	30 PERFORATED TERMINAL	206	9	6.5	100	GET A QUOTE

Panel Grounding Terminals without Plastic Foot 125A (7x12 mm)



Code	Product Name	L1	L2	B	H	Box Qty.	Unit Price (pcs)
IRTU-TK1206	6 PERFORATED TERMINAL	69	55	7	12	150	GET A QUOTE
IRTU-TK1207	7 PERFORATED TERMINAL	76	62	7	12	150	GET A QUOTE
IRTU-TK1210	10 PERFORATED TERMINAL	98	84	7	12	100	GET A QUOTE
IRTU-TK1212	12 PERFORATED TERMINAL	115	101	7	12	100	GET A QUOTE
IRTU-TK1215	15 PERFORATED TERMINAL	134	120	7	12	100	GET A QUOTE
IRTU-TK1220	20 PERFORATED TERMINAL	164	150	7	12	100	GET A QUOTE
IRTU-TK1225	25 PERFORATED TERMINAL	204	190	7	12	80	GET A QUOTE
IRTU-TK1230	30 PERFORATED TERMINAL	244	230	7	12	75	GET A QUOTE

Panel Grounding Terminals without Plastic Foot 160A (10x15 mm)



Code	Product Name	L1	L2	Box Qty.	Unit Price (pcs)
IRTU-TK1507	7 PERFORATED TERMINAL	100	90	100	GET A QUOTE
IRTU-TK1510	10 PERFORATED TERMINAL	135	124	100	GET A QUOTE
IRTU-TK1512	12 PERFORATED TERMINAL	157	147	75	GET A QUOTE
IRTU-TK1515	15 PERFORATED TERMINAL	190	180	50	GET A QUOTE
IRTU-TK1520	20 PERFORATED TERMINAL	265	255	50	GET A QUOTE

Copper Ground Busbar




Code	Count of Screw	Copper Thickness	Length (m)	Box Qty	Unit Price (pcs)
IRTU-TB3115	31	1.5 x 15.0	1	25	GET A QUOTE
IRTU-TB6115	61	1.5 x 15.0	1	25	GET A QUOTE
IRTU-TB3120	31	2.0 x 15.0	1	25	GET A QUOTE
IRTU-TB6120	61	2.0 x 15.0	1	25	GET A QUOTE
IRTU-TB3130	31	3.0 x 15.0	1	25	GET A QUOTE
IRTU-TB6130	61	3.0 x 15.0	1	25	GET A QUOTE

Terminal Block Support Bracket



Code	Type	Box Qty	Unit Price (pcs)
IRTU-KBM1001	Screwed Busbar Support	500	GET A QUOTE

Copper Panel Grounding Terminal With Plastic Foot (4x20mm)



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-205220	1 Input 7 Output	220	40	39	100	GET A QUOTE
IRTU-205270	1 Input 10 Output	270	40	39	75	GET A QUOTE
IRTU-205345	1 Input 14 Output	345	40	39	50	GET A QUOTE

Copper Ground Bar Kit




Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-303250	30 x 3 25 cm 7 Hole	1	GET A QUOTE
IRTU-303300	30 x 3 30 cm 10 Hole	1	GET A QUOTE
IRTU-305300	30 x 5 30 cm 7 Hole	1	GET A QUOTE
IRTU-305400	30 x 5 40 cm 9 Hole	1	GET A QUOTE
IRTU-305500	30 x 5 50 cm 12 Hole	1	GET A QUOTE

Copper Connection Terminal



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-GDB4010	4x1 Power Distribution Busbar (125A)	120	20	19	50	GET A QUOTE
IRTU-GDB2010	2x1 Power Distribution Busbar (125A)	120	20	19	50	GET A QUOTE
IRTU-GDB3010	3x1 Power Distribution Busbar (400A)	200	39	34	50	GET A QUOTE


Copper Connection Terminal



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-GDB4011	4x1 Single Distribution Busbar (With Cover) (300A)	195	28.5	52	50	GET A QUOTE
IRTU-GDB3011	3x1 Single Distribution Busbar (With Cover) (300A)	146	28.5	52	50	GET A QUOTE

Copper Connection Terminal


NEW



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-GDB4012	4x1 Connection Busbar M6 (220A)	116	23	48	50	GET A QUOTE
IRTU-GDB3012	3x1 Connection Busbar M8 (300A)	103.5	28	49	50	GET A QUOTE

Copper Connection Terminal


NEW




Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-GDB2011	2x1 Double Pole Distribution Busbar (300A) (With Cover)	194.40	28	49	50	GET A QUOTE

Copper Connection Terminal

NEW



Code	Product Name	L	B	H	Box Qty.	Unit Price (pcs)
IRTU-GDB2012	2x1 Double Pole Distribution Busbar (300A) (With Cover)	116	23	44	50	GET A QUOTE



Interfaced Busbar Connection Terminal (Track System)

Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-2159	SK12 F3 Copper Terminal 4 mm^2	500	GET A QUOTE
IRTU-2160	SK12 F3 Copper Terminal 16 mm^2	300	GET A QUOTE
IRTU-2161	SK12 F3 Copper Terminal 35 mm^2	250	GET A QUOTE
IRTU-2162	12 x 3 mm Electrolytic Copper Busbar 1 m	1 m	GET A QUOTE



Busbar Connection Terminal (Spring System)

Code	Cross Section	Product Name	Box Qty	Unit Price (pcs)
IRTU-2140	16 mm^2	SK16F5 Copper Terminal $^{1.5\text{-}16}$ mm^2	100	GET A QUOTE
IRTU-2142	35 mm^2	SK35F5 Copper Terminal $^{1.5\text{-}35}$ mm^2	100	GET A QUOTE
IRTU-2144	70 mm^2	SK70F5 Copper Terminal 16-70 mm^2	25	GET A QUOTE
IRTU-2146	120 mm^2	SK120F5 Copper Terminal 16-120 mm^2	25	GET A QUOTE



U Terminal block plastic cover is included.

U Type Terminal Blocks

Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-7050	6 mm^2 U-Type Terminal Block	300	GET A QUOTE
IRTU-7051	10 mm^2 U-Type Terminal Block	250	GET A QUOTE
IRTU-7052	16 mm^2 U-Type Terminal Block	150	GET A QUOTE
IRTU-7053	25 mm^2 U-Type Terminal Block	100	GET A QUOTE
IRTU-7054	35 mm^2 U-Type Terminal Block	75	GET A QUOTE
IRTU-7055	50 mm^2 U-Type Terminal Block	50	GET A QUOTE
IRTU-7056	70 mm^2 U-Type Terminal Block	40	GET A QUOTE
IRTU-7057	95 mm^2 U-Type Terminal Block	30	GET A QUOTE
IRTU-7058	120 mm^2 U-Type Terminal Block	20	GET A QUOTE
IRTU-7059	150 mm^2 U-Type Terminal Block	10	GET A QUOTE
IRTU-7060	U Type Terminal Slot	100	GET A QUOTE




Claw-Type Clamps

Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-7070	No. 1 16 mm^2	500	GET A QUOTE
IRTU-7071	No. 2 25 mm^2	250	GET A QUOTE
IRTU-7072	No. 3 35 mm^2	100	GET A QUOTE
IRTU-7073	No. 4 50 mm^2	100	GET A QUOTE
IRTU-7074	No. 5 70 mm^2	100	GET A QUOTE
IRTU-7075	No. 6-7 120 mm^2	50	GET A QUOTE

Flexible Braid Busbar

- Braiding : 0.20 mm Cu-ETP wires
- Contact Area : Seamless Cu-ETP tube; plain-tinned, solderless pressed.
- Insulation : Special vinyl compound
  Maximum Temperature 105 °C
  Self-extinguishing UL 94 V0
  Insulation Resistance 20 Kv/mm
  Maximum Voltage 1000 V AC-1500 V DC





Sample Dimensioning Table

Diameter mm²	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	W mm	T mm	K mm	G mm	D1 mm	D2 mm
25 mm²	230	25	25	11	7	248	20	3.2	7	24	10.5	8.5
	630	25	25	11	7	648	20	3.2	7	24	10.5	8.5
50 mm²	230	25	25	11	7	248	20	5	9	24	10.5	8.5
	630	25	25	11	7	648	20	5	9	24	10.5	8.5
95 mm²	230	25	25	11	11	258	25	7.5	12	29	10.5	10.5
	630	25	25	11	11	658	25	7.5	12	29	10.5	10.5
150 mm²	330	30	30	11	11	355	30	10	15	34	12.5	12.5
	830	30	30	11	11	855	30	10	15	34	12.5	12.5

Flexible Connection Busbar



Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-066150	6 mm² M6 (L):150	100	GET A QUOTE
IRTU-066200	6 mm² M6 (L):200	100	GET A QUOTE
IRTU-106200	10 mm² M6 (L):200	100	GET A QUOTE
IRTU-106250	10 mm² M6 (L):250	100	GET A QUOTE
IRTU-166200	16 mm² M6 (L):200	100	GET A QUOTE
IRTU-166250	16 mm² M6 (L):250	100	GET A QUOTE


Insulated Flexible Copper Busbar



A	Width	Thickness	Sheet/Pcs	mm²	T (K) AMPER			Unit Price
	W	T	S		40 °C	50 °C	60 °C	GET A QUOTE
125A	9	0.8	3	21.6	120	134	147	GET A QUOTE
	13	0.5	3	19.5	150	167	184	GET A QUOTE
250A	15.5	8	4	49.6	286	320	350	GET A QUOTE
	20	1	3	60	323	360	395	GET A QUOTE
630A	24	1	8	192	606	678	743	GET A QUOTE
	32	1	5	160	573	640	702	GET A QUOTE
1000A	63	1	5	315	920	1030	1125	GET A QUOTE
	80	1	5	400	1050	1175	1285	GET A QUOTE
1250A	63	1	8	504	1245	1395	1532	GET A QUOTE
	80	1	6	480	1230	1375	1505	GET A QUOTE




MCB COMB BUSBAR



3000

One Phase Insulated Busbar Pin Type

Code	Phase	Module Number	Copper Thickness	Box Qty	Unit Pr. (/pcs)
IRTU-3006	1 Phase	12	1.0 mm / 80A	50	GET A QUOTE
IRTU-3007	1 Phase	18	1.0 mm / 80A	50	GET A QUOTE
IRTU-3008	1 Phase	24	1.0 mm / 80A	50	GET A QUOTE
IRTU-3009	1 Phase	30	1.0 mm / 80A	50	GET A QUOTE
IRTU-3010	1 Phase	56	1.0 mm / 80A	50	GET A QUOTE
IRTU-3001	1 Phase	12	1.5 mm / 100A	50	GET A QUOTE
IRTU-3002	1 Phase	18	1.5 mm / 100A	50	GET A QUOTE
IRTU-3003	1 Phase	24	1.5 mm / 100A	50	GET A QUOTE
IRTU-3004	1 Phase	30	1.5 mm / 100A	50	GET A QUOTE
IRTU-3005	1 Phase	56	1.5 mm / 100A	50	GET A QUOTE
IRTU-3011	1 Phase	12	2.0 mm / 125A	50	GET A QUOTE
IRTU-3012	1 Phase	18	2.0 mm / 125A	50	GET A QUOTE
IRTU-3013	1 Phase	24	2.0 mm / 125A	50	GET A QUOTE
IRTU-3014	1 Phase	30	2.0 mm / 125A	50	GET A QUOTE
IRTU-3015	1 Phase	56	2.0 mm / 125A	50	GET A QUOTE
IRTU-3000	PLASTIC COVER FOR MONO PHASE MCB BUSBAR			100	GET A QUOTE




3026

Two Phases Insulated Busbar Pin Type

Code	Phase	Module Number	Copper Thickness	Box Qty	Unit Pr. (pcs)
IRTU-3021	2 Phase	6	1 mm / 80A	30	GET A QUOTE
IRTU-3022	2 Phase	9	1 mm / 80A	30	GET A QUOTE
IRTU-3023	2 Phase	12	1 mm / 80A	30	GET A QUOTE
IRTU-3024	2 Phase	15	1 mm / 80A	30	GET A QUOTE
IRTU-3025	2 Phase	28	1 mm / 80A	30	GET A QUOTE
IRTU-3031	2 Phase	6	1.5 mm / 100A	30	GET A QUOTE
IRTU-3032	2 Phase	9	1.5 mm / 100A	30	GET A QUOTE
IRTU-3033	2 Phase	12	1.5 mm / 100A	30	GET A QUOTE
IRTU-3034	2 Phase	15	1.5 mm / 100A	30	GET A QUOTE
IRTU-3035	2 Phase	28	1.5 mm / 100A	30	GET A QUOTE
IRTU-3026	PLASTIC COVER FOR 2-PHASE W MCB BUSBAR			100	GET A QUOTE

Three-Phase Insulated Pin-Type Busbar




Code	Phase	Module Number	Copper Thickness	Box Qty	Unit Pr. (pcs)
IRTU-3041	3 Phase	4	1.0 mm / 80A	30	GET A QUOTE
IRTU-3042	3 Phase	6	1.0 mm / 80A	30	GET A QUOTE
IRTU-3043	3 Phase	8	1.0 mm / 80A	30	GET A QUOTE
IRTU-3044	3 Phase	10	1.0 mm / 80A	30	GET A QUOTE
IRTU-3045	3 Phase	20	1.0 mm / 80A	25	GET A QUOTE
IRTU-3051	3 Phase	4	1.5 mm / 100A	30	GET A QUOTE
IRTU-3052	3 Phase	6	1.5 mm / 100A	30	GET A QUOTE
IRTU-3053	3 Phase	8	1.5 mm / 100A	30	GET A QUOTE
IRTU-3054	3 Phase	10	1.5 mm / 100A	30	GET A QUOTE
IRTU-3055	3 Phase	20	1.5 mm / 100A	25	GET A QUOTE
IRTU-3066	3 Phase	4	2.0 mm / 125A	30	GET A QUOTE
IRTU-3067	3 Phase	6	2.0 mm / 125A	30	GET A QUOTE
IRTU-3068	3 Phase	8	2.0 mm / 125A	30	GET A QUOTE
IRTU-3069	3 Phase	10	2.0 mm / 125A	30	GET A QUOTE
IRTU-3070	3 Phase	20	2.0 mm / 125A	25	GET A QUOTE
IRTU-3056	PLASTIC COVER FOR 3-PHASE MCB BUSBAR (1.5 mm)			100	GET A QUOTE
IRTU-5833	PLASTIC COVER FOR 3-PHASE MCB BUSBAR (1 mm)			100	GET A QUOTE




3056



5533




Three Phase + Neutral Joint W Automat Busbar




Code	Phase	Module Number	Copper Thickness	Box Qty	Unit Pr. (pcs)
IRTU-3058	3 Phase + Neutral	4	1.5 mm	16	GET A QUOTE
IRTU-3059	3 Phase + Neutral	8	1.5 mm	16	GET A QUOTE
IRTU-3060	3 Phase + Neutral	14	1.5 mm	16	GET A QUOTE
IRTU-3057	Side Cover			100	GET A QUOTE



3057




Joint MCB Comb Busbar (L1+N, L2+N, L3+N)






FTG-A2

Code	Phase	Module Number	Box Qty	Unit Price (pcs)
FTG-4ES16L54AOAON-01	L1 + H, L2 + N, L3 + N..	13 Module 1 M	1	GET A QUOTE
FTG-A2	Side Cover		1	GET A QUOTE





Insulated Motor-Protection Busbars



Code	Phase	Step Width	Box Qty	Unit Price (pcs)
IRTU-MSVG54-14-2	Dual Module	45 + 9 = 54 mm	1	GET A QUOTE
IRTU-MSVG54-14-4	Four Module	45 + 9 = 54 mm	1	GET A QUOTE
IRTU-MSVG54-14-5	Five Module	45 + 9 = 54 mm	1	GET A QUOTE
IRTU-MSVG45-14-3	Three Module	45 mm	1	GET A QUOTE
IRTU-MSVG45-14-4	Four Module	45 mm	1	GET A QUOTE

Modular Power Terminal



3061



3065



802/115S



802/215S



802/114



GE1-14


Code	Type	Box Qty	Unit Price (pcs)
IRTU-3061	No: 1 (2.5 - 10 mm^2)	150	GET A QUOTE
IRTU-3065	No: 2 (16 - 25 mm^2)	100	GET A QUOTE
POLL-2010201	No: 2 (6 - 25 mm^2)	30	GET A QUOTE
POLL-2010235	No: 3 (6 - 50 mm^2)	25	GET A QUOTE
FTG-802/215 S	No: 2 (6 - 25 mm^2) Fork Type	25	GET A QUOTE
FTG-MSV GE 1-14	No.2 (6-25 mm^2) Fork Type, (L1, L2, L3) Fork Type Triple	1	GET A QUOTE

ACCESSORIES



LED LIGHTING IN PANEL

- Standard LED lighting.
- Magnetic LED lighting.
- Sensor LED lighting.
- 220 V LED lighting.
- 12 - 24 Volt Led Lighting.



MARKING SYSTEM

- Component Labels.
- Cabling Solutions.
- Thin and Thick Panel Labels.
- Marking System For Terminal Blocks.




BUTTON AND SIGNAL GROUP

- Ø22 Led Pilot Light.
- Illuminated Push Button.
- Emergency Stop Button.
- Twin Buttons.
- Selector Switch.



PANEL ACCESSORIES

- Panel Sockets.
- Panel Curtain Bolt.
- Plastic Glass Holder.
- Panel Corner Apparatus.
- Sliding Locks.



PANEL LABELS

- MCB Label.
- Panel Signal Label.
- Caution Labels.
- Pvc and Sheet Metal Label.



SHEET ACCESSORIES

- Machine cover components.
- Panel screen screws.
- Panel glass holders.
- Corner Apparatus.
- Sliding Locks.



PLASTIC ACCESSORIES

- Panel Project Pocket.
- Air Conditioning Shutters.
- Panel Air Conditioning Equipment.
- Plastic Plug.



LED LIGHTING

22030/ES

22030/E

240 Voltage Led Panel lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Standard) Unit Price (pcs)
IRTU-LED 22030-E	30 cm Plastic Body Eco	220 Volt	300	23	GET A QUOTE
IRTU-LED 22030-ES	30 cm Aluminium Body Eco	220 Volt	300	23	GET A QUOTE

Code	Product Name	Voltage	L (mm)	H (mm)	(Standard) Unit Price (pcs)
IRTU-LED 22025	25 cm 25 cm Led Panel Lighting	220 Volt	250	23	GET A QUOTE
IRTU-LED 22030	30 cm 30 cm Led Panel Lighting	220 Volt	300	23	GET A QUOTE
IRTU-LED 22035	35 cm 35 cm Led Panel Lighting	220 Volt	350	23	GET A QUOTE
IRTU-LED 22045	45 cm 45 cm Led Panel Lighting	220 Volt	450	23	GET A QUOTE
IRTU-LED 22060	60 cm 60 cm Led Panel Lighting	220 Volt	600	23	GET A QUOTE

Voltage : 110/220 V AC	Power : 5 W	IP : 20	Frequency : 50/60 Hz.	Color : White

12 Voltage Led Panel Lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Standard) Unit Price (pcs)
IRTU-LED 12025	25 cm 25 cm Led Panel Lighting	12 Volt	250	23	GET A QUOTE
IRTU-LED 12030	30 cm 30 cm Led Panel Lighting	12 Volt	300	23	GET A QUOTE
IRTU-LED 12045	45 cm 45 cm Led Panel Lighting	12 Volt	450	23	GET A QUOTE
IRTU-LED 12065	65 cm 65 cm Led Panel Lighting	12 Volt	650	23	GET A QUOTE

Voltage : 12 V DC	Color : White	Power : 4 W	IP : 20


24 Voltage Led Panel Lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Standard) Unit Price (pcs)
IRTU-LED 24025	25 cm Led Panel Lighting	24 Volt	250	23	GET A QUOTE
IRTU-LED 24030	30 cm Led Panel Lighting	24 Volt	300	23	GET A QUOTE
IRTU-LED 24045	45 cm Led Panel Lighting	24 Volt	450	23	GET A QUOTE
IRTU-LED 24065	65 cm Led Panel Lighting	24 Volt	650	23	GET A QUOTE

Voltage : 24 V DC	Color : White	Power : 4 W	IP : 20

Aluminum body
Easy Installation with Plastic Feet
Production Opportunity in Variable Sizes and Voltages

Lighting Led Type and Different Color Options (White, Daylight, Red, Green, Blue)



MAGNETIC AND SENSOR LED LIGHTING

240 Voltage Led Panel Lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Magnet) Unit Price (pcs)	Code	(Sensored) Unit Price (pcs)
IRTU-LED 22025/M	25 cm Led Panel Lighting	220 Volt	250	23	GET A QUOTE	IRTU-LED 22025/S	GET A QUOTE
IRTU-LED 22030/M	30 cm Led Panel Lighting	220 Volt	300	23	GET A QUOTE	IRTU-LED 22030/S	GET A QUOTE
IRTU-LED 22035/M	35 cm Led Panel Lighting	220 Volt	350	23	GET A QUOTE	IRTU-LED 22035/S	GET A QUOTE
IRTU-LED 22045/M	45 cm Led Panel Lighting	220 Volt	450	23	GET A QUOTE	IRTU-LED 22045/S	GET A QUOTE
IRTU-LED 22055/M	55 cm Led Panel Lighting	220 Volt	550	23	GET A QUOTE	IRTU-LED 22055/S	GET A QUOTE
IRTU-LED 22060/M	60 cm Led Panel Lighting	220 Volt	600	23	GET A QUOTE	IRTU-LED 22060/S	GET A QUOTE

Voltage : 110/220 V AC	Power : 5 W	IP : 20	Frequency : 50/60 Hz.	Color : White

12 Voltage Led Panel Lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Magnet) Unit Price (pcs)	Code	(Sensored) Unit Price (pcs)
IRTU-LED 12025/M	25 cm Led Panel Lighting	12 Volt	250	23	GET A QUOTE	IRTU-LED 12025/S	GET A QUOTE
IRTU-LED 12030/M	30 cm Led Panel Lighting	12 Volt	300	23	GET A QUOTE	IRTU-LED 12030/S	GET A QUOTE
IRTU-LED 12035/M	35 cm Led Panel Lighting	12 Volt	350	23	GET A QUOTE	IRTU-LED 12035/S	GET A QUOTE
IRTU-LED 12045/M	45 cm Led Panel Lighting	12 Volt	450	23	GET A QUOTE	IRTU-LED 12045/S	GET A QUOTE
IRTU-LED 12055/M	55 cm Led Panel Lighting	12 Volt	550	23	GET A QUOTE	IRTU-LED 12055/S	GET A QUOTE
IRTU-LED 12065/M	65 cm Led Panel Lighting	12 Volt	650	23	GET A QUOTE	IRTU-LED 12065/S	GET A QUOTE

Voltage : 12 V DC	Color : White	Power : 4 W	IP : 20

24 Voltage Led Panel Lighting

Code	Product Name	Voltage	L (mm)	H (mm)	(Magnet) Unit Price (pcs)	Code	(Sensored) Unit Price (pcs)
IRTU-LED 24025/M	25 cm Led Panel Lighting	24 Volt	250	23	GET A QUOTE	IRTU-LED 24025/S	GET A QUOTE
IRTU-LED 24030/M	30 cm Led Panel Lighting	24 Volt	300	23	GET A QUOTE	IRTU-LED 24030/S	GET A QUOTE
IRTU-LED 24035/M	35 cm Led Panel Lighting	24 Volt	350	23	GET A QUOTE	IRTU-LED 24035/S	GET A QUOTE
IRTU-LED 24045/M	45 cm Led Panel Lighting	24 Volt	450	23	GET A QUOTE	IRTU-LED 24045/S	GET A QUOTE
IRTU-LED 24055/M	55 cm Led Panel Lighting	24 Volt	550	23	GET A QUOTE	IRTU-LED 24055/S	GET A QUOTE
IRTU-LED 24065/M	65 cm Led Panel Lighting	24 Volt	650	23	GET A QUOTE	IRTU-LED 24065/S	GET A QUOTE

Voltage : 24 V DC	Color : White	Power : 4 W	IP : 20

Led Pilot Light







Code	Product Name	Color	Unit Price (pcs)
MB3-EV 916	Led Signal 220V AC/DC	White	GET A QUOTE
MB3-EV 936		Green	GET A QUOTE
MB3-EV 946		Red	GET A QUOTE
MB3-EV 956		Yellow	GET A QUOTE
MB3-EV 966		Blue	GET A QUOTE
MB3-EV 917	Led Signal 24V AC/DC	White	GET A QUOTE
MB3-EV 937		Green	GET A QUOTE
MB3-EV 947		Red	GET A QUOTE
MB3-EV 957		Yellow	GET A QUOTE
MB3-EV 967		Blue	GET A QUOTE
MB3-EV 918	Led Signal 110V AC/DC	White	GET A QUOTE
MB3-EV 938		Green	GET A QUOTE
MB3-EV 948		Red	GET A QUOTE
MB3-EV 958		Yellow	GET A QUOTE
MB3-EV 968		Blue	GET A QUOTE

Illuminated Push Button 220VAC 3A/250VAC



BA9S Neon Plastic

Code	Color	Unit Price (Pcs)
IRTU-EW 611	White / NO	GET A QUOTE
IRTU-EW 631	Green / NO	GET A QUOTE
IRTU-EW 642	Red / NC	GET A QUOTE
IRTU-EW 651	Yellow / NO	GET A QUOTE
IRTU-EW 661	Blue / NO	GET A QUOTE



Led Plastic

IRTU-EW 771	White / NO	GET A QUOTE
IRTU-EW 731	Green / NO	GET A QUOTE
IRTU-EW 742	Red / NC	GET A QUOTE
IRTU-EW 751	Yellow / NO	GET A QUOTE
IRTU-EW 761	Blue / NO	GET A QUOTE



BA9S Metal

IRTU-BW 611	White / NO	GET A QUOTE
IRTU-BW 631	Green / NO	GET A QUOTE
IRTU-BW 642	Red / NC	GET A QUOTE
IRTU-BW 651	Yellow / NO	GET A QUOTE
IRTU-BW 661	Blue / NO	GET A QUOTE

Spring-Return Push Button



Plastic

IRTU-EA 210	Black / NO	GET A QUOTE
IRTU-EA 310	Green / NO	GET A QUOTE
IRTU-EA 420	Red / NC	GET A QUOTE
IRTU-EA 510	Yellow / NO	GET A QUOTE
IRTU-EA 610	Blue / NO	GET A QUOTE



Metal

IRTU-BA 210	Black / NO	GET A QUOTE
IRTU-BA 310	Green / NO	GET A QUOTE
IRTU-BA 420	Red / NC	GET A QUOTE
IRTU-BA 510	Yellow / NO	GET A QUOTE
IRTU-BA 610	Blue / NO	GET A QUOTE



Direction

IRTU-EA 112	White (→) / NO	GET A QUOTE
IRTU-EA 212	Black (←) / NO	GET A QUOTE
IRTU-EA 514	Yellow Alarm / NO	GET A QUOTE
IRTU-EA 613	Blue (↔) / NO	GET A QUOTE

Emergency Stop Button



Plastic

IRTU-ES 442	Push-Turn Ø30/NC	
IRTU-ES 542	Push-Turn Ø40/NC	
IRTU-ES 642	Push-Turn Ø60/NC	
IRTU-ES 142	With Key Ø40/NC	



Metal

IRTU-BS 542	Push-Turn / NC	
IRTU-BC 420	Push / NC	
IRTU-BS 142	With Key / NC	



Spring

IRTU-EC 210	White / NO	
IRTU-EC 310	Green / NO	
IRTU-EC 420	Red / NC	



DIN-RAIL PANEL SOCKETS WITH COVER

DIN-RAIL PANEL SOCKETS WITH COVER




Code	Product Name	Box Qty.	Unit Pr. (pcs)
IRTU-7160	Inlet Without LED	10	GET A QUOTE
IRTU-7162	Inlet With LED	10	GET A QUOTE
IRTU-7164	Inlet & UPS With LED	10	GET A QUOTE
IRTU-7166	Inlet & UPS With LED	10	GET A QUOTE



Code	Product Name	Box Qty.	Unit Pr. (pcs)
IRTU-7161	Inlet & Outled Without LED	10	GET A QUOTE
IRTU-7163	Inlet With LED	10	GET A QUOTE
IRTU-7165	Inlet & Outled & UPS Without LED	10	GET A QUOTE
IRTU-7167	Inlet & Outled & UPS With LED	10	GET A QUOTE



Adhesive Panel Labels




Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-PET3014	PANEL LABEL 30 x 14mm	100	GET A QUOTE
IRTU-PET5214	PANEL LABEL 52 x 14mm	100	GET A QUOTE
IRTU-PET3017	PANEL LABEL 30 x 17mm	100	GET A QUOTE
IRTU-PET5217	PANEL LABEL 52 x 17mm	100	GET A QUOTE
IRTU-PET7017	PANEL LABEL 70 x 17mm	100	GET A QUOTE

Plastic Panel Signal Labels



Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-PSET3014	Panel Signal Labels x14 mm	100	GET A QUOTE
IRTU-PSET3015	Panel Signal Labels x12 mm	100	GET A QUOTE
IRTU-PSET3016	Panel Signal Labels x18 mm	100	GET A QUOTE
IRTU-PSET3017	Panel Signal Labels x12 mm	100	GET A QUOTE
IRTU-PSET2816	Panel Signal Labels x16 mm	100	GET A QUOTE

Caution Labels





Code	Product Name	Box Qty	Unit Price (Package)
IRTU-ET1001	L1-L2-L3 Busbar Label 1.5 cm	540	GET A QUOTE
IRTU-ET1002	N Busbar Label 1.5 cm	540	GET A QUOTE
IRTU-ET1003	Grounding Label 1.5 cm	540	GET A QUOTE
IRTU-ET2001	L1-L2-L3 Busbar Label 3 cm	240	GET A QUOTE
IRTU-ET2002	N Busbar Label 3 cm	240	GET A QUOTE
IRTU-ET2003	Grounding Label 3 cm	240	GET A QUOTE
IRTU-ET3001	Danger Label 10 x 10 x 10 cm	100	GET A QUOTE

MCB Label



Code	Product Name	Box Qty. (m)	Unit Price (m)
IRTU-YPE20200.3M	20 x 2000 mm PANEL LABEL WITH STICKY	200	GET A QUOTE
IRTU-YPE30200.3M	30 x 2000 mm PANEL LABEL WITH STICKY	100	GET A QUOTE
IRTU-YPE40200.3M	40 x 2000 mm PANEL LABEL WITH STICKY	100	GET A QUOTE




IRTU-YPE7126	15 x 1000 mm PANEL LABEL WITH STICKY	50	GET A QUOTE
IRTU-YPE7127	15 x 2000 mm PANEL LABEL WITH STICKY	50	GET A QUOTE

MCB Cover Plate t)



Code	Product Name	Box Qty. (m)	Unit Price (m)
IRTU-WCP7035	**2 m COVER PLATE** L 7035	60	GET A QUOTE
IRTU-WCP7032	**2 m COVER PLATE** L 7032	60	GET A QUOTE
IRTU-WCP9001	**2 m COVER PLATE** L 9001	60	GET A QUOTE
IRTU-WCP9003	**2 m COVER PLATE** L 9003	60	GET A QUOTE

MCB Cover Plate th Parts



Code	Product Name	Box Qty.	Unit Price (pcs)
IRTU-WCPP7035	10 PIECES RAL 7035	100	GET A QUOTE
IRTU-WCPP7035-E	10 GROUPS RAL 7035 (MOBLEN)	100	GET A QUOTE



IRTU-WCPP7035-L	10 GROUPS RAL 7035	50	GET A QUOTE
IRTU-WCPP9003-L	10 GROUPS RAL 9003	50	GET A QUOTE

Panel Label Leg (Polyamide 6 V0)



Code	Product Name	Color	Box Qty.	Unit Price (pcs)
IRTU-PAY1001	PLASTIC LEG	RAL 7035	200	GET A QUOTE

PVC Labels

Icon	Code	Product Name	Box Qty.	Unit Price (pcs)
	IRTU-PVC1	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE
	IRTU-PVC2	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE
	IRTU-PVC3	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE
	IRTU-PVC5	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE
	IRTU-PVC6	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE
	IRTU-PVC13	14 x 20 mm 0.50 PVC Label with Full-Surface Double-Sided Adhesive	250	GET A QUOTE

Sheet Metal Labels

Icon	Code	Product Name	Box Qty.	Unit Price (pcs)
	IRTU-SAC4	14 x 20 Sheet Metal	250	GET A QUOTE
	IRTU-SAC7	12 x 15 Sheet Metal	250	GET A QUOTE
	IRTU-SAC8	14 x 20 Sheet Metal	250	GET A QUOTE
	IRTU-SAC9	14 x 20 Sheet Metal	250	GET A QUOTE
	IRTU-SAC10	14 x 20 Sheet Metal	250	GET A QUOTE
	IRTU-SAC12	14 x 20 Sheet Metal	250	GET A QUOTE

Plasctic Click-fit Cable Clips



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-5155	No. 1 Plastic Click-fit Cable Clips 2 x 1.5 / 2 x 2.5 / 2 x 4 / 2 x 6 3 x 1.5 / 4 x 1.5 / 3 x 2.5 / 4 x 2.5	100	GET A QUOTE
IRTU-5156	No. 2 Plastic Click-fit Cable Clips 4 x 4 / 4 x 6	100	GET A QUOTE
IRTU-5157	No. 3 Plastic Click-fit Cable Clips 4 x 10 NYM / 3 x 16 + 10 NYY	100	GET A QUOTE
IRTU-5158	No. 4 Plastic Click-fit Cable Clips 3 x 25 + 16 / 3 x 35 + 16 / 3 x 50 + 25 NYY	25	GET A QUOTE

Pipe and Cable Fixing Elements



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-9001	Pipe and Cable Fixing Elements 6)	750	GET A QUOTE
IRTU-9002	Pipe and Cable Fixing Elements -48)	250	GET A QUOTE
IRTU-9003	Pipe and Cable Fixing Elements -72)	250	GET A QUOTE

Pipe and Cable Connection Rail



Code	Product Name	Box Qty	Unit Price (m) Unit Price (m)
IRTU-MR9001	Galvanized Rail (8-36) (2 m)	100	GET A QUOTE
IRTU-MR9002	Galvanized Rail (14-48 / 24-72) (2 m)	100	GET A QUOTE

PG POLYAMIDE BLIND PLUGS



Code	Size	Color	Box Qty.	Unit Price (pcs)
IRTU-KT1007	PG-7		250	GET A QUOTE
IRTU-KT1009	PG-9		250	GET A QUOTE
IRTU-KT1011	PG-11		250	GET A QUOTE
IRTU-KT1013	PG-13,5		250	GET A QUOTE
IRTU-KT1016	PG-16		250	GET A QUOTE
IRTU-KT1021	PG-21		250	GET A QUOTE
IRTU-KT1029	PG-29		150	GET A QUOTE
IRTU-KT1036	PG-36		100	GET A QUOTE

RUBBER BLIND PLUGS





FLAT TYPE



Code	Size	Box Qty.	Unit Price (pcs)
IRTU-KT5013	PG-13,5	100	GET A QUOTE
IRTU-KT5016	PG-16	100	GET A QUOTE
IRTU-KT5021	PG-21	100	GET A QUOTE
IRTU-KT5029	PG-29	100	GET A QUOTE
IRTU-KT5036	PG-36	100	GET A QUOTE
IRTU-KT5042	PG-42	50	GET A QUOTE

IRTU-KT5016.01	PG-16	100	GET A QUOTE

IRTU-TAPA1001	Plastic Plug (Rivets)	1000	GET A QUOTE
IRTU-PUL1001	Plastic Panel Screw Washer	1000	GET A QUOTE

Panel Air Conditioning Equipments



PHV1001



PHV1003



PHV1002

Code	Dimensions	Size	Box Qty	Unit Price (pcs)
IRTU-PHV1001	Panel Air Conditioning Equipment	M 40 x 1.5	50	GET A QUOTE
IRTU-PHV1002	Drainage Equipment	Ø 16	100	GET A QUOTE
IRTU-PHV1003	Drainage Equipment	M 25 x 1.5	50	GET A QUOTE

Panel Project Pocket



Code	Product Name		Size	Colour	Box Qty.	Unit Price (pcs)
IRTU-PCB303	Panel Project Pocket	Tapeless	A4	RAL7032	50	GET A QUOTE
IRTU-PCB403	Panel Project Pocket	Banded		RAL7032	50	GET A QUOTE
IRTU-PCB304	Panel Project Pocket	Tapeless		RAL7035	50	GET A QUOTE
IRTU-PCB404	Panel Project Pocket	Banded		RAL7035	50	GET A QUOTE
IRTU-PCB305	Panel Project Pocket	Tapeless		RAL9001	50	GET A QUOTE
IRTU-PCB405	Panel Project Pocket	Banded		RAL9001	50	GET A QUOTE
IRTU-PCB310	Panel Project Pocket	Tapeless		RAL9003	50	GET A QUOTE
IRTU-PCB410	Panel Project Pocket	Banded		RAL9003	50	GET A QUOTE



IRTU-PCB603	Panel Project Pocket	Tapeless	A5	RAL7032	60	GET A QUOTE
IRTU-PCB503	Panel Project Pocket	Banded		RAL7032	60	GET A QUOTE
IRTU-PCB604	Panel Project Pocket	Tapeless		RAL7035	60	GET A QUOTE
IRTU-PCB504	Panel Project Pocket	Banded		RAL7035	60	GET A QUOTE
IRTU-PCB605	Panel Project Pocket	Tapeless		RAL9001	60	GET A QUOTE
IRTU-PCB505	Panel Project Pocket	Banded		RAL9001	60	GET A QUOTE
IRTU-PCB610	Panel Project Pocket	Tapeless		RAL9003	60	GET A QUOTE
IRTU-PCB510	Panel Project Pocket	Banded		RAL9003	60	GET A QUOTE

Air Conditioning Shutters



Code	Dimensions	Box Qty	Unit Price (pcs)
IRTU-PHV2001	FIBER 120 x 120 mm	50	GET A QUOTE
IRTU-PHV2002	FIBER 225 x 225 mm	50	GET A QUOTE

Panel Heating and Cooling Thermostats

Code	Product Name	Box Qty.	Unit Price
IRTU-KTO1010	Panel Heating Thermostat (0-60 °C)	1	GET A QUOTE
IRTU-KTO1020	Panel Cooling Thermostat (0-60 °C)	1	GET A QUOTE
IRTU-KTO1030	Panel Heating/Cooling Thermostat (0-60 °C)	1	GET A QUOTE

Machine Holder



Code	Product Name	Size	Box Qty	Unit Price (set)
IRTU-KP200	Machine Handle L: 200 mm	200	10	GET A QUOTE
IRTU-KP300	Machine Handle L: 300 mm	300	10	GET A QUOTE
IRTU-KP400	Machine Handle L: 400 mm	400	10	GET A QUOTE
IRTU-KP500	Machine Handle L:500 mm	500	10	GET A QUOTE
IRTU-KP100	Machine Handle Part 1	500	10	GET A QUOTE
IRTU-KP050	Machine Handle Part 2	500	10	GET A QUOTE

Panel Screen Screw



Code	Product Name	Box Qty	Unit Price (set)
IRTU-PV0610	Curtain-Wall 10 Bolt	500	GET A QUOTE
IRTU-PV0620	Curtain-Wall 20 Bolt	500	GET A QUOTE
IRTU-PV0630	Curtain-Wall 30 Bolt	500	GET A QUOTE
IRTU-PV1620	M6x20 Slotted-Head Bolt	500	GET A QUOTE
IRTU-PV1625	M6x25 Slotted-Head Bolt	500	GET A QUOTE
IRTU-PV1630	M6x30 Slotted-Head Bolt	500	GET A QUOTE
STPC-1011	Plastic Handle	500	GET A QUOTE

Panel Glass Holder



Code	Product Name	Box Qty	Unit Price (pcs)
IRTU-CAMTUT 1010	Low Type Glass Holder	200	GET A QUOTE
IRTU-CAMTUT1020	High Type Glass Holder	200	GET A QUOTE
IRTU-4195	Corner Kit - Left & Right	100	GET A QUOTE
IRTU-SK0010	Deadlock	0.8 - 1.5 mm	GET A QUOTE
IRTU-SK0020	Small Deadlock	0.8 - 1.5 mm	GET A QUOTE

PANEL FITTINGS



FERRULE TERMINALS
FERRULE TERMINALS

- Standard ferrules.
- **Fork Type End Terminals.**
- **Ring Type End Terminals.**
- **Pin Type End Terminals.**
- **Faston Female End Terminals.**



CABLE LUGS

- Standard cable lugs.
- **Welded Cable Lug.**
- **Aluminium Cable Lugs.**
- **Aluminium - Copper Butt Connectors.**
- **KJB Type Bimetal (Al - Cu).**



CABLE COLLECTORS

- Cable grips.
- Spiral cable wrap.
Spiral cable wrap.
- Heat-shrink tubing.
- **Silicon Tubes.**
- **Cable Ties.**



CONNECTING ACCESSORIES

- **Panel Brush.**
- **Panel Tape and Gasket.**
- **Cable Trunkings.**
- **Brass and Polyamide Cable Glands.**
- **Spiral Conduit and Gland.**




PANEL MOUNTING RAIL

- **Panel Mounting Rail.**
- **MG Type Mounting Rail.**
- **Profile Support Rail.**
- **Rail Carrier.**
- **Rail Lift Tool.**

Insulated Single Cord End Terminals






Code 1	German Norm	Code 2	French Norm	Cable Cross Section	Dimension				Box Qty.	Unit Price (pcs)
					F	L	C	W		
IRTU-IYT005008		IRTU-IYT005008F		0.50 mm²	8.0	14.0	1.00	2.60	1000	GET A QUOTE
IRTU-IYT007508		IRTU-IYT007508F		0.75 mm²	8.0	14.0	1.2	2.8	1000	GET A QUOTE
IRTU-IYT010008		IRTU-IYT010008F		1.00 mm²	8.0	14.0	1.4	3.0	1000	GET A QUOTE
IRTU-IYT015008		IRTU-IYT015008F		1.50 mm²	8.0	14.0	1.7	3.5	1000	GET A QUOTE
IRTU-IYT025008		IRTU-IYT025008F		2.50 mm²	8.0	14.0	2.2	4.2	500	GET A QUOTE
IRTU-IYT040010		IRTU-IYT040010F		4.00 mm²	10.0	17.0	2.8	2.8	500	GET A QUOTE
IRTU-IYT060012		IRTU-IYT060012F		6.00 mm²	12.0	20.0	3.5	6.3	250	GET A QUOTE
IRTU-IYT100012		IRTU-IYT100012F		10.00 mm²	12.0	22.0	4.5	7.6	100	GET A QUOTE
IRTU-IYT160012		IRTU-IYT160012F		16.00 mm²	12.0	24.0	5.8	8.8	100	GET A QUOTE
IRTU-IYT250016		IRTU-IYT250016F		25.00 mm²	16.0	30.0	7.3	11.0	50	GET A QUOTE
IRTU-IYT350016		IRTU-IYT350016F		35.00 mm²	16.0	30.0	7.3	11.2	50	GET A QUOTE
IRTU-IYT500020		IRTU-IYT500020F		50.00 mm²	20.0	36.0	10.3	15.0	25	GET A QUOTE
IRTU-IYT700021		IRTU-IYT700021F		70.00 mm²	21.0	37.0	13.5	16.0	25	GET A QUOTE
IRTU-IYT950025		IRTU-IYT950025F		95.00 mm²	25.0	44.0	14.7	18.0	25	GET A QUOTE

Insulated Twin Cord End Terminals DIN 46228






Code 1	German Norm	Code 2	French Norm	Cable Cross Section	Dimension				Box Qty.	Unit Price (pcs)
					F	L	C	W		
IRTU-IYC2007508		IRTU-IYC2007508F		2x0.75 mm²	8.0	15.0	1.8	2.8 /5.0	500	GET A QUOTE
IRTU-IYC2010008		IRTU-IYC2010008F		2x1.0 mm²	8.0	15.0	2.05	3.4 / 5.4	500	GET A QUOTE
IRTU-IYC2015008		IRTU-IYC2015008F		2x1.5 mm²	8.0	16.0	2.3	3.6/ 6.6	500	GET A QUOTE
IRTU-IYC2025010		IRTU-IYC2025010F		2x2.5 mm²	10.0	18.5	2.8	4.2 / 7.8	250	GET A QUOTE
IRTU-IYC2040012		IRTU-IYC2040012F		2x4.0 mm²	12.0	23.0	3.7	4.9 / 8.8	200	GET A QUOTE
IRTU-IYC2060014		IRTU-IYC2060014F		2x6.0 mm²	14.0	26.0	4.8	6.9/ 10.0	100	GET A QUOTE
IRTU-IYC2100014		IRTU-IYC2100014F		2x10.0 mm²	14.0	26.5	6.4	7.6 / 12.8	50	GET A QUOTE
IRTU-IYC2160014		IRTU-IYC2160014F		2x16.0 mm²	14.0	31.5	0.3	9.6 / 18.6	50	GET A QUOTE

Tin-plated copper, polyamide insulated; operating temperature -40 °C to +150 °C; DIN 46228.

Insulated Ring Type End Terminals DIN 46228






Code	Color	Cable Cross Section	Metric Size (d2)	Dimensions						Box Qty	Unit Price (pcs)
				B	L	F	E	D	d1		
IRTU-IY0503255			3.2	5.5	16.7	4.0					GET A QUOTE
IRTU-IY0504380			4.3	8.0	21.0	7.0					GET A QUOTE
IRTU-IY0505380		0.5-1.5 mm²	5.3	8.0	21.0	7.0	10.0	4.1	1.7	200	GET A QUOTE
IRTU-IY0506511			6.5	11.6	26.8	11.1					GET A QUOTE
IRTU-IY0508411			8.4	11.6	26.8	11.1					GET A QUOTE
IRTU-IY1503264			3.2	6.4	17.5	4.3					GET A QUOTE
IRTU-IY1504366			4.3	6.6	19.6	6.3					GET A QUOTE
IRTU-IY1505385		1.25-2.5 mm²	5.3	8.5	22.0	7.8	10.0	4.5	2.3	200	GET A QUOTE
IRTU-IY1506512			6.5	12.0	27.0	11.0					GET A QUOTE
IRTU-IY1508412			8.4	12.0	27.0	11.0					GET A QUOTE
IRTU-IY1510513			10.5	13.6	30.7	13.9				100	GET A QUOTE
IRTU-IY4004372			4.3	7.2	22.0	5.9					GET A QUOTE
IRTU-IY4005395			5.3	9.5	25.5	8.3					GET A QUOTE
IRTU-IY4006512		4.0-6.0 mm²	6.5	12.0	29.0	10.5	12.5	6.5	3.4	100	GET A QUOTE
IRTU-IY4008415			8.4	15.0	33.7	13.7					GET A QUOTE
IRTU-IY4010515			10.5	15.0	33.7	13.7					GET A QUOTE
IRTU-IY4013019			12.4	19.2	38.1	16.0					GET A QUOTE
IRTU-IY8005515		8.0-10.0 mm²	6.7	12.0	32.5	9.7				50	GET A QUOTE
IRTU-IY8008415			8.4	15.0	38.0	13.8					GET A QUOTE

Insulated Fork Type End Terminals DIN 46237







Code	Color	Cable Cross Section	Metric Size (d2)	Dimensions						Box Qty	Unit Price (pcs)
				B	L	F	E	D	d1		
IRTU-IC0503258			3.2	5.8	21.0	6.3					GET A QUOTE
IRTU-IC0504372		0.5-1.5 mm2	4.3	7.2	21.0	6.3	10.0	4.1	1.7	200	GET A QUOTE
IRTU-IC0505395			5.3	9.5	21.0	7.0					GET A QUOTE
IRTU-IC0506512			6.5	12.0	27.2	11.0					GET A QUOTE
IRTU-IC1503258			3.2	5.8	21.0	6.3					GET A QUOTE
IRTU-IC1504364		1.5-2.5 mm2	4.3	6.4	21.0	6.3	10.0	4.5	2.3	200	GET A QUOTE
IRTU-IC1505395			5.3	9.5	22.0	7.2					GET A QUOTE
IRTU-IC1506512			6.5	12.0	27.2	11.0					GET A QUOTE
IRTU-IC4004385			4.3	8.5	25.2	7.5					GET A QUOTE
IRTU-IC4005395		4.0 _ 6.0 mm2	5.3	9.5	25.2	7.5	12.5	6.5	3.4	100	GET A QUOTE
IRTU-IC4006595			6.5	9.5	25.2	7.5					GET A QUOTE

* Copper material, tin-plated, PVC insulated, operating temperature 105°C, 600 V rated insulation.

DIN 46235 Standard Compression Cable Lugs (Copper)









Code	Cable Cross-Section (mm²)	olt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	a (mm)	s (mm)	Box Qty.	Unit Price (pcs)
IRTU-6052	10	M5	6.5	5	34	5.5	9.5	7	8.5	1.5	13	800	GET A QUOTE
IRTU-6053		M6	6.5	5	34	6.5	9.5	7	8.5	1.5	13		
IRTU-6054	16	M6	8.5	5.5	46	6.5	13	10	8	2	21	275	GET A QUOTE
IRTU-6055		M8	8.5	5.5	46	8.5	13	10	10	2	21		
IRTU-6056		M10	8.5	5.5	46	10.5	13	10	12	2	21		
IRTU-6057	25	M6	10	7	48	6.5	16	10	8	3	21	250	GET A QUOTE
IRTU-6058		M8	10	7	48	8.5	16	10	10	3	21		
IRTU-6059		M10	10	7	48	10.5	16	10	12	3	21		
IRTU-6106		M12	10	7	48	13	16	10	13	3	21		
IRTU-6061	35	M8	12.5	8.2	54	8.5	19	12	10	4.3	22	150	GET A QUOTE
IRTU-6062		M10	12.5	8.2	54	10.5	19	12	12	4.3	22		
IRTU-6063		M12	12.5	8.2	54	13	19	12	13	4.3	22		
IRTU-6064	50	M8	14.5	10	64	8.5	21.5	12	10	4.5	31	75	GET A QUOTE
IRTU-6065		M10	14.5	10	64	10.5	21.5	12	12	4.5	31		
IRTU-6066		M12	14.5	10	64	13	21.5	12	13	4.5	31		
IRTU-6067		M16	14.5	10	64	17	21.5	12	16	4.5	31		
IRTU-6068	70	M8	16.5	11.5	68	8.5	23.8	13	10	5	32	50	GET A QUOTE
IRTU-6069		M10	16.5	11.5	68	10.5	23.8	13	12	5	32		
IRTU-6070		M12	16.5	11.5	68	13	23.8	13	13	5	32		
IRTU-6072		M16	16.5	11.5	68	17	23.8	13	16	5	32		
IRTU-6074	95	M10	19	13.5	78.5	10.5	27	14	12	5.5	40	40	GET A QUOTE
IRTU-6075		M12	19	13.5	78.5	13	27	14	14	5.5	40		
IRTU-6077		M16	19	13.5	78.5	17	27	14	16	5.5	40		
IRTU-6078	120	M10	21	15.5	86	10.5	30	16.5	16	5.5	40	30	GET A QUOTE
IRTU-6079		M12	21	15.5	86	13	30	16.5	16.5	5.5	40		
IRTU-6081		M16	21	15.5	86	17	30	16.5	20	5.5	40		
IRTU-6082		M20	21	15.5	86	20.5	30	16.5	22	5.5	40		
IRTU-6083	150	M10	23.5	17	94	10.5	34	16	16	6.5	40	25	GET A QUOTE
IRTU-6084		M12	23.5	17	94	13	34	16	17	6.5	40		
IRTU-6086		M16	23.5	17	94	17	34	16	20	6.5	40		
IRTU-6087		M20	23.5	17	94	20.5	34	16	22	6.5	40		
IRTU-6088	185	M10	25.5	19	98	10.5	37	16	16	6.5	40	20	GET A QUOTE
IRTU-6089		M12	25.5	19	98	13	37	16	17	6.5	40		
IRTU-6091		M16	25.5	19	98	17	37	16	20	6.5	40		
IRTU-6092		M20	25.5	19	98	20.5	37	16	22	6.5	40		
IRTU-6094	240	M12	29	21.5	108	13	42	16	17	7.5	55	15	GET A QUOTE
IRTU-6096		M16	29	21.5	108	17	42	16	20	7.5	55		
IRTU-6097		M20	29	21.5	108	20.5	42	16	22	7.5	55		
IRTU-6098	300	M14	32	24.5	119	14.5	48	19	22	7.5	55	10	GET A QUOTE
IRTU-6099		M16	32	24.5	119	17	48	19	22	7.5	55		
IRTU-6100		M20	32	24.5	119	20.5	48	19	22	7.5	55		
IRTU-6101	400	M14	38.5	27.5	140	14.5	55	19	22	11	60	5	GET A QUOTE
IRTU-6102		M16	38.5	27.5	140	17	55	19	22	11	60		
IRTU-6103		M20	38.5	27.5	140	20.5	55	19	22	11	60		

Standard Compression Cable Lugs (Copper)









Code	Cable Cross-Section (mm²)	olt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	a (mm)	s (mm)	Box Qty.	Unit Price (pcs)
ONKA-6250	6	M5	5.5	4	24	5.5	7.9	6	5	1.5	9	1500	GET A QUOTE
ONKA-0232		M6	5.5	4	24	6.5	7.9	6	5	1.5	9		
ONKA-6251	10	M5	6.5	5	24.9	5.3	9.4	5.7	6.3	1.5	9	1250	GET A QUOTE
ONKA-0234		M6	6.5	5	24.9	6.5	9.4	5.7	6.3	1.5	9		
ONKA-6252	16	M6	7	5.5	27.7	6.5	10.3	6.4	5.6	1.5	10	750	GET A QUOTE
ONKA-0035		M8	7	5.5	28.3	8.5	12.7	6.4	6.7	1	10		
ONKA-0241	25	M6	9	7.5	34	6.5	13.4	7.5	8.5	1.5	11.5	450	GET A QUOTE
ONKA-6253		M8	9	7.5	34	8.4	13.4	7.5	8.5	1.5	11.5		
ONKA-0245	35	M6	10.5	8.5	39	6.5	15.6	8.7	9.3	2	14	300	GET A QUOTE
ONKA-6254		M8	10.5	8.5	39	8.5	15.6	8.7	9.3	2	14		
ONKA-0246		M10	10.5	8.5	39	10.5	15.6	8.7	9.3	2	14		
ONKA-0249	50	M8	12	10	46.6	8.5	17.8	10.3	11.2	2	17	175	GET A QUOTE
ONKA-6255		M10	12	10	46.6	10.5	17.8	10.3	11.2	2	17		
ONKA-0250		M12	12	10	46.6	13	17.8	10.3	11.2	2	17		
ONKA-0251		M14	12	10	46.6	14.5	17.8	10.3	11.2	2	17		
ONKA-0254	70	M8	14	11.5	49.2	8.5	20.4	10.7	10.8	2.5	17	125	GET A QUOTE
ONKA-6256		M10	14	11.5	49.2	10.5	20.4	10.7	10.8	2.5	17		
ONKA-0255		M12	14	11.5	49.2	13	20.4	10.7	10.8	2.5	17		
ONKA-0256		M14	14	11.5	49.2	14.5	20.4	10.7	10.8	2.5	17		
ONKA-0259	95	M8	16	13.5	53.5	10.5	23.7	10.3	11.7	2.5	21	75	GET A QUOTE
ONKA-6257		M10	16	13.5	53.5	13	23.7	10.3	11.7	2.5	21		
ONKA-0260		M12	16	13.5	53.5	14.5	23.7	10.3	11.7	2.5	21		
ONKA-0261		M14	16	13.5	53.5	17	23.7	10.3	11.7	2.5	21		
ONKA-0267	120	M10	18	15.5	64	10.5	27	13.7	13.3	2.5	24	50	GET A QUOTE
ONKA-6258		M12	18	15.5	64	13	27	13.7	13.3	2.5	24		
ONKA-0268		M14	18	15.5	64	14.5	27	13.7	13.3	2.5	24		
ONKA-0269		M16	18	15.5	64	17	27	13.7	13.3	2.5	24		
ONKA-0274	150	M10	20	16.5	71.2	10.5	29.4	17.4	16.6	3.5	24	40	GET A QUOTE
ONKA-6259		M12	20	16.5	71.2	13	29.4	17.4	16.6	3.5	24		
ONKA-0275		M14	20	16.5	71.2	14.5	29.4	17.4	16.6	3.5	24		
ONKA-0276		M16	20	16.5	71.2	17	29.4	17.4	16.6	3.5	24		
ONKA-0281	185	M10	22	18.5	77	10.5	32.4	17.4	17.6	3.5	27	30	GET A QUOTE
ONKA-0282		M12	22	18.5	77	13	32.4	17.4	17.6	3.5	27		
ONKA-0283		M14	22	18.5	77	14.5	32.4	17.4	17.6	3.5	27		
ONKA-6260		M16	22	18.5	77	17	32.4	17.4	17.6	3.5	27		
ONKA-0285		M20	22	18.5	77	20.5	32.4	17.4	17.6	3.5	27		
ONKA-2756	240	M10	25.5	21.5	83.5	10.5	37.6	17.4	17.6	4	32	25	GET A QUOTE
ONKA-0289		M12	25.5	21.5	83.5	13	37.6	17.4	17.6	4	32		
ONKA-2757		M14	25.5	21.5	83.5	14.5	37.6	17.4	17.6	4	32		
ONKA-6261		M16	25.5	21.5	83.5	17	37.6	17.4	17.6	4	32		
ONKA-0291			25.5	21.5	83.5	20.5	37.6	17.4	17.6	4	32		

Extra Standard Compression Cable Lugs (Long & Heavy-Duty Type) (Copper)









Code	Cable Cross-Section (mm²)	olt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	a (mm)	s (mm)	Box Qty.	Unit Price (pcs)
ONKA-6025	6	M5	5.5	4	25.7	5.5	7.9	6	5	1.5	11	1500	GET A QUOTE
ONKA-0030		M6	5.5	4	25.7	6.5	7.9	6	5	1.5	11		
ONKA-6026	10	M5	6.5	5	27.3	5.5	9.5	5.6	6.4	1.5	11	1000	GET A QUOTE
ONKA-0032		M6	6.5	5	27.3	6.5	9.5	5.6	6.4	1	11		
ONKA-6252	16	M6	7.8	5.8	29.7	6.5	11.2	5.6	6.4	2	13	600	GET A QUOTE
ONKA-0035		M8	7.8	5.8	33.5	8.5	14	7.8	6.8	1.5	13		
ONKA-0039	25	M6	9.5	7.2	40	6.5	13.5	7.3	8.3	2.3	17	300	GET A QUOTE
ONKA-6028		M8	9.5	7.2	40	8.5	13.5	7.3	8.3	2.3	17		
ONKA-0043	35	M6	10.8	8.5	43.3	6.5	15.7	8.6	9.4	2.3	18	250	GET A QUOTE
ONKA-6029		M8	10.8	8.5	43.3	8.5	15.7	8.6	9.4	2.3	18		
ONKA-0044		M10	10.8	8.5	43.3	10.5	15.7	8.6	9.4	2.3	18		
ONKA-0047	50	M8	13	10	51.2	8.5	18.7	10.5	11	3	22	150	GET A QUOTE
ONKA-6030		M10	13	10	51.2	10.5	18.7	10.5	11	3	22		
ONKA-0048		M12	13	10	51.2	13	18.7	10.5	11	3	22		
ONKA-0049		M14	13	10	51.2	14.5	18.7	10.5	11	3	22		
ONKA-0052	70	M8	14.7	11.5	55	8.5	21.2	10.5	11	3.2	23	100	GET A QUOTE
ONKA-6031		M10	14.7	11.5	55	10.5	21.2	10.5	11	3.2	23		
ONKA-0053		M12	14.7	11.5	55	13	21.2	10.5	11	3.2	23		
ONKA-0054		M14	14.7	11.5	55	14.5	21.2	10.5	11	3.2	23		
ONKA-0057	95	M8	16.7	13.5	59.6	8.5	24.5	10.5	11.5	3.2	25	75	GET A QUOTE
ONKA-6032		M10	16.7	13.5	59.6	10.5	24.5	10.5	11.5	3.2	25		
ONKA-0058		M12	16.7	13.5	59.6	13	24.5	10.5	11.5	3.2	25		
ONKA-0059		M14	16.7	13.5	59.6	14.5	24.5	10.5	11.5	3.2	25		
ONKA-0065	120	M10	19	15.6	70.6	10.5	28	13.6	13.4	3.4	32	50	GET A QUOTE
ONKA-6033		M12	19	15.6	70.6	13	28	13.6	13.4	3.4	32		
ONKA-0066		M14	19	15.6	70.6	14.5	28	13.6	13.4	3.4	32		
ONKA-0067		M16	19	15.6	70.6	17	28	13.6	13.4	3.4	32		
ONKA-0072	150	M10	21	17	77.6	10.5	30.6	17.6	16.4	4	32	40	GET A QUOTE
ONKA-6034		M12	21	17	77.6	13	30.6	17.6	16.4	4	32		
ONKA-0073		M14	21	17	77.6	14.5	30.6	17.6	16.4	4	32		
ONKA-0074		M16	21	17	77.6	17	30.6	17.6	16.4	4	32		
ONKA-0079	185	M10	23	19	85	10.5	34	17.6	17.4	4	35	30	GET A QUOTE
ONKA-0080		M12	23	19	85	13	34	17.6	17.4	4	35		
ONKA-0081		M14	23	19	85	14.5	34	17.6	17.4	4	35		
ONKA-6035		M16	23	19	85	17	34	17.6	17.4	4	35		
ONKA-0083		M20	23	19	85	20.5	34	17.6	17.4	4	35		
ONKA-0087	240	M10	26	21	90	10.5	37.8	17.6	17.4	5	35	25	GET A QUOTE
ONKA-0088		M12	26	21	90	13	37.8	17.6	17.4	5	35		
ONKA-0089		M14	26	21	90	14.5	37.8	17.6	17.4	5	35		
ONKA-6036		M16	26	21	90	17	37.8	17.6	17.4	5	35		
ONKA-0091		M20	26	21	90	20.5	37.8	17.6	17.4	5	35		
ONKA-0094	300	M14	29	23.5	103	14.5	42	21.2	14.8	5.1	35	10	GET A QUOTE
ONKA-6037		M16	29	23.5	103	17	42	21.2	14.8	5.1	35		
ONKA-0096		M20	29	23.5	103	20.5	42	21.2	14.8	5.1	35		
ONKA-0099	400	M14	32.8	27	125	14.5	47.5	24	16	5.8	36	10	GET A QUOTE
ONKA-0100		M16	32.8	27	125	17	47.5	24	16	5.8	36		
ONKA-6038		M20	32.8	27	125	20.5	47.5	24	16	5.8	36		

Long Barrel Compression Cable Lugs (Copper)








Code	Cable Cross-Section (mm²)	olt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	a (mm)	s (mm)	Box Qty.	Unit Price (pcs)
ONKA--6025	6	M5	5.5	4	25.7	5.5	7.9	6	5	1.5	11	1500	GET A QUOTE
ONKA-0030		M6	5.5	4	25.7	6.5	7.9	6	5	1.5	11		
ONKA-6026	10	M5	6.5	5	27.3	5.5	11.2	5.6	6.4	1.5	11	1000	GET A QUOTE
ONKA-0032		M6	6.5	5	27.3	6.5	11.2	5.6	6.4	1.5	11		
ONKA-6403	16	M6	7	5.5	29.7	6.5	10.3	5.6	6.4	1.5	14	600	GET A QUOTE
ONKA-0294		M8	7	5.5	31	8.5	12.7	5.6	6.9	1.1	14		
ONKA-0297	25	M6	9	7.5	40	6.5	13.4	7.3	8.3	1.5	16	300	GET A QUOTE
ONKA-6404		M8	9	7.5	40	8.5	13.4	7.3	8.3	1.5	16		
ONKA-2704	35	M6	10.5	8.5	43.3	6.5	15.6	8.6	9.4	2	19	250	GET A QUOTE
ONKA-6405		M8	10.5	8.5	43.3	8.5	15.6	8.6	9.4	2	19		
ONKA-2705		M10	10.5	8.5	43.3	10.5	15.6	8.6	9.4	2	19		
ONKA-2708	50	M8	12	10	51.2	8.5	17.8	10.5	11	2	22	150	GET A QUOTE
ONKA-6406		M10	12	10	51.2	10.5	17.8	10.5	11	2	22		
ONKA-2709		M12	12	10	51.2	13	17.8	10.5	11	2	22		
ONKA-2710		M14	12	10	51.2	14.5	17.8	10.5	11	2	22		
ONKA-2713	70	M8	14	11.5	55	8.5	20.4	10.5	11	2.9	24	100	GET A QUOTE
ONKA-6407		M10	14	11.5	55	10.5	20.4	10.5	11	2.9	24		
ONKA-2714		M12	14	11.5	55	13	20.4	10.5	11	2.9	24		
ONKA-2715		M14	14	11.5	55	14.5	20.4	10.5	11	2.9	24		
ONKA-2717	95	M8	16	13.5	59.6	8.5	23.7	10.5	11.5	2.6	27	75	GET A QUOTE
ONKA-6408		M10	16	13.5	59.6	10.5	23.7	10.5	11.5	2.6	27		
ONKA-2718		M12	16	13.5	59.6	13	23.7	10.5	11.5	2.6	27		
ONKA-2719		M14	16	13.5	59.6	14.5	23.7	10.5	11.5	2.6	27		
ONKA-2725	120	M10	18	15.5	70.6	10.5	27	13.6	13.4	2.6	32	50	GET A QUOTE
ONKA-6409		M12	18	15.5	70.6	13	27	13.6	13.4	2.6	32		
ONKA-2726		M14	18	15.5	70.6	14.5	27	13.6	13.4	2.6	32		
ONKA-2727		M16	18	15.5	70.6	17	27	13.6	13.4	2.6	32		
ONKA-2732	150	M10	20	16.5	77.6	10.5	29.4	17.6	16.4	3.4	30	40	GET A QUOTE
ONKA-6410		M12	20	16.5	77.6	13	29.4	17.6	16.4	3.4	30		
ONKA-2733		M14	20	16.5	77.6	14.5	29.4	17.6	16.4	3.4	30		
ONKA-2734		M16	20	16.5	77.6	17	29.4	17.6	16.4	3.4	30		
ONKA-2739	185	M10	22	18.5	85	10.5	32.4	17.6	17.4	3.5	35	30	GET A QUOTE
ONKA-2740		M12	22	18.5	85	13	32.4	17.6	17.4	3.5	35		
ONKA-2741		M14	22	18.5	85	14.5	32.4	17.6	17.4	3.5	35		
ONKA-6411		M16	22	18.5	85	17	32.4	17.6	17.4	3.5	35		
ONKA-2743		M20	22	18.5	85	20.5	32.4	17.6	17.4	3.5	35		
ONKA-2747	240	M10	25.5	21.5	90	10.5	37.6	17.6	17.4	4	40	25	GET A QUOTE
ONKA-2748		M12	25.5	21.5	90	13	37.6	17.6	17.4	4	40		
ONKA-2749		M14	25.5	21.5	90	14.5	37.6	17.6	17.4	4	40		
ONKA-6412		M16	25.5	21.5	90	17	37.6	17.6	17.4	4	40		
ONKA-2751		M20	25.5	21.5	90	20.5	37.6	17.6	17.4	4	40		

Standard Cable Lug (Eco Type)






Code	Cable Diameter (mm²)	Bolt Metric	Dimension								Box Qty	Unit Price (pcs)
			d1	d4	a	d2	b	c1	c2	L		
IRTU-SKPS01606E	16	M6	5.5	7	12.5	6.5	10.5	7.5	7.5	24	500	GET A QUOTE
IRTU-SKPS02508E	25	M8	7	9	15.5	8.5	14	8.5	8.5	27.5	300	GET A QUOTE
IRTU-SKPS03508E	35	M8	8.5	10.5	16.5	8.5	15.5	9.5	9.5	32	200	GET A QUOTE
IRTU-SKPS05010E	50	M10	10	12	18	10.5	18	11	11	37.5	125	GET A QUOTE
IRTU-SKPS07010E	70	M10	11.5	14	20	10.5	21	11	11	40	80	GET A QUOTE
IRTU-SKPS09512E	95	M12	13.5	16	22	13.5	24	12.5	12.5	45	60	GET A QUOTE
IRTU-SKPS12012E	120	M12	15.5	18	24	13.5	27	14	14	49	50	GET A QUOTE
IRTU-SKPS15012E	150	M12	16.5	20	26	13	29	14	14	51.5	35	GET A QUOTE
IRTU-SKPS18512E	185	M16	18.5	22	30.5	13	32	14.5	14.5	58.5	25	GET A QUOTE
IRTU-SKPS24012E	240	M16	21.5	25.5	33.5	13	37.5	16	16	66	20	GET A QUOTE

Aluminum DIN Standard Compression Cable Lugs








Code	Cable Cross-Section (mm²)	Bolt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	Box Qty.	Unit Price (pcs)
IRTU-6122	10	M5	8	5	50	5.5	9	7	8.5	300	GET A QUOTE
IRTU-6123	16	M8	10	6	53	8.4	13.7	10	10	200	GET A QUOTE
IRTU-6124	25	M8	12	7	62	8.4	16	10	10	100	GET A QUOTE
IRTU-6125	35	M10	14	8.2	70	10.5	19	12	12	75	GET A QUOTE
IRTU-6126	50	M10	16	10	80	10.5	22	12	12	50	GET A QUOTE
IRTU-6127	70	M10	18	12	90	10.5	24	12	12	40	GET A QUOTE
IRTU-6128	95	M12	22	13.4	95	13	28	13	13	25	GET A QUOTE
IRTU-6129	120	M12	23	15	110	13	32	16	17	20	GET A QUOTE
IRTU-6130	150	M12	26	16.5	114	13	34	16	17	15	GET A QUOTE
IRTU-6131	185	M12	28	18.5	125	13	37	16	17	10	GET A QUOTE
IRTU-6132	240	M12	32	20	140	13	42	16	17	8	GET A QUOTE


Fork Type Compression Cable Lugs



Code	Cable Cross-Section (mm²)	Bolt (Ø)	ØD1 (mm)	ØD2 (mm)	L (mm)	ØD3 (mm)	A (mm)	C1 (mm)	C2 (mm)	Box Qty.	Unit Price (pcs)
IRTU-6210	10	M5	6.5	5	25	5.5	9.5	5.5	6.5	1250	GET A QUOTE
IRTU-6211	16	M6	7	5.5	27.5	6.5	10.5	5.5	6.5	750	GET A QUOTE
IRTU-6212	25	M8	9	7.5	34	8.5	13	7	9	450	GET A QUOTE
IRTU-6213	35	M8	10.5	8.5	39	8.5	15.5	8.5	9.5	300	GET A QUOTE
IRTU-6214	50	M8	12	10	47	8.5	18	10	11.5	175	GET A QUOTE

45° Bent Compression Cable Lugs






Code	Cable Cross-Section (mm²)	Bolt (Ø)	Inner Diameter (d1) (mm)	Outer Diameter (d1) (mm)	Cable Length (A)	Box Qty.	Unit Price (Unit Price
IRTU-6306	16	M 6/8/10	5.50	7.50	12.50	300	GET A QUOTE
IRTU-6307	25	M 8/10	7.00	9.50	15.50	200	GET A QUOTE
IRTU-6308	35	M 8/10	8.50	11.00	17.00	125	GET A QUOTE
IRTU-6309	50	M 10/12	10.00	13.00	18.50	80	GET A QUOTE
IRTU-6310	70	M 10/12	11.50	14.50	22.00	60	GET A QUOTE
IRTU-6311	95	M 10/12/14	13.50	16.50	24.00	40	GET A QUOTE
IRTU-6312	120	M 10/12/14	14.50	18.00	27.00	30	GET A QUOTE
IRTU-6313	150	M 10/12/16	16.50	21.00	29.00	25	GET A QUOTE
IRTU-6314	185	M 10/12/16	18.50	23.00	32.00	20	GET A QUOTE
IRTU-6315	240	M 10/12/16	21.00	26.00	37.00	15	GET A QUOTE
IRTU-6316	300	M 12/16	23.50	28.50	39.00	8	GET A QUOTE

90° Bent Compression Cable Lugs






Code	Cable Cross-Section (mm²)	Bolt (Ø)	Inner Diameter (d1) (mm)	Outer Diameter (d1) (mm)	Cable Length (A)	Box Qty.	Unit Price (p Unit Price
IRTU-6321	16	M 6/8/10	5.50	7.50	12.50	300	GET A QUOTE
IRTU-6322	25	M 8/10	7.00	9.50	15.50	200	GET A QUOTE
IRTU-6323	35	M 8/10	8.50	11.00	17.00	150	GET A QUOTE
IRTU-6324	50	M 10/12	10.00	13.00	18.50	80	GET A QUOTE
IRTU-6325	70	M 10/12	11.50	14.50	22.00	60	GET A QUOTE
IRTU-6326	95	M 10/12/14	13.50	16.50	24.00	50	GET A QUOTE
IRTU-6327	120	M 10/12/14	14.50	18.00	27.00	30	GET A QUOTE
IRTU-6328	150	M 10/12/16	16.50	21.00	29.00	25	GET A QUOTE
IRTU-6329	185	M 10/12/16	18.50	23.00	32.00	20	GET A QUOTE
IRTU-6330	240	M 10/12/16	21.00	26.00	37.00	15	GET A QUOTE
IRTU-6331	300	M 12/16	23.50	28.50	39.00	8	GET A QUOTE

Standard Compression Butt Connectors (Copper)






Code	Cable Cross-Section (mm²)	ØD1 (mm)	ØD2 (mm)	L (mm)	Box Qty.	Unit Price (pcs)
IRTU - 6141	10	6.5	5	25.5	750	GET A QUOTE
IRTU - 6142	16	7	5.5	28	500	GET A QUOTE
IRTU - 6143	25	9	7.5	34.5	300	GET A QUOTE
IRTU - 6144	35	10.5	8.5	39.5	200	GET A QUOTE
IRTU - 6145	50	12	10	47.5	150	GET A QUOTE
IRTU - 6146	70	14	11.5	49.5	100	GET A QUOTE
IRTU - 6147	95	16	13.5	53.5	75	GET A QUOTE
IRTU - 6148	120	18	15.5	64	50	GET A QUOTE
IRTU - 6149	150	20	16.5	70	35	GET A QUOTE
IRTU - 6150	185	22	18.5	75	25	GET A QUOTE
IRTU - 6151	240	25.5	21.5	83.5	15	GET A QUOTE

Aluminum DIN Standard Compression Butt Connectors






Code	Cable Cross-Section (mm²)	ØD1 (mm)	ØD2 (mm)	L (mm)	Box Qty.	Unit Price (pcs)
IRTU - 6270	10	8	5	52	300	GET A QUOTE
IRTU - 6271	16	10	6	55	250	GET A QUOTE
IRTU - 6272	25	12	7	64	150	GET A QUOTE
IRTU - 6273	35	14	8.2	72	75	GET A QUOTE
IRTU - 6274	50	16	10	82	50	GET A QUOTE
IRTU - 6275	70	18	12	92	35	GET A QUOTE
IRTU - 6276	95	22	13.4	97	20	GET A QUOTE
IRTU - 6277	120	23	15	112	15	GET A QUOTE
IRTU - 6278	150	26	16.5	116	8	GET A QUOTE
IRTU - 6279	185	28	18.5	127	7	GET A QUOTE
IRTU - 6280	240	32	20	142	5	GET A QUOTE

Extra Standard Long & Heavy-Duty Type Compression Butt Connectors (Copper)






Code	Cable Cross-Section ²)	ØD1 (mm)	ØD2 (mm)	L (mm)	Box Qty.	Unit Price (pcs)
IRTU - 6160	6	5.5	4	26.5	1000	GET A QUOTE
IRTU - 6161	10	6.5	5	28	750	GET A QUOTE
IRTU - 6162	16	7.8	5.8	30.5	500	GET A QUOTE
IRTU - 6163	25	9.5	7.2	40.5	400	GET A QUOTE
IRTU - 6164	35	10.8	8.5	44	250	GET A QUOTE
IRTU - 6165	50	13	10	50	150	GET A QUOTE
IRTU - 6166	70	14.7	11.5	55.5	100	GET A QUOTE
IRTU - 6167	95	16.7	13.5	59.5	75	GET A QUOTE
IRTU - 6168	120	19	15.6	65	50	GET A QUOTE
IRTU - 6169	150	21	17	70	35	GET A QUOTE
IRTU - 6170	185	23	19	75	25	GET A QUOTE
IRTU - 6171	240	26	21	85	20	GET A QUOTE
IRTU - 6172	300	28.6	23.5	100	12	GET A QUOTE
IRTU - 6173	400	32.8	27	110	10	GET A QUOTE
IRTU - 6174	500	-	-	-	10	GET A QUOTE
IRTU - 6175	625	-	-	-	10	GET A QUOTE


DIN 46235 Standard Compression Butt Connectors (Copper)





Code	Cable Cross-Section (mm²)	ØD1 (mm)	ØD2 (mm)	L (mm)	Box Qty.	Unit Price (pcs)
IRTU - 6181	10	6.5	5.0	30	400	GET A QUOTE
IRTU - 6182	16	8.5	5.5	50	250	GET A QUOTE
IRTU - 6183	25	10.0	7.0	50	125	GET A QUOTE
IRTU - 6184	35	12.5	8.2	50	100	GET A QUOTE
IRTU - 6185	50	14.5	10.0	56	100	GET A QUOTE
IRTU - 6186	70	16.5	11.5	56	50	GET A QUOTE
IRTU - 6187	95	19.0	13.5	70	40	GET A QUOTE
IRTU - 6188	120	21.0	15.5	70	30	GET A QUOTE
IRTU - 6189	150	23.5	17.0	80	20	GET A QUOTE
IRTU - 6190	185	25.5	19.0	85	10	GET A QUOTE
IRTU - 6191	240	29.0	21.5	90	10	GET A QUOTE
IRTU - 6192	300	32	24.5	100	10	GET A QUOTE
IRTU - 6193	400	38.5	27.5	150	10	GET A QUOTE
IRTU - 6194	500	-	-	-	10	GET A QUOTE
IRTU - 6195	625	-	-	-	10	GET A QUOTE

DIN 46234 Bare (welded) Round Cable Lug



Code	Cable Cross Section mm²	Metric Size	d1	L	B	E	d2	Box Qty	Unit Price (pcs)
IRTU-SKPAL001030	0.5 - 1	M 3	1.6	10.8	6.0	4.8	3.2	1000	GET A QUOTE
IRTU-SKPAL001035		M 3.5	1.6	10.8	6.0	4.8	3.7	1000	GET A QUOTE
IRTU-SKPAL001040		M 4	1.6	11.8	8.0	4.8	4.3	1000	GET A QUOTE
IRTU-SKPAL001050		M 5	1.6	12.8	10.0	4.8	5.3	1000	GET A QUOTE
IRTU-SKPAL001060		M 6	1.6	14.8	11.0	4.8	6.5	1000	GET A QUOTE
IRTU-SKPAL001080		M 8	1.6	17.0	14.0	4.8	8.4	1000	GET A QUOTE
IRTU-SKPAL002030	1.5 _ 2.5	M 3	2.3	10.8	6.0	4.8	3.2	1000	GET A QUOTE
IRTU-SKPAL002035		M 3.5	2.3	10.8	6.0	4.8	3.7	1000	GET A QUOTE
IRTU-SKPAL002040		M 4	2.3	11.8	8.0	4.8	4.3	1000	GET A QUOTE
IRTU-SKPAL002050		M 5	2.3	13.8	10.0	4.8	5.3	1000	GET A QUOTE
IRTU-SKPAL002060		M 6	2.3	15.8	11.0	4.8	6.5	1000	GET A QUOTE
IRTU-SKPAL002080		M 8	2.3	16.8	14.0	4.8	8.4	1000	GET A QUOTE
IRTU-SKPAL002100		M 10	2.3	17.0	15.0	4.8	10.5	1000	GET A QUOTE
IRTU-SKPAL002120		M 12	2.3	20	18	4.8	12	1000	GET A QUOTE
IRTU-SKPAL004040	4.0 _ 6.0	M 4	3.6	14.0	8.0	6.0	4.3	100	GET A QUOTE
IRTU-SKPAL004050		M 5	3.6	15.0	10.0	6.0	5.3	100	GET A QUOTE
IRTU-SKPAL004060		M 6	3.6	16.0	11.0	6.0	6.5	100	GET A QUOTE
IRTU-SKPAL004080		M 8	3.6	19.0	14.0	6.0	8.4	100	GET A QUOTE
IRTU-SKPAL004100		M 10	3.6	21.0	18.0	6.0	10.5	100	GET A QUOTE
IRTU-SKPAL004120		M 12	3.6	21.0	18.0	6.0	13.0	100	GET A QUOTE
IRTU-SKPAL010050	10	M 5	4.5	16.0	10.0	8.0	5.3	100	GET A QUOTE
IRTU-SKPAL010060		M 6	4.5	17.0	11.0	8.0	6.5	100	GET A QUOTE
IRTU-SKPAL010080		M 8	4.5	20.0	14.0	8.0	8.4	100	GET A QUOTE
IRTU-SKPAL010100		M 10	4.5	21.0	18.0	8.0	10.5	100	GET A QUOTE
IRTU-SKPAL010120		M 12	4.5	23.0	22.0	8.0	13.0	100	GET A QUOTE
IRTU-SKPAL016050	16	M 5	5.8	20.0	11.0	10.0	5.3	100	GET A QUOTE
IRTU-SKPAL016060		M 6	5.8	20.0	11.0	10.0	6.5	100	GET A QUOTE
IRTU-SKPAL016080		M 8	5.8	22.0	14.0	10.0	8.4	100	GET A QUOTE
IRTU-SKPAL016100		M 10	5.8	24.0	18.0	10.0	10.5	100	GET A QUOTE
IRTU-SKPAL016120		M 12	5.8	26.0	22.0	10.0	13.0	100	GET A QUOTE
IRTU-SKPAL025050	25	M 5	7.5	25.0	12.0	11.0	5.3	100	GET A QUOTE
IRTU-SKPAL025060		M 6	7.5	25.0	12.0	11.0	6.5	100	GET A QUOTE
IRTU-SKPAL025080		M 8	7.5	25.0	16.0	11.0	8.4	100	GET A QUOTE
IRTU-SKPAL025100		M 10	7.5	26.0	18.0	11.0	10.5	100	GET A QUOTE
IRTU-SKPAL025120		M 12	7.5	31.0	22.0	11.0	13.0	100	GET A QUOTE
IRTU-SKPAL025160		M 16	7.5	35.0	28.0	11.0	17.0	100	GET A QUOTE






DIN 46234 Bare (welded Round Cable Lug)








Code	Cable Cross-Section mm²	Metric Size	d1	L	B	E	d2	Box Qty	Unit Price (pcs)
IRTU-SKPAL035060	35	M 6	9.0	26.0	15.0	12.0	6.5	100	GET A QUOTE
IRTU-SKPAL035080		M 8	9.0	26.0	16.0	12.0	8.4	100	GET A QUOTE
IRTU-SKPAL035100		M 10	9.0	27.0	18.0	12.0	10.5	100	GET A QUOTE
IRTU-SKPAL035120		M 12	9.0	31.0	22.0	12.0	13.0	100	GET A QUOTE
IRTU-SKPAL035160		M 16	9.0	35.0	28.0	12.0	17.0	100	GET A QUOTE
IRTU-SKPAL050060	50	M 6	11.0	34.0	18.0	16.0	6.5	100	GET A QUOTE
IRTU-SKPAL050080		M 8	11.0	34.0	18.0	16.0	8.4	100	GET A QUOTE
IRTU-SKPAL050100		M 10	11.0	34.0	18.0	16.0	10.5	100	GET A QUOTE
IRTU-SKPAL050120		M 12	11.0	36.0	22.0	16.0	13.0	100	GET A QUOTE
IRTU-SKPAL050160		M 16	11.0	40.0	22.0	16.0	17.0	100	GET A QUOTE
IRTU-SKPAL070060	70	M 6	15.0	38.0	22.0	18.0	6.5	100	GET A QUOTE
IRTU-SKPAL070080		M 8	15.0	38.0	22.0	18.0	8.4	100	GET A QUOTE
IRTU-SKPAL070100		M 10	15.0	38.0	22.0	18.0	10.5	100	GET A QUOTE
IRTU-SKPAL070120		M 12	15.0	38.0	22.0	18.0	13.0	100	GET A QUOTE
IRTU-SKPAL070160		M 16	15.0	42.0	28.0	18.0	17.0	100	GET A QUOTE
IRTU-SKPAL095080	95	M 8	15.0	42.0	24.0	20.0	8.4	100	GET A QUOTE
IRTU-SKPAL095100		M 10	15.0	42.0	24.0	20.0	10.5	100	GET A QUOTE
IRTU-SKPAL095120		M 12	15.0	42.0	24.0	20.0	13.0	100	GET A QUOTE
IRTU-SKPAL095160		M 16	15.0	44.0	28.0	20.0	17.0	100	GET A QUOTE
IRTU-SKPAL120080	120	M 8	16.5	44.0	24.0	22.0	8.4	50	GET A QUOTE
IRTU-SKPAL120100		M 10	16.5	44.0	24.0	22.0	10.5	50	GET A QUOTE
IRTU-SKPAL120120		M 12	16.5	44.0	24.0	22.0	13.0	50	GET A QUOTE
IRTU-SKPAL120160		M 16	16.5	48.0	28.0	22.0	17.0	50	GET A QUOTE
IRTU-SKPAL150100	150	M 10	19.0	50.0	30.0	24.0	10.5	50	GET A QUOTE
IRTU-SKPAL150120		M 12	19.0	50.0	30.0	24.0	13.0	50	GET A QUOTE
IRTU-SKPAL150160		M 16	19.0	50.0	30.0	24.0	17.0	50	GET A QUOTE
IRTU-SKPAL185120	185	M 12	21.0	50.0	36.0	28.0	13.0	50	GET A QUOTE
IRTU-SKPAL185160		M 16	21.0	50.0	36.0	28.0	17.0	50	GET A QUOTE
IRTU-SKPAL240120	240	M 12	23.5	56.0	38.0	32.0	13.0	50	GET A QUOTE
IRTU-SKPAL240160		M 16	23.5	56.0	38.0	32.0	17.0	50	GET A QUOTE

Bimetal (Al-Cu) Cable Lugs






Code	Ref. No	Cable Dia. mm²	ØE	ØI	L	L1	L2	L3	L4	ØT	ØP	Weight	Unit price (pcs)	Box Qty.
IRTU-6108	CAL-C16	16	16	5.5	82	38	48	52	30	M8	10.5	7.2	GET A QUOTE	30
IRTU-6109	CAL-C25	25	16	6.5	82	38	48	52	30	M8	10.5	7.2	GET A QUOTE	30
IRTU-6110	CAL-C35	35	16	8.2	82	38	48	52	30	M8	10.5	7.2	GET A QUOTE	30
IRTU-6111	CAL-C50	50	20	9.7	88	43	48	52	36	M10	10.5	7	GET A QUOTE	30
IRTU-6112	CAL-C70	70	20	11	88	43	48	52	36	M10	10.5	7	GET A QUOTE	30
IRTU-6113	CAL-C95	95	20	12.5	88	43	48	52	36	M10	10.5	6.3	GET A QUOTE	30
IRTU-6114	CAL-C120	120	25	13.7	110	60	64	68	44	M10	10.5	13.5	GET A QUOTE	30
IRTU-6115	CAL-C150	150	25	15.5	110	60	64	68	44	M10	10.5	12.2	GET A QUOTE	30
IRTU-6116	CAL-C185	185	32	17.5	120	60	64	70	50	M12	10.5	20.1	GET A QUOTE	30
IRTU-6117	CAL-C240	240	32	19.5	120	60	64	70	50	M12	10.5	22.6	GET A QUOTE	15
IRTU-6118	CAL-C300	300	40	23	160	93	101	108	52	M12	13	33.4	GET A QUOTE	9
IRTU-6119	CAL-C400	400	40	26.2	160	93	101	108	52	M12	13	30.2	GET A QUOTE	9


Bimetal (Al-Cu) Cable Lugs






Code	Ref. No	Cable Dia. mm²	D	d	L±1	L1	L2	L3	W	Q	S	Unit price (pcs)	Box Qty.
IRTU-6510	CAL-M16	16	16	5.5	82	38	50	23	14.0	8.5	3.2	GET A QUOTE	30
IRTU-6511	CAL-M25	25	16	6.5	82	38	50	23	14.0	8.5	3.2	GET A QUOTE	30
IRTU-6512	CAL-M35	35	16	8.2	82	38	50	23	14.0	8.5	3.2	GET A QUOTE	30
IRTU-6513	CAL-M50	50	20	9.7	94	43	55	27	16.0	8.5	5.2	GET A QUOTE	30
IRTU-6514	CAL-M70	70	20	11	94	43	55	27	16.0	8.5	5.2	GET A QUOTE	30
IRTU-6515	CAL-M95	95	20	12.5	94	43	55	27	16.0	8.5	5.2	GET A QUOTE	30
IRTU-6516	CAL-M120	120	25	14.5	120	60	72	32	23.0	10.5	6.5	GET A QUOTE	30
IRTU-6517	CAL-M150	150	25	16.5	120	60	72	32	23.0	10.5	6.5	GET A QUOTE	30
IRTU-6518	CAL-M185	185	32	17.5	133	60	73	38	23.0	12.5	8	GET A QUOTE	30
IRTU-6519	CAL-M240	240	32	19.5	133	60	73	38	29.0	12.5	8	GET A QUOTE	15
IRTU-6520	CAL-M300	300	34	23	133	61	73	35	29.0	12.5	8.5	GET A QUOTE	10
IRTU-6521	CAL-M400	400	40	26.2	163	93	105	35	29.0	12.5	10.5	GET A QUOTE	10
IRTU-6522	CAL-M500	500	40	29	163	93	105	35	29.0	12.5	10.5	GET A QUOTE	10

Aluminium Copper Butt Connectors




Code	AL Cable Section	CU Cable Section	d1	d2	L	Unit Price (pcs)	Box Qty.
IRTU-6351	35 mm²	16 mm²	8.5	7.0	85.0	GET A QUOTE	90
IRTU-6352	50 mm²	25 mm²	9.8	8.5	90.0	GET A QUOTE	80
IRTU-6353	70 mm²	35 mm²	11.5	9.8	100.0	GET A QUOTE	70
IRTU-6354	95 mm²	50 mm²	13.5	11.5	110.0	GET A QUOTE	42
IRTU-6355	120 mm²	70 mm²	15.0	13.5	110.0	GET A QUOTE	35
IRTU-6356	150 mm²	95 mm²	16.5	15.0	115.0	GET A QUOTE	30
IRTU-6357	185 mm²	120 mm²	18.5	16.5	125.0	GET A QUOTE	24
IRTU-6358	240 mm²	150 mm²	21.0	18.5	130.0	GET A QUOTE	16

Aluminium Copper Butt Connectors (Pins)




Code	Cable Section		d1	d2	L	h	Unit Price (pcs)	Box Qty.
	Multi-Core Cable	Single-Core Cable						
IRTU-6333	10	16	12	5	58	15	GET A QUOTE	100
IRTU-6334	16	25	12	6	58	15	GET A QUOTE	100
IRTU-6335	25	35	6.8	6	58	20	GET A QUOTE	50
IRTU-6336	35	50	8.0	7	71	22	GET A QUOTE	50
IRTU-6337	50	70	9.8	8	74	25	GET A QUOTE	80
IRTU-6338	70	95	11.2	10	87	30	GET A QUOTE	70
IRTU-6339	95	120	13.2	12	91	33	GET A QUOTE	48
IRTU-6340	120	150	14.7	12	97	38	GET A QUOTE	35
IRTU-6341	150	185	16.3	12	108	38	GET A QUOTE	30
IRTU-6342	185	240	18.3	14	116	44	GET A QUOTE	24
IRTU-6343	240	300	21.0	16	128	44	GET A QUOTE	16
IRTU-6344	300	–	23.3	18	131	46	GET A QUOTE	9

KJB Type Bimetal (Al-Cu)



Code	Ref. No	L (mm)	L1 (mm)	B (mm)	Bolt Diameter	Unit Price (pcs)	Box Qty.
IRTU-6530	KJB-26	80	26	26	M 10	GET A QUOTE	24
IRTU-6531	KJB-29	80	26	29	M 10	GET A QUOTE	24



SLOTTED WIRING TRUNKING


- High-impact resistant rigid PVC material
- Temperature resistance between -15 °C and + 70 °C
- UL94 V0 flammability standard
- Easy-to-close lid system / Snap-on cover system
- Easy break-off thanks to scores on the side fingers
- 2 m standard length
- 390 kg/cm tensile strength
- Color RAL 7030 (Grey)

Panel Internal Slotted Cable Trunking




Size	Packing Qty. (m)	Code	Unit Price (m)	Code	Halogen-Free Unit Price (m)
25x30 mm	84	IRTU-KN02530	GET A QUOTE	IRTU-KN22530	GET A QUOTE
25x40 mm	84	IRTU-KN02540	GET A QUOTE	IRTU-KN22540	GET A QUOTE
25x60 mm	48	IRTU-KN02560	GET A QUOTE	IRTU-KN22560	GET A QUOTE
40x40 mm	60	IRTU-KN04040	GET A QUOTE	IRTU-KN24040	GET A QUOTE
40x60 mm	36	IRTU-KN04060	GET A QUOTE	IRTU-KN24060	GET A QUOTE
40x80 mm	40	IRTU-KN04080	GET A QUOTE	IRTU-KN24080	GET A QUOTE
60x40 mm	36	IRTU-KN06040	GET A QUOTE	IRTU-KN26040	GET A QUOTE
60x60 mm	24	IRTU-KN06060	GET A QUOTE	IRTU-KN26060	GET A QUOTE
60x80 mm	24	IRTU-KN06080	GET A QUOTE	IRTU-KN26080	GET A QUOTE
80x60 mm	24	IRTU-KN08060	GET A QUOTE	IRTU-KN28060	GET A QUOTE
80x80 mm	24	IRTU-KN08080	GET A QUOTE	IRTU-KN28080	GET A QUOTE
100x60 mm	24	IRTU-KN10060	GET A QUOTE	IRTU-KN20060	GET A QUOTE

Slotted Cable Trunking Cover



Size	Packing Qty. (m)	Code	Unit Price (m)	Code	Halogen-Free Unit Price (m)
25 mm	140	IRTU-KN5001	GET A QUOTE	IRTU-KN6001	GET A QUOTE
40 mm	80	IRTU-KN5002	GET A QUOTE	IRTU-KN6002	GET A QUOTE
60 mm	50	IRTU-KN5003	GET A QUOTE	IRTU-KN6003	GET A QUOTE
80 mm	50	IRTU-KN5004	GET A QUOTE	IRTU-KN6004	GET A QUOTE
100 mm	40	IRTU-KN5005	GET A QUOTE	IRTU-KN6005	GET A QUOTE



EXPANDABLE BRAIDED SLEEVING

- Material: PET (Polyester)
- Operating Temperature : -50°C -- +150°C
- Max. Resistance Point : 220 °C
- Melting Point : +250 °C

TS EN 60695-2-11 Standard and Certification

960°C





Code	Color	Dimensions	Spool (m)	Unit Price (m)
IRTU-PKC03	Black / Grey	3 X 9 mm	100	GET A QUOTE
IRTU-PKC06	Black / Grey	6 x 11 mm	100	GET A QUOTE
IRTU-PKC08	Black / Grey	7 x 11 mm	100	GET A QUOTE
IRTU-PKC10	Black / Grey	10 x 17 mm	100	GET A QUOTE
IRTU-PKC12	Black / Grey	12 x 21 mm	100	GET A QUOTE
IRTU-PKC15	Black / Grey	15 x 24 mm	100	GET A QUOTE
IRTU-PKC20	Black / Grey	20 x 28 mm	100	GET A QUOTE
IRTU-PKC25	Black / Grey	25 x 36 mm	100	GET A QUOTE
IRTU-PKC30	Black / Grey	30 x 43 mm	50	GET A QUOTE
IRTU-PKC40	Black / Grey	40 x 60 mm	50	GET A QUOTE
IRTU-PKC50	Black / Grey	50 x 75 mm	25	GET A QUOTE

Halogen-free, flame-retardant

Polyefin, Halogen free, 2/1 Ratio Shrinkage RoHS ISO UL Certified





Code	Size		Before Concraction (mm)		After Concraction (mm)		Spool (m)	Unit Price (Pcs)
	Inc(Ø)	mm.	Inside Diameter	Wall Thickness	Inside Diameter	Wall Thickness		
IRTU-IDMS00015		1.5	2.0±0.2	0.18±0.05	0.85	0.32±0.10	200	GET A QUOTE
IRTU-IDMS00020		2	2.5±0.2	0.18±0.05	0.60	0.28±0.10	200	GET A QUOTE
IRTU-IDMS00024	3/32	2.4	3.0±0.3	0.18±0.05	1.2	0.35±0.10	200	GET A QUOTE
IRTU-IDMS00025		2.5	3.0±0.2	0.18±0.05	1.30	0.38±0.10	200	GET A QUOTE
IRTU-IDMS00030		3	3.5±0.2	0.18±0.05	1.50	0.40±0.10	200	GET A QUOTE
IRTU-IDMS00032	1/8	3.2	3.5±0.4	0.18±0.05	1.6	0.40±0.10	200	GET A QUOTE
IRTU-IDMS00035		3.5	4.0±0.2	0.22±0.05	1.80	0.42±0.10	200	GET A QUOTE
IRTU-IDMS00040		4	4.5±0.2	0.25±0.05	2.00	0.45±0.10	100	GET A QUOTE
IRTU-IDMS00045		4.5	5.0±0.2	0.25±0.05	2.30	0.50±0.10	100	GET A QUOTE
IRTU-IDMS00048	3/16	4.8	5.2±0.4	0.25±0.05	2.4	0.50±0.10	100	GET A QUOTE
IRTU-IDMS00050		5	5.5±0.2	0.25±0.05	2.50	0.55±0.10	100	GET A QUOTE
IRTU-IDMS00060		6	6.5±0.2	0.28±0.05	3.00	0.55±0.10	100	GET A QUOTE
IRTU-IDMS00064	1/4	6.4	7.0±0.4	0.28±0.05	3.2	0.55±0.10	100	GET A QUOTE
IRTU-IDMS00070		7	7.5±0.3	0.28±0.05	3.50	0.55±0.10	100	GET A QUOTE
IRTU-IDMS00080		8	8.5±0.3	0.28±0.05	4.00	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00090		9	9.5±0.3	0.30±0.08	4.50	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00095	3/8	9.5	10.0±0.5	0.30±0.08	4.8	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00100		10	10.5±0.3	0.30±0.08	5.00	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00110		11	11.5±0.3	0.30±0.08	5.50	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00120		12	12.5±0.3	0.30±0.08	6.00	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00127	1/2	12.7	13.0±0.5	0.30±0.08	6.4	0.60±0.10	100	GET A QUOTE
IRTU-IDMS00130		13	13.5±0.3	0.35±0.10	6.50	0.65±0.10	100	GET A QUOTE
IRTU-IDMS00140		14	14.5±0.3	0.35±0.10	7.00	0.65±0.10	100	GET A QUOTE
IRTU-IDMS00150		15	15.5±0.3	0.35±0.10	7.00	0.65±0.10	100	GET A QUOTE
IRTU-IDMS00160		16	16.5±0.4	0.40±0.12	8.00	0.70±0.10	100	GET A QUOTE
IRTU-IDMS00170		17	17.5±0.4	0.40±0.12	8.50	0.70±0.10	100	GET A QUOTE
IRTU-IDMS00180		18	19.0±0.5	0.40±0.15	9.00	0.80±0.15	100	GET A QUOTE
IRTU-IDMS00191	3/4	19.1	20.5±0.6	0.40±0.15	9.5	0.80±0.15	100	GET A QUOTE
IRTU-IDMS00200	4/5	20	21.0±0.6	0.40±0.15	10.00	0.80±0.15	100	GET A QUOTE
IRTU-IDMS00220		22	23.0±0.6	0.40±0.15	11.00	0.80±0.15	100	GET A QUOTE
IRTU-IDMS00254	1	25.4	25.6±0.7	0.50±0.15	12.70	0.90±0.15	50	GET A QUOTE
IRTU-IDMS00300		30	31.5±1.0	0.50±0.15	15.00	0.90±0.15	50	GET A QUOTE
IRTU-IDMS00302	1 1/4	32	33.0±0.7	0.50±0.15	15.9	0.95±0.15	50	GET A QUOTE
IRTU-IDMS00350		35	36.5±1.0	0.50±0.15	17.50	0.95±0.15	50	GET A QUOTE
IRTU-IDMS00380	1 1/2	38	40.0±0.7	0.50±0.15	19.1	1.00±0.15	50	GET A QUOTE
IRTU-IDMS00400		40	41.5±1.0	0.55±0.15	20.00	1.00±0.15	50	GET A QUOTE
IRTU-IDMS00510	2	51	52.5±0.7	0.55±0.15	25.4	0.95±0.15	25	GET A QUOTE
IRTU-IDMS00600		60	60.00	0.60±0.15	30.00	1.30±0.20	25	GET A QUOTE
IRTU-IDMS00700		70	70.00	0.65±0.15	35.00	1.30±0.20	25	GET A QUOTE
IRTU-IDMS00760	3	76	80.0±1.0	0.65±0.15	38.1	1.30±0.20	25	GET A QUOTE
IRTU-IDMS00800		80	80.00	0.65±0.15	40.00	1.46±0.20	25	GET A QUOTE
IRTU-IDMS00900		90	90.00	0.65±0.15	45.00	1.46±0.20	25	GET A QUOTE
IRTU-IDMS00960		96	100	0.65±0.15	50	1.46±0.20	25	GET A QUOTE
IRTU-IDMS01020	4	102	105±1.0	0.65±0.20	50.80	1.46±0.20	25	GET A QUOTE
IRTU-IDMS01200	5	120	120.00	0.65±0.20	63.50	1.56±0.20	20	GET A QUOTE
IRTU-IDMS01500		150	150.00	0.65±0.20	75.00	1.56±0.20	25	GET A QUOTE
IRTU-IDMS01800		180	180.00	0.65±0.20	90.00	1.56±0.20	25	GET A QUOTE


2/1 Rate Heat Shrink (transparent, white, red, grey, blue, yellow-green)





Code	Size		Spool (m)	Unit Price	Brown	Yellow-Green
	Inch	mm				
IRTU-IDM00016	1/16	1.6	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00020		2	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00024	3/32	2.4	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00025		2.5	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00032	1/8	3.2	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00035		3.5	200	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00048	3/16	4.8	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00050		5	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00064	1/4	6.4	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00070		7	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00095	3/8	9.5	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00100		10	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00120		12	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00127	1/2	12.7	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00160		16	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00191	3/4	19.1	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00200	4/5	20	100	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00254	1	25.4	50	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00320	1 1/4	32	50	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00350		35	50	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00380	1 1/2	38	50	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00510	2	51	50	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00600		60	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00700		70	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00760	3	76	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM00960		96	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM01020	4	102	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM01200	5	120	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM01500		150	25	GET A QUOTE	GET A QUOTE	GET A QUOTE
IRTU-IDM01800		180	25	GET A QUOTE	GET A QUOTE	GET A QUOTE

Aluminium



Code	Product Name	Bristle Length	Length (m)	Box Qty	Unit Price (m)
IRTU-FRA20030	ALUMINIUM PANEL BRUSH STRIP	30	2	30	GET A QUOTE
IRTU-FRA20040	ALUMINIUM PANEL BRUSH STRIP	40	2	30	GET A QUOTE
IRTU-FRA20050	ALUMINIUM PANEL BRUSH STRIP	50	2	100	GET A QUOTE
IRTU-FRA20060	ALUMINIUM PANEL BRUSH STRIP	60	2	30	GET A QUOTE
IRTU-FRA20070	ALUMINIUM PANEL BRUSH STRIP	70	2	30	GET A QUOTE
IRTU-FRA20080	ALUMINIUM PANEL BRUSH STRIP	80	2	30	GET A QUOTE
IRTU-FRA20100	ALUMINIUM PANEL BRUSH STRIP	100	2	30	GET A QUOTE
IRTU-FRA20150	ALUMINIUM PANEL BRUSH STRIP	150	2	30	GET A QUOTE

Plastic Panel Brush




Code	Product Name	Bristle Length	Length (m)	Box Qty	Unit Price (m)
IRTU-FRP20030	PLASTIC PANEL BRUSH STRIP	30	2	30	GET A QUOTE
IRTU-FRP20040	PLASTIC PANEL BRUSH STRIP	40	2	30	GET A QUOTE
IRTU-FRP20050	PLASTIC PANEL BRUSH STRIP	50	2	100	GET A QUOTE
IRTU-FRP20060	PLASTIC PANEL BRUSH STRIP	60	2	30	GET A QUOTE
IRTU-FRP20070	PLASTIC PANEL BRUSH STRIP	70	2	30	GET A QUOTE
IRTU-FRP20080	PLASTIC PANEL BRUSH STRIP	80	2	30	GET A QUOTE
IRTU-FRP20100	PLASTIC PANEL BRUSH STRIP	100	2	100	GET A QUOTE
IRTU-FRP22050	PLASTIC ROLL BRUSH STRIP (25 m)	50	25	25	GET A QUOTE

U Panel Tape




Code	Product Name	Box Qty	Unit Price
IRTU-FTL1004/S	U Black Panel Tape (0.80 mm-1.5 mm)	300	GET A QUOTE
IRTU-FTL1004/G	U Gray Panel Tape (0.80 mm-1.5 mm)	300	GET A QUOTE
IRTU-FTL1006/S	U Black Panel Tape 2 mm-2.5 mm	300	GET A QUOTE
IRTU-FTL1006/G	U Gray Panel Tape 2 mm-2.5 mm	300	GET A QUOTE




Cable entry plates provide a compact, sealed cable feed-through for cables without pre-fitted connectors. Their slim design allows multiple cables to pass through restricted panel spaces while maintaining an organised and secure entry point.

Cable Input Plate



Plastic Frame


Code	Product Name	Dimension	Box Qty	Unit Price
IRTU-KGC41140	Plastic Frame	41 x 140mm	25	GET A QUOTE



Gasket Plate


Code	Product Name	Dimension	Cable Passage Dimensions	Box Qty	Unit Price
IRTU-KCP0010	Gasket Plate	35 x 133 mm	16 x Ø6.5mm 4 x Ø8.5mm 1 x Ø12mm	25	GET A QUOTE
IRTU-KCP0011	Gasket Plate	35 x 133 mm	4 x Ø6.5mm 11 x Ø8.5mm 1 x Ø12mm	25	GET A QUOTE

Cable Input Plate



Plastic Frame

Code	Product Name	Dimension	Box Qty	Unit Price
IRTU-KGC74220	Plastic Frame	74 x 220mm	25	GET A QUOTE




Gasket Plate

Code	Product Name	Dimension	Cable Passage Dimensions	Box Qty	Unit Price
IRTU-KCP0022	Gasket Plate	65 x 210 mm	6 x Ø10.5mm 8 x Ø13.5mm 4 x Ø16mm	25	GET A QUOTE

Standard Cable Ties





Code	Color	Code 2	Color	L	W	Max. Connecting Size	Carrying Weight (kg)	Bag Qty	Box Qty.	Unit Price (pcs)
IRTU-KBS10025	■	IRTU-KBB10025	□	100	2.5	22	8.1	100/1000	70.000	GET A QUOTE
IRTU-KBS15025	■	IRTU-KBB15025	□	150		33		100/1000	55.000	GET A QUOTE
IRTU-KBS20025	■	IRTU-KBB20025	□	200		53		100/100	45.000	GET A QUOTE
IRTU-KBS15036	■	IRTU-KBB15036	□	150	3.6	35	18.2	100/100	33.000	GET A QUOTE
IRTU-KBS20036	■	IRTU-KBB20036	□	200		53		100/100	25.000	GET A QUOTE
IRTU-KBS25036	■	IRTU-KBB25036	□	250		65		100/100	20.000	GET A QUOTE
IRTU-KBS30036	■	IRTU-KBB30036	□	300		76		100/100	20.000	GET A QUOTE
IRTU-KBS37036	■	IRTU-KBB37036	□	370		102		100/100	15.000	GET A QUOTE
IRTU-KBS20048	■	IRTU-KBB20048	□	200	4.8	50	22.2	100	16.000	GET A QUOTE
IRTU-KBS25048	■	IRTU-KBB25048	□	250		60		100	13.000	GET A QUOTE
IRTU-KBS30048	■	IRTU-KBB30048	□	300		76		100	13.000	GET A QUOTE
IRTU-KBS37048	■	IRTU-KBB37048	□	370		102		100	10.000	GET A QUOTE
IRTU-KBS43048	■	IRTU-KBB43048	□	430		110		100	9.000	GET A QUOTE
IRTU-KBS30076	■	IRTU-KBB30076	□	300	7.6	76	54.5	100	6.500	GET A QUOTE
IRTU-KBS37076	■	IRTU-KBB37076	□	370		102		100	5.000	GET A QUOTE
IRTU-KBS43076	■	IRTU-KBB43076	□	450		127		100	3.500	GET A QUOTE
IRTU-KBS53076	■	IRTU-KBB53076	□	530		140		100	3.000	GET A QUOTE
IRTU-KBS71076	■	IRTU-KBB71076	□	710	9	190	79.4	100	2.000	GET A QUOTE
IRTU-KBS76090	■	IRTU-KBB76090	□	760		236		100	2.000	GET A QUOTE
IRTU-KBS94090	■	IRTU-KBB94090	□	940		280		100	1.000	GET A QUOTE

Cable Tie Labels




Code	L	W	Max. Connecting Size	Carrying Weight (kg)	Bag Qty	Unit Price (pcs)
IRTU-EKB10025	100	2.5	20	8.1	100	GET A QUOTE
IRTU-EKB19025	190	4.8	48	22.2	100	GET A QUOTE

STAINLESS-STEEL CABLE TIES



Code	L	W	Max. Connecting Size	Carrying Weight (kg)	Bag Qty	Unit Price (pcs)
IRTU-MTL30415246	150	4.6	37	55	100	GET A QUOTE
IRTU-MTL30420146	200		50		100	GET A QUOTE
IRTU-MTL30426646	260		69		100	GET A QUOTE
IRTU-MTL30430046	300		76		100	GET A QUOTE
IRTU-MTL30436246	370		102		100	GET A QUOTE
IRTU-MTL30452146	520		152		100	GET A QUOTE
IRTU-MTL30467946	680		203		100	GET A QUOTE
IRTU-MTL30483846	840		254		100	GET A QUOTE
IRTU-MTL30420179	200	7.9	50	120	100	GET A QUOTE
IRTU-MTL30430079	300		76		100	GET A QUOTE
IRTU-MTL30436279	370		102		100	GET A QUOTE
IRTU-MTL30452179	520		152		100	GET A QUOTE
IRTU-MTL30467979	680		203		100	GET A QUOTE
IRTU-MTL30483879	840		254		100	GET A QUOTE

ADHESIVE CABLE-TIE MOUNTS



Code	A	B	C	D	H	Bag Qty	Unit Price (pcs)
IRTU-YKR1919	19	3.6	19	Ø3.2	4	100	GET A QUOTE
IRTU-YKR2727	28	4.8	28		4.5	100	GET A QUOTE

Screw-in Cable Clamp



Code	A	B	C	D	E	Max. Connecting Size	Color	Bag Qty	Unit Price (pcs)
IRTU-VK149950	14.9	9.5	6.9	4.5	7.8	4.8	White	100	GET A QUOTE
IRTU-VK222159	22.2	15.9	9.7	6.4	12.6	7.6	White	100	GET A QUOTE

Panel Mounting Rail




Code	Size (mm)	Product Name	Type	Length (m/m)	Box Qty (m)	Unit Price (m)
IRTU-MR3010	35x7.5x1	Chrome 3 (Cr+3) Coated Chrome +3	Perforated	2	50	GET A QUOTE
IRTU-MR3011	35x7.5x1	Chrome 3 (Cr+3) Coated Chrome +3	Imperforated	2	50	GET A QUOTE
IRTU-MR4010	35x7.5x1	Galvanize	Perforated	2	50	GET A QUOTE
IRTU-MR4011	35x7.5x1	Galvanize	Imperforated	2	50	GET A QUOTE
IRTU-MR4010E	35x7.5x1	Galvanize (Eco)	Perforated	2	60	GET A QUOTE
IRTU-MR4011E	35x7.5x1	Galvanize (Eco)	Imperforated	2	60	GET A QUOTE
IRTU-MR3012	35x15x1.5	Chrome 3 (Cr+3)	Perforated	2	40	GET A QUOTE
IRTU-MR3013	35x15x1.5	Chrome 3 (Cr+3)	Imperforated	2	40	GET A QUOTE
IRTU-MR4015	35x15x1.5	Galvanize	Perforated	2	40	GET A QUOTE
IRTU-MR4013	35x15x1.5	Galvanize	Imperforated	2	40	GET A QUOTE

MG Type Mounting Rail



Code	Type	Product Name	Length (m)	Box Qty (m)	Unit Price (pcs)
IRTU-4142	Imperforated	Aluminium	1	25	GET A QUOTE
IRTU-4143	Imperforated	Aluminium	2	25	GET A QUOTE
IRTU-4147	Perforated	Aluminium	1	25	GET A QUOTE
IRTU-4148	Perforated	Aluminium	2	25	GET A QUOTE

Rail Carrier





Code	Product Name	Type	Box Qty. (m)	Unit Price (pcs)
IRTU-MR1010	Coated Chrome +3	Rail Carrier	100	GET A QUOTE
IRTU-MR1020	Aluminium	Rail Carrier	100	GET A QUOTE
BC16050	Ø16x50 mm	Rail Carrier	100	GET A QUOTE
BC16080	Ø16x80 mm	Rail Carrier	100	GET A QUOTE

SILICONE TUBING (2.5 kV)



Code	Dia. (mm)	Colour	Roll (m)	
FG-SRG-2.00	2	Red - Black	100	GET A QUOTE
FG-SRG-3.00	3	Red - Black	100	GET A QUOTE
FG-SRG-4.00	4	Red - Black	100	GET A QUOTE
FG-SRG-5.00	5	Red - Black	100	GET A QUOTE
FG-SRG-6.00	6	Red - Black	100	GET A QUOTE
FG-SRG-7.00	7	Red - Black	100	GET A QUOTE
FG-SRG-8.00	8	Red - Black	100	GET A QUOTE
FG-SRG-10.00	10	Red - Black	100	GET A QUOTE
FG-SRG-12.00	12	Red - Black	50	GET A QUOTE
FG-SRG-14.00	14	Red - Black	50	GET A QUOTE
FG-SRG-16.00	16	Red - Black	50	GET A QUOTE
FG-SRG-18.00	18	Red - Black	50	GET A QUOTE
FG-SRG-20.00	20	Red - Black	25	GET A QUOTE
FG-SRG-25.00	25	Red - Black	25	GET A QUOTE

CABLE MANAGEMENT SPIRAL WRAP



Code	Product Name	Cable Diamete (mm²)	Dimensions			Spool (m)	
			F	E	L		
IRTU-HR01	NO: 1 (SIZE: 10 m)	2.5 - 15	6	0.60	7.4	10	GET A QUOTE
IRTU-HR02	NO: 2 (SIZE: 10 m)	6 - 30	8	0.75	12.0	10	GET A QUOTE
IRTU-HR03	NO: 3 (SIZE: 10 m)	7.5 - 30	10	0.80	12.3	10	GET A QUOTE
IRTU-HR04	NO: 4 (SIZE: 10 m)	9 - 32	12	0.85	15.0	10	GET A QUOTE
IRTU-HR05	NO: 5 (SIZE: 10 m)	12 - 35	15	1.00	15.5	10	GET A QUOTE

Polyurethane Sticky Gasket



Code	Product Name	Box Qty (m)	Unit Price
IRTU-CNT0510	5 x 10 Self-Adhesive Polyurethane Gasket	300	GET A QUOTE
IRTU-CNT0515	5 x 15 Self-Adhesive Polyurethane Gasket	300	GET A QUOTE
IRTU-CNT0520	5 x 20 Self-Adhesive Polyurethane Gasket	300	GET A QUOTE

PLASTIC TERMINAL STRIPS - SCREW CONNECTION, BLUE



Code	Type	Voltage (V)	Current (A)	Box Qty.	Unit Price (pcs)
IRTU-5000	No. 0 0.75 - 1.5 mm² 12 Poles	400	17.5	100	GET A QUOTE
IRTU-5001	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5002	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5003	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5004	No. 4 10 - 16 mm² 6 Poles	500	76	50	GET A QUOTE
IRTU-5005	No. 5 16 - 25 mm² 6 Poles	500	101	50	GET A QUOTE

HEAT-RESISTANT TERMINAL STRIPS - SCREW CONNECTION, WHITE/RED



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5010	No. 0 0.75 - 1.5 mm² 12 Poles	400	17.5	100	GET A QUOTE
IRTU-5011	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5012	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5013	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5014	No. 4 10 - 16 mm² 6 Poles	500	76	50	GET A QUOTE
IRTU-5015	No. 5 16 - 25 mm² 6 Poles	500	101	50	GET A QUOTE
IRTU-5016	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE

HEAT-RESISTANT TERMINAL STRIPS - TRANSPARENT POLYCARBONATE



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5020	No. 0 0.75 - 1.5 mm² 12 Poles	400	17.5	100	GET A QUOTE
IRTU-5021	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5022	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5023	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5024	No. 4 10 - 16 mm² 6 Poles	500	76	50	GET A QUOTE
IRTU-5025	No. 5 16 - 25 mm² 6 Poles	500	101	50	GET A QUOTE
IRTU-5026	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE

HIGH-TEMPERATURE TERMINAL STRIPS - SCREW CONNECTION, 200 °C PA66-V0



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5029	No. 0 0.75 - 1.5 mm² 12 Poles	400	17.5	100	GET A QUOTE
IRTU-5030	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5031	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5032	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5033	No. 4 10 - 16 mm² 6 Poles	500	76	50	GET A QUOTE
IRTU-5034	No. 5 16 - 25 mm² 6 Poles	500	101	50	GET A QUOTE
IRTU-5035	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE

HEAT-RESISTANT TERMINAL STRIPS - SCREW CONNECTION, WHITE/RED



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5040	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5041	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5042	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5043	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE

HEAT-RESISTANT TERMINAL STRIPS - TRANSPARENT POLYCARBONATE



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5050	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5051	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5052	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5053	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE

HIGH-TEMPERATURE TERMINAL STRIPS - SCREW CONNECTION, 200 °C PA66-V0



Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-5056	No. 1 2.5 - 4 mm² 12 Poles	400	32	50	GET A QUOTE
IRTU-5057	No. 2 4 - 6 mm² 12 Poles	400	41	50	GET A QUOTE
IRTU-5058	No. 3 6 - 10 mm² 10 Poles	400	57	50	GET A QUOTE
IRTU-5059	No. 3 Triple 6 - 10 mm²	400	57	50	GET A QUOTE




12 Socket Connector

Code	Type	Box Qty	Unit Price (pcs)
IRTU-5060	No. 1-12 2.5 - 4 mm² Male - Female Telescopic Lock System	30	GET A QUOTE



2 Pole Modular System Socket Connector

Code	Type	Box Qty	Unit Price (pcs)
IRTU-5068	No. 1 - 2 Pole Socket Connector + Modular System	180	GET A QUOTE



Trio Socket Connector

Code	Type	Box Qty	Unit Price (pcs)
IRTU-5065	No.1 3 Pole Socket Connector	100	GET A QUOTE
IRTU-5066	Plastic Cover Set	45	GET A QUOTE
IRTU-5067	No.1 3 Pole Socket Connector + Plastic Cover Set	45	GET A QUOTE



Trio Socket Connector Connection Apparatus

Code	Type	Box Qty	Unit Price (pcs)
IRTU-5074	2.5 - 4 mm² T Type Apparatus	60	GET A QUOTE



6 Socket Terminal Connection Device

Code	Color	Type	Box Qty	Unit Price (pcs)
IRTU-5064	White	No:1, 2.5 - 4 mm² 6 Pole Socket + Plastic Cover Set	16	GET A QUOTE
IRTU-5063	Black	No:1, 2.5 - 4 mm² 6 Pole Socket + Plastic Cover Set	16	GET A QUOTE


Transformer Terminal Blocks and Labels





Code	Type	Voltage (V)	Current (A)	Box Qty	Unit Price (pcs)
IRTU-TK5135	1 x 4 mm2 High Type	400	24	200	GET A QUOTE
IRTU-TK5136	2 x 4 mm2 High Type	400	24	100	GET A QUOTE
IRTU-TK5137	1 x 6 mm2 High Type	400	41	100	GET A QUOTE
IRTU-TK5139	Transformer Terminal Label - Unprinted			500	GET A QUOTE
IRTU-TK5140	Transformer Terminal Label - Printed			500	GET A QUOTE


Steatite Terminals





Code	Type	Box Qty	Unit Price (pcs)
IRTU-5081	No. 0 2 Steatite Terminal	150	GET A QUOTE
IRTU-5082	No. 1 2 Steatite Terminal	150	GET A QUOTE
IRTU-5083	No. 1 3 Steatite Terminal	100	GET A QUOTE
IRTU-5084	No. 2 2 Steatite Terminal	100	GET A QUOTE
IRTU-5085	No. 2 3 Steatite Terminal	50	GET A QUOTE
IRTU-5086	No. 3 2 Steatite Terminal	50	GET A QUOTE
IRTU-5087	No. 3 3 Steatite Terminal	35	GET A QUOTE
IRTU-5088	No. 0 1 Steatite Terminal	400	GET A QUOTE
IRTU-5089	No. 1 1 Steatite Terminal	350	GET A QUOTE
IRTU-5090	No. 2 1 Steatite Terminal	200	GET A QUOTE
IRTU-5091	No. 3 1 Steatite Terminal	100	GET A QUOTE
IRTU-5093	No. 4 3 Steatite Terminal (ForCapacitor)	20	GET A QUOTE
IRTU-5094	No. 5 3 Steatite Terminal	20	GET A QUOTE
IRTU-5095	No. 5 2 Steatite Terminal	20	GET A QUOTE

LID Terminal Connectors



Code	Type	Box Qty	Unit Price (pcs)
IRTU - 5145	25 A 600V Terminal-3	50	GET A QUOTE
IRTU - 5146	25 A 600V Terminal-4	50	GET A QUOTE
IRTU - 5147	25 A 600V Terminal-6	50	GET A QUOTE
IRTU - 5148	25 A 600V Terminal-12	25	GET A QUOTE

IP-68 Polyamide Cable Gland





Code	Size	Color	Mounting Diameter (mm)	Box Qty.	Unit Price (pcs)
IRTU-K1007	PG-7		12.5	450	GET A QUOTE
IRTU-K1009	PG-9		15.5	300	GET A QUOTE
IRTU-K1011	PG-11		18.5	200	GET A QUOTE
IRTU-K1013	PG-13,5		20.5	175	GET A QUOTE
IRTU-K1016	PG-16		22.5	125	GET A QUOTE
IRTU-K1021	PG-21		28.5	75	GET A QUOTE
IRTU-K1029	PG-29		37.5	40	GET A QUOTE
IRTU-K1036	PG-36		47.5	20	GET A QUOTE
IRTU-K1042	PG-42		55	15	GET A QUOTE
IRTU-K1048	PG-48		60	12	GET A QUOTE
IRTU-K2012	M12X1.5		12	450	GET A QUOTE
IRTU-K2016	M16X1.5		16	200	GET A QUOTE
IRTU-K2020	M20X1.5		20	150	GET A QUOTE
IRTU-K2025	M25X1.5		25	75	GET A QUOTE
IRTU-K2032	M32X1.5		32	40	GET A QUOTE
IRTU-K2040	M40X1.5		40	20	GET A QUOTE

Brass Cable Gland (Nickel Plated)



PG Code	Size	Cable Diameter (Min-Max) mm	Box Qty	Unit Price (pcs)
IRTU-K3007	PG7	3.0 _ 6.5	50	GET A QUOTE
IRTU-K3009	PG9	4.0 _ 8.0	50	GET A QUOTE
IRTU-K3011	PG11	5.0 _ 10.0	50	GET A QUOTE
IRTU-K3013	PG13.5	6.0 _ 12.0	50	GET A QUOTE
IRTU-K3016	PG16	10.0 _ 14.0	25	GET A QUOTE
IRTU-K3021	PG21	13.0 _ 18.0	25	GET A QUOTE
IRTU-K3025	PG25	14.0 _ 26.0	25	GET A QUOTE
IRTU-K3029	PG29	18.0 _ 25.0	20	GET A QUOTE
IRTU-K3036	PG36	22.0 _ 32.0	10	GET A QUOTE
IRTU-K3042	PG42	30.0 _ 38.0	10	GET A QUOTE
IRTU-K3048	PG48	34.0-44.0	10	GET A QUOTE

Metric Code	Size	Unit Price (pcs)
IRTU-K4012	M12x1.5	GET A QUOTE
IRTU-K4016	M16x1.5	GET A QUOTE
IRTU-K4020	M20x1.5	GET A QUOTE
IRTU-K4025	M25x1.5	GET A QUOTE
IRTU-K4032	M32x1.5	GET A QUOTE
IRTU-K4040	M40x1.5	GET A QUOTE
IRTU-K4050	M50x1.5	GET A QUOTE
IRTU-K4063	M63x1.5	GET A QUOTE

Brass Cable Gland with Clamp IP55





Code	Size	Cable Diameter (Min-Max) mm	Box Qty	Unit Price (pcs)
IRTU-K6007	PG7	3.0 _ 6.0	100	GET A QUOTE
IRTU-K6009	PG9	6.0 _ 9.0	100	GET A QUOTE
IRTU-K6011	PG11	7.0 _ 10.0	100	GET A QUOTE
IRTU-K6013	PG13.5	8.0 _ 12.0	100	GET A QUOTE
IRTU-K6016	PG16	10.0 _ 14.0	100	GET A QUOTE
IRTU-K6021	PG21	14.0 _ 20.0	100	GET A QUOTE
IRTU-K6025	PG25	20.0 _ 24.0	100	GET A QUOTE
IRTU-K6029	PG29	24.0 _ 29.0	50	GET A QUOTE
IRTU-K6036	PG36	30.0 _ 35.0	50	GET A QUOTE
IRTU-K6042	PG42	35.0 _ 40.0	10	GET A QUOTE
IRTU-K6048	PG48	40.0 _ 45.0	10	GET A QUOTE
IRTU-K6055	PG55	43.0 _ 49.0	10	GET A QUOTE

Brass Cable Gland IP55

Code	Size	Cable Diameter (Min-Max) mm	Box Qty	Unit Price (pcs)
IRTU-K5007	PG7	3.0 _ 6.0	100	GET A QUOTE
IRTU-K5009	PG9	6.0 _ 9.0	100	GET A QUOTE
IRTU-K5011	PG11	7.0 _ 10.0	100	GET A QUOTE
IRTU-K5013	PG13.5	8.0 _ 12.0	100	GET A QUOTE
IRTU-K5016	PG16	10.0 _ 14.0	100	GET A QUOTE
IRTU-K5021	PG21	14.0 _ 20.0	100	GET A QUOTE
IRTU-K5025	PG25	20.0 _ 24.0	100	GET A QUOTE
IRTU-K5029	PG29	24.0 _ 29.0	50	GET A QUOTE
IRTU-K5036	PG36	30.0 _ 35.0	50	GET A QUOTE
IRTU-K5042	PG42	35.0 _ 40.0	10	GET A QUOTE
IRTU-K5048	PG48	40.0 _ 45.0	10	GET A QUOTE
IRTU-K5055	PG55	43.0 _ 49.0	10	GET A QUOTE



PG Polyamide Nuts

Code	Size	Box Qty.	Unit Price (pcs)
IRTU-PS1007	PG-7	250	GET A QUOTE
IRTU-PS1009	PG-9	250	GET A QUOTE
IRTU-PS1011	PG-11	250	GET A QUOTE
IRTU-PS1013	PG-13,5	250	GET A QUOTE
IRTU-PS1016	PG-16	250	GET A QUOTE
IRTU-PS1021	PG-21	250	GET A QUOTE
IRTU-PS1029	PG-29	150	GET A QUOTE
IRTU-PS1036	PG-36	100	GET A QUOTE
IRTU-PS1042	PG-42	100	GET A QUOTE
IRTU-PS1048	PG-48	100	GET A QUOTE

Metric Polyamide Nuts

Code	Size	Box Qty.	Unit Price (pcs)
IRTU-PS2012	M12X1.5	250	GET A QUOTE
IRTU-PS2016	M16X1.5	250	GET A QUOTE
IRTU-PS2020	M20X1.5	250	GET A QUOTE
IRTU-PS2025	M25X1.5	250	GET A QUOTE
IRTU-PS2032	M32X1.5	250	GET A QUOTE
IRTU-PS2040	M40X1.5	250	GET A QUOTE



Metal Nut Nickel Plated PG Size

Code	Size	Packing Qty	Unit Price (pcs)
IRTU-PS3009	PG9	100	GET A QUOTE
IRTU-PS3011	PG11	100	GET A QUOTE
IRTU-PS3013	PG13.5	100	GET A QUOTE
IRTU-PS3016	PG16	100	GET A QUOTE
IRTU-PS3021	PG21	100	GET A QUOTE
IRTU-PS3025	PG25	50	GET A QUOTE
IRTU-PS3029	PG29	50	GET A QUOTE
IRTU-PS3036	PG36	25	GET A QUOTE
IRTU-PS3042	PG42	10	GET A QUOTE
IRTU-PS3048	PG48	10	GET A QUOTE

Metal Nut Nickel Plated Metric Size

Code	Size	Packing Qty	Unit Price (pcs)
IRTU-PS4012	M12x1.5	100	GET A QUOTE
IRTU-PS4016	M16x1.5	100	GET A QUOTE
IRTU-PS4020	M20x1.5	100	GET A QUOTE
IRTU-PS4025	M25x1.5	100	GET A QUOTE
IRTU-PS4032	M32x1.5	50	GET A QUOTE
IRTU-PS4040	M40x1.5	50	GET A QUOTE
IRTU-PS4050	M50x1.5	10	GET A QUOTE
IRTU-PS4063	M63x1.5	10	GET A QUOTE



Pg Metal Blind Stop Nickel Plated

Code	Size	Packing Qty	Unit Price (pcs)
IRTU-KT2009	PG9	50	GET A QUOTE
IRTU-KT2011	PG11	50	GET A QUOTE
IRTU-KT2013	PG13.5	50	GET A QUOTE
IRTU-KT2016	PG16	50	GET A QUOTE
IRTU-KT2021	PG21	50	GET A QUOTE
IRTU-KT2025	PG25	50	GET A QUOTE
IRTU-KT2029	PG29	50	GET A QUOTE
IRTU-KT2036	PG36	50	GET A QUOTE
IRTU-KT2042	PG42	50	GET A QUOTE
IRTU-KT2048	PG48	50	GET A QUOTE

Metric Metal Lock Nut Nickel Plated

Code	Size	Packing Qty	Unit Price (pcs)
IRTU-KT3012	M12x1.5	50	GET A QUOTE
IRTU-KT3016	M16x1.5	50	GET A QUOTE
IRTU-KT3020	M20x1.5	50	GET A QUOTE
IRTU-KT3025	M25x1.5	50	GET A QUOTE
IRTU-KT3032	M32x1.5	50	GET A QUOTE
IRTU-KT3040	M40x1.5	50	GET A QUOTE
IRTU-KT3050	M50x1.5	50	GET A QUOTE
IRTU-KT3063	M63x1.5	50	GET A QUOTE

Steel Spiral Pipe



STANDARD



PVC

STANDARD Code	Inside Diameter (mm)	NPT Dimensions	Packing Qty. (m)	Unit Price	PVC Code	Unit Price
IRTU-CGS09	9	1/4"	50	GET A QUOTE	IRTU-PGS09	GET A QUOTE
IRTU-CGS11	11	3/8"	50	GET A QUOTE	IRTU-PGS11	GET A QUOTE
IRTU-CGS14	14		50	GET A QUOTE	IRTU-PGS14	GET A QUOTE
IRTU-CGS16	16	1/2"	50	GET A QUOTE	IRTU-PGS16	GET A QUOTE
IRTU-CGS18	18		50	GET A QUOTE	IRTU-PGS18	GET A QUOTE
IRTU-CGS21	21	3/4"	50	GET A QUOTE	IRTU-PGS21	GET A QUOTE
IRTU-CGS26	26	1"	25	GET A QUOTE	IRTU-PGS26	GET A QUOTE
IRTU-CGS29	29		25	GET A QUOTE	IRTU-PGS29	GET A QUOTE
IRTU-CGS32	32		25	GET A QUOTE	IRTU-PGS32	GET A QUOTE
IRTU-CGS35	35	1 1/4"	25	GET A QUOTE	IRTU-PGS35	GET A QUOTE
IRTU-CGS37	37		25	GET A QUOTE	IRTU-PGS37	GET A QUOTE
IRTU-CGS40	40	1 1/2"	25	GET A QUOTE	IRTU-PGS40	GET A QUOTE
IRTU-CGS42	42		25	GET A QUOTE	IRTU-PGS42	GET A QUOTE
IRTU-CGS45	45		25	GET A QUOTE	IRTU-PGS45	GET A QUOTE
IRTU-CGS50	50	2"	25	GET A QUOTE	IRTU-PGS50	GET A QUOTE

Steel Spiral Pipe with Wire



STANDARD



PVC

STANDARD Code	Inside Diameter (mm)	NPT Dimensions	Packing Qty. (m)	Unit Price	PVC Code	PVC Code
IRTU-PGS211	11	3/8"	50	GET A QUOTE	IRTU-CGS211	GET A QUOTE
IRTU-PGS214	14		50	GET A QUOTE	IRTU-CGS214	GET A QUOTE
IRTU-PGS216	16	1/2"	50	GET A QUOTE	IRTU-CGS216	GET A QUOTE
IRTU-PGS218	18		50	GET A QUOTE	IRTU-CGS218	GET A QUOTE
IRTU-PGS221	21	3/4"	50	GET A QUOTE	IRTU-CGS221	GET A QUOTE
IRTU-PGS226	26	1"	25	GET A QUOTE	IRTU-CGS226	GET A QUOTE
IRTU-PGS229	29		25	GET A QUOTE	IRTU-CGS229	GET A QUOTE
IRTU-PGS232	32		25	GET A QUOTE	IRTU-CGS232	GET A QUOTE
IRTU-PGS235	35	1 1/4"	25	GET A QUOTE	IRTU-CGS235	GET A QUOTE
IRTU-PGS237	37		25	GET A QUOTE	IRTU-CGS237	GET A QUOTE

Steel Wire Braided Spiral Pipe



STANDARD



PVC

STANDARD Code	Inside Diameter (mm)	Inside Diameter (mm)	Outer Diameter (mm)	Packing Qty. (m)	Unit Price	PVC Code	Unit Price
IRTU-CTS09	1/4"	10.0	16.0	50	GET A QUOTE	IRTU-PTS09	GET A QUOTE
IRTU-CTS12	3/8"	12.0	16.0	50	GET A QUOTE	IRTU-PTS12	GET A QUOTE
IRTU-CTS16	1/2"	15.5	19.0	50	GET A QUOTE	IRTU-PTS16	GET A QUOTE
IRTU-CTS21	3/4"	20.5	27.0	50	GET A QUOTE	IRTU-PTS21	GET A QUOTE
IRTU-CTS27	1"	26.5	35.0	25	GET A QUOTE	IRTU-PTS27	GET A QUOTE
IRTU-CTS35	1 1/4"	34.5	42.0	25	GET A QUOTE	IRTU-PTS35	GET A QUOTE
IRTU-CTS40	1 1/2"	39.5	48.0	25	GET A QUOTE	IRTU-PTS40	GET A QUOTE
IRTU-CTS50	2"	50.5	60.0	25	GET A QUOTE	IRTU-PTS50	GET A QUOTE

PVC Coated Galvanised Steel Spiral Pipe Heavy Duty



Code	Size	Inside Diameter (mm)	Outer Diameter (mm)	Packing Qty. (m)	Unit Price
IRTU-EF10	1/4"	10.0	15.0	30	GET A QUOTE
IRTU-EF12	3/8"	12.0	18.0	30	GET A QUOTE
IRTU-EF16	1/2"	15.5	21.5	30	GET A QUOTE
IRTU-EF21	3/4"	20.5	27.0	30	GET A QUOTE
IRTU-EF27	1"	26.5	33.0	30	GET A QUOTE
IRTU-EF35	1 1/4"	34.5	43.0	15	GET A QUOTE
IRTU-EF40	1 1/2"	39.5	48.0	15	GET A QUOTE
IRTU-EF50	2"	50.5	60.0	15	GET A QUOTE
IRTU-EF65	2 1/2"	65.0	72.0	7.5	GET A QUOTE
IRTU-EF75	3"	75.0	87.0	7.5	GET A QUOTE

Polyamide (PA6) and Polypropylene (PP) Spiral Conduits



Polyamide



Polypropylene

Polyamid Code	Size	Color	Inside Diameter (mm)	Outer Diameter (mm)	Packing Qty. (m)	Polyamide Unit Price	Polypropylene Code	Polypropylene
IRTU-PA6-07	PA7		6.5	10.0	100	GET A QUOTE	IRTU-PP07	GET A QUOTE
IRTU-PA6-8,5	PA8.5		8.5	12.0	100	GET A QUOTE	IRTU-PP8,5	GET A QUOTE
IRTU-PA6-10	PA10		10.0	13.0	100	GET A QUOTE	IRTU-PP10	GET A QUOTE
IRTU-PA6-12	PA12		12.0	16.0	50	GET A QUOTE	IRTU-PP12	GET A QUOTE
IRTU-PA6-14	PA14		14.0	18.5	50	GET A QUOTE	IRTU-PP14	GET A QUOTE
IRTU-PA6-17	PA17		17.0	21.5	50	GET A QUOTE	IRTU-PP17	GET A QUOTE
IRTU-PA6-19	PA19		19.0	24.0	50	GET A QUOTE	IRTU-PP19	GET A QUOTE
IRTU-PA6-22	PA22		22.0	27.5	50	GET A QUOTE	IRTU-PP22	GET A QUOTE
IRTU-PA6-23	PA23		23.0	28.7	50	GET A QUOTE	IRTU-PP23	GET A QUOTE
IRTU-PA6-26	PA26		26.0	31.0	25	GET A QUOTE	IRTU-PP26	GET A QUOTE
IRTU-PA6-29	PA29		29.0	34.5	25	GET A QUOTE	IRTU-PP29	GET A QUOTE
IRTU-PA6-36	PA36		36.0	42.5	25	GET A QUOTE	IRTU-PP36	GET A QUOTE
IRTU-PA6-48	PA48		48.0	54.5	25	GET A QUOTE	IRTU-PP48	GET A QUOTE

Polyamide (PA6) Spiral Conduit Glands (Nut)



STANDARD



90°

Polyamide Code	Size	Color	Suitable Con.	P. Qty. (m)	Unit Price	90° Polyamide Code	P. Qty. (m)	Unit Price
IRTU-AGP07	PG7		PA8.5	50	GET A QUOTE	IRTU-AGP90-07	25	GET A QUOTE
IRTU-AGP09	PG9		PA10	50	GET A QUOTE	IRTU-AGP90-09	25	GET A QUOTE
IRTU-AGP11	PG11		PA12	50	GET A QUOTE	IRTU-AGP90-11	25	GET A QUOTE
IRTU-AGP13	PG13.5		PA14	50	GET A QUOTE	IRTU-AGP90-13	25	GET A QUOTE
IRTU-AGP16	PG16		PA17	50	GET A QUOTE	IRTU-AGP90-16	25	GET A QUOTE
IRTU-AGP21	PG21		PA23	25	GET A QUOTE	IRTU-AGP90-21	25	GET A QUOTE
IRTU-AGP29	PG29		PA29	20	GET A QUOTE	IRTU-AGP90-29	10	GET A QUOTE
IRTU-AGP36	PG36		PA36	20	GET A QUOTE	IRTU-AGP90-36	10	GET A QUOTE
IRTU-AGP48	PG48		PA48	20	GET A QUOTE	IRTU-AGP90-48	10	GET A QUOTE

Polyamide Flexible Conduit Connector



Code	Size	Color	Suitable Conduit	Packing Qty. (m)	Unit Price (pcs)
IRTU-PG0707	PG7		PA8.5	100	GET A QUOTE
IRTU-PG0910	PG9		PA10	50	GET A QUOTE
IRTU-PG1112	PG11		PA12	50	GET A QUOTE
IRTU-PG1314	PG13.5		PA14	50	GET A QUOTE
IRTU-PG1617	PG16		PA17	50	GET A QUOTE
IRTU-PG2123	PG21		PA23	25	GET A QUOTE
IRTU-PG2929	PG29		PA29	25	GET A QUOTE
IRTU-PG3636	PG36		PA36	10	GET A QUOTE
IRTU-PG4848	PG48		PA48	10	GET A QUOTE

Polyamide Flexible Conduit Clip



Code	Size	Color	Suitable Conduit	Packing Qty. (m)	Unit Price (pcs)
IRTU-TK07	PG7		PA8.5	100	GET A QUOTE
IRTU-TK09	PG9		PA10	100	GET A QUOTE
IRTU-TK11	PG11		PA12	100	GET A QUOTE
IRTU-TK13	PG13.5		PA14	50	GET A QUOTE
IRTU-TK16	PG16		PA17	50	GET A QUOTE
IRTU-TK21	PG21		PA23	50	GET A QUOTE
IRTU-TK29	PG29		PA29	25	GET A QUOTE
IRTU-TK36	PG36		PA36	25	GET A QUOTE
IRTU-TK48	PG48		PA48	25	GET A QUOTE

Galvanised Steel Liquiditte Spiral Pipe Gland (Male Type) IP68



Code	PG Series	Unit Price (Pcs)
IRTU-GSPRG11	PG11	GET A QUOTE
IRTU-GSPRG13,5	PG13.5	GET A QUOTE
IRTU-GSPRG21	PG21	GET A QUOTE
IRTU-GSPRG29	PG29	GET A QUOTE
IRTU-GSPRG36	PG36	GET A QUOTE
IRTU-GSPRG42	PG42	GET A QUOTE
IRTU-GSPRG48	PG48	GET A QUOTE

Code	Metric Series	Unit Price (Pcs)
IRTU-GSRM16	M16 x 1.5	GET A QUOTE
IRTU-GSRM20	M20 x 1.5	GET A QUOTE
IRTU-GSRM25	M25 x 1.5	GET A QUOTE
IRTU-GSRM32	M32 x 1.5	GET A QUOTE
IRTU-GSRM40	M40 x 1.5	GET A QUOTE
IRTU-GSRM50	M50 x 1.5	GET A QUOTE
IRTU-GSRM63	M63 x 1.5	GET A QUOTE

Code	NPT Series	Size	Unit Price (Pcs)
IRTU-GSNPT038	3/8"	3/8"	GET A QUOTE
IRTU-GSNPT012	1/2"	1/2"	GET A QUOTE
IRTU-GSNPT034	3/4"	1/2"	GET A QUOTE
IRTU-GSNPT100	1"	1"	GET A QUOTE
IRTU-GSNPT114	1 1/4"	1 1/4"	GET A QUOTE
IRTU-GSNPT112	1 1/2"	1 1/2"	GET A QUOTE
IRTU-GSNPT200	2"	2"	GET A QUOTE

Nickel Plated Brass Spiral Gland Fixed Type IP54





Code	PG Series	Size	Unit Price (Pcs)
IRTU-SPR11	PG11	PG11	GET A QUOTE
IRTU-SPR13	PG13.5	PG13.5	GET A QUOTE
IRTU-SPR21	PG21	PG21	GET A QUOTE
IRTU-SPR29	PG29	PG29	GET A QUOTE
IRTU-SPR36	PG36	PG36	GET A QUOTE
IRTU-SPR42	PG42	PG42	GET A QUOTE
IRTU-SPR48	PG48	PG48	GET A QUOTE

Code	Metric Series	Size	Unit Price (Pcs)
IRSMR-16	M16 x 1.5	3/8"	GET A QUOTE
IRSMR-20	M20 x 1.5	1/2"	GET A QUOTE
IRSMR-25	M25 x 1.5	3/4"	GET A QUOTE
IRSMR-32	M32 x 1.5	1"	GET A QUOTE
IRSMR-40	M40 x 1.5	1 1/4"	GET A QUOTE
IRSMR-50	M50 x 1.5	1 1/2"	GET A QUOTE
IRSMR-63	M63 x 1.5	2"	GET A QUOTE

Code	NPT	Size	Unit Price (Pcs)
IRNSR-12	3/8"	3/8"	GET A QUOTE
IRNSR-12S	1/2"	1/2"	GET A QUOTE
IRNSR-34	3/4"	3/4"	GET A QUOTE
IRNSR-100	1"	1"	GET A QUOTE
IRNSR-114	1 1/4"	1 1/4"	GET A QUOTE
IRNSR-112	1 1/2"	1 1/2"	GET A QUOTE
IRNSR-200	2"	2"	GET A QUOTE
IRNSR-212	2 1/2"	2 1/2"	GET A QUOTE
IRNSR-300	3"	3"	GET A QUOTE
IRNSR-400	4"	4"	GET A QUOTE

Nickel Plated Brass Spiral Gland Male Type - Heavy Duty IP68





Code	PG Series	Size	Unit Price (Pcs)
IRTU-BBFP09	PG9	PG9	GET A QUOTE
IRTU-BBFP11	PG11	PG11	GET A QUOTE
IRTU-BBFP14	PG13.5	PG16	GET A QUOTE
IRTU-BBFP16	PG16	PG16	GET A QUOTE
IRTU-BBFP21	PG21	PG21	GET A QUOTE
IRTU-BBFP29	PG29	PG29	GET A QUOTE
IRTU-BBFP36	PG36	PG36	GET A QUOTE
IRTU-BBFP42	PG42	PG42	GET A QUOTE
IRTU-BBFP48	PG48	PG48	GET A QUOTE

Code	Metric Series	Size	Unit Price (Pcs)
IRTU-BBFM16	M16 x 1.5	1/4"	GET A QUOTE
IRTU-BBFM16	M16 x 1.5	3/8"	GET A QUOTE
IRTU-BBFM20	M16 x 1.5	1/2"	GET A QUOTE
IRTU-BBFM25	M25 x 1.5	1"	GET A QUOTE
IRTU-BBFM32	M32 x 1.5	1 1/4"	GET A QUOTE
IRTU-BBFM40	M40 x 1.5	1 1/4"	GET A QUOTE
IRTU-BBFM50	M50 x 1.5	1 1/2"	GET A QUOTE
IRTU-BBFM63	M63 x 1.5	2"	GET A QUOTE

Code	NPT	Size	Unit Price (Pcs)
IRTU-BBFN01	1/4"	1/4"	GET A QUOTE
IRTU-BBFN02	3/8"	3/8"	GET A QUOTE
IRTU-BBFN03	1/2"	1/2"	GET A QUOTE
IRTU-BBFN04	3/4"	3/4"	GET A QUOTE
IRTU-BBFN05	1"	1"	GET A QUOTE
IRTU-BBFN06	1 1/4"	1"	GET A QUOTE
IRTU-BBFN07	1 1/2"	1 1/4"	GET A QUOTE
IRTU-BBFN08	2"	2"	GET A QUOTE

CURRENT TRANSFORMERS



PLUG - IN TRANSFORMERS



BUSBAR TYPE CURRENT TRANSFORMERS




TERMINAL TYPE TRANSFORMERS




TOROIDAL CURRENT TRANSFORMERS




SPLIT CORE CURRENT TRANSFORMERS




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
20/5 - 25/5 - 30/5 - 40/5 - 50/5 - 60/5 75/5 - 80/5 100/5 - 125/5 - 150/5 - 200/5 - 250/5 300/5 - 400/5 - 500/5 - 600/5	0.5 _ 0.5S 1-3	1 1.5 2.5 5	GET A QUOTE
20/1 - 25/1 - 30/1 - 40/1 - 50/1 - 60/1 75/1 - 80/1 100/1 - 125/1 - 150/1 - 200/1 - 250/1 300/1 - 400/1 - 500/1 - 600/1	0.5 _ 0.5S 1-3	1 1.5 2.5 5	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
20/5 - 25/5 - 30/5 - 40/5 - 50/5 - 60/5 75/5 - 80/5 100/5 - 125/5 - 150/5 - 200/5 - 250/5 300/5 - 400/5 - 500/5 - 600/5	0.5 _ 0.5S 1-3	1 1.5 2.5 5	GET A QUOTE
20/1 - 25/1 - 30/1 - 40/1 - 50/1 - 60/1 75/1 - 80/1 100/1 - 125/1 - 150/1 - 200/1 - 250/1 300/1 - 400/1 - 500/1 - 600/1	0.5 _ 0.5S 1-3	1 1.5 2.5 5	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
75/5 - 80/5 - 100/5 - 125/5 - 150/5 200/5 - 250/5 - 300/5 - 400/5 - 500/5 600/5 - 700/5 750/5 - 800/5	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
75/1 - 80/1 - 100/1 - 125/1 - 150/1 200/1 - 250/1 - 300/1 - 400/1 - 500/1 600/1 - 700/1 - 750/1 - 800/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
40/5 - 50/5 - 60/5 - 75/5 - 80/5 - 100/5 125/5 - 150/5 - 200/5 - 250/5 - 300/5 400/5 - 500/5 - 600/5 - 700/5 - 750/5 800/5	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
40/1 - 50/1 - 60/1 - 75/1 - 80/1 - 100/1 125/1 - 150/1 - 200/1 - 250/1 - 300/1 400/1 - 500/1 - 600/1- 700/1 - 750/1 - 800/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
50/5 - 60/5 - 75/5 - 80/5 100/5 - 125/5 150/5 - 200/5 - 250/5 300/5 - 400/5 500/5 - 600/5 - 700/5 - 750/5 - 800/5	0.2 _ 0.5 0.5S 1-3	1 _ 1.5 2.5 _ 5 10 - 15	GET A QUOTE
50/1 - 60/1 - 75/1 - 80/1 100/1 - 125/1 150/1 - 200/1 - 250/1 300/1 - 400/1 500/1 - 600/1 - 700/1 - 750/1 - 800/1	0.2 _ 0.5 0.5S 1-3	1 _ 1.5 2.5 _ 5 10 - 15	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
150/5 - 200/5 - 250/5 - 300/5 - 400/5 500/5 - 600/5 - 700/5 - 750/5 - 800/5 1000/5 - 1200/5 - 1250/5	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 - 400/1 500/1- 600/1 - 700/1 - 750/1 - 800/1 1000/1 - 1200/1 - 1250/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
200/5 - 250/5 - 300/5 - 400/5 - 500/5 600/5 - 700/5 - 750/5 - 800/5 - 1000/5 1200/5-1250/5-1500/5-1600/5-2000/5	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
200/1 - 250/1 - 300/1 - 400/1 - 500/1 600/1 - 700/1 - 750/1 - 800/1 - 1000/1 1200/1-1250/1-1500/1-1600/1-2000/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
150/5 - 200/5 - 250/5 - 300/5 - 400/5 500/5 - 600/5 - 700/5 - 750/5 - 800/5 1000/5 - 1200/5 - 1250/5	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 - 400/1 500/1- 600/1 - 700/1 - 750/1 - 800/1 1000/1 - 1200/1 - 1250/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
200/5 - 250/5 - 300/5 - 400/5 - 500/5 600/5 - 700/5 - 750/5 - 800/5 - 1000/5 1200/5-1250/5-1500/5-1600/5-2000/5	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
200/1 - 250/1 - 300/1 - 400/1 - 500/1 600/1 - 700/1 - 750/1 - 800/1 - 1000/1 1200/1-1250/1-1500/1-1600/1-2000/1	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
400/5 - 500/5 600/5 - 700/5 - 750/5 800/5 - 1000/5 1200/5 - 1250/5 - 1500/5 1600/5 - 2000/5 - 2500/5 - 3000/5 3200/5 - 4000	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 - 400/1 500/1- 600/1 - 700/1 - 750/1 - 800/1 1000/1 - 1200/1 - 1250/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
400/5 - 500/5 600/5 - 700/5 - 750/5 800/5 - 1000/5 1200/5 - 1250/5 - 1500/5 1600/5 - 2000/5 - 2500/5 - 3000/5 3200/5 - 4000	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 - 400/1 500/1- 600/1 - 700/1 - 750/1 - 800/1 1000/1 - 1200/1 - 1250/1	0.2 _ 0.5 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
600/5 - 700/5 - 750/5 - 800/5 - 1000/5 1200/5 - 1250/5 - 1500/5 1600/5 2000/5 2500/5 - 3000/5 3200/5 4000/5 - 5000/5 - 6000/5	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
600/1 - 700/1 - 750/1 - 800/1 - 1000/1 1200/1 - 1250/1 - 1500/1 1600/1 2000/1 - 2500/1 - 3000/1 3200/1 4000/1 - 5000/1 - 6000/1	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
600/5 - 700/5 - 750/5 - 800/5 - 1000/5 1200/5 - 1250/5 - 1500/5 1600/5 2000/5 2500/5 - 3000/5 3200/5 4000/5 - 5000/5 - 6000/5	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	GET A QUOTE
600/1 - 700/1 - 750/1 - 800/1 - 1000/1 1200/1 - 1250/1 - 1500/1 1600/1 2000/1 - 2500/1 - 3000/1 3200/1 4000/1 - 5000/1 - 6000/1	0.2 _ 02S 0.5 _ 0.5S 1-3	1-1.25-1.5 2.5-5-10 15-20-30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
100/5 - 125/5 - 150/5 200/5 - 250/5 - 300/5 400/5	0.5 - 1 - 3	1.25-1.5 2.5-3.75 5	GET A QUOTE
100/1 - 125/1 - 150/1 200/1 - 250/1 - 300/1 400/1	0.5 - 1 - 3	1.25-1.5 2.5-3.75 5	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
250/5 - 300/5 - 400/5 - 500/5 600/5 700/5 - 750/5 - 800/5 1000/5 1200/5	0.5 1 - 3	1-1.5-2.5 5 - 7.5 10 - 15	GET A QUOTE
250/1 - 300/1 - 400/1 - 500/1 600/1 700/1 - 750/1 - 800/1 1000/1 - 1200/1	0.5 1 - 3	1-1.5-2.5 5 - 7.5 10 - 15	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
400/5 - 500/5 600/5 - 700/5 - 750/5 800/5 - 1000/5 1200/5 - 1250/5 - 1500/5 1600/5 - 2000/5 - 2500/5 - 3000/5 3200/5 - 4000/5	0.5	1.5 _ 2.5 1 15 -30	GET A QUOTE
400/1 - 500/1 - 600/1 - 700/1 - 750/1 800/1-1000/1-1200/1-1250/1-1500/1 1600/1 - 2000/1 - 2500/1 - 3000/1 3200/1 - 4000/1	0.5	1.5 _ 2.5 1 15 -30	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
30/5 - 40/5 - 50/5 - 60/5 - 75/5 80/5 - 100/5 - 125/5 - 150/5	0.5 1 - 3	1.5 2.5 5	GET A QUOTE
30/1 - 40/1 - 50/1 - 60/1 - 75/1 80/1 - 100/1 - 125/1 - 150/1	0.5 1 - 3	1.5 2.5 5	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
150/5 - 200/5 - 250/5 - 300/5 400/5 - 500/5 - 600/5 - 700/5 750/5 - 800/5	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 400/1 - 500/1 - 600/1 - 700/1 750/1 - 800/1	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
150/5 - 200/5 - 250/5 - 300/5 400/5 - 500/5 - 600/5 - 700/5 750/5 - 800/5	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	GET A QUOTE
150/1 - 200/1 - 250/1 - 300/1 400/1 - 500/1 - 600/1 - 700/1 750/1 - 800/1	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	




Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
400/5 - 500/5 600/5 - 700/5 - 750/5 800/5 - 1000/5 1200/5 - 1250/5	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	GET A QUOTE
400/1 - 500/1 - 600/1 - 700/1 - 750/1 800/1-1000/1-1200/1-1250/1	0.5 1 - 3	1.5 _ 2.5 5 - 10 15	



Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
500/5 - 600/5 - 700/5 - 750/5 800/5 - 1000/5 - 1200/5 1250/5 - 1500/5 - 1600/5	0.5 1 - 3	5 10 15	GET A QUOTE
500/1 - 600/1 - 700/1 - 750/1 800/1 - 1000/1 - 1200/1 1250/1 - 1500/1 - 1600/1	0.5 1 - 3	5 10 15	



Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
800/5 - 1000/5 - 1200/5 - 1250/5 1500/5 - 1600/5 - 2000/5 - 2500/5 3000/5 - 3200/5 - 4000/5	0.5 1 - 3	5 10 15	GET A QUOTE
800/1 - 1000/1 - 1200/1 - 1250/1 1500/1 - 1600/1 - 2000/1 - 2500/1 3000/1 - 3200/1 - 4000/1	0.5 1 - 3	5 10 15	



Primary / Secondary	Measuring class	Power (VA)	Unit Price (pcs)
1000/5 - 1200/5 - 1250/5 - 1500/5 1600/5 - 2000/5 - 2500/5 3000/5 3200/5 4000/5	0.5 1 - 3	5-10 20-30	GET A QUOTE
1000/1 - 1200/1 - 1250/1 - 1500/1 1600/1 - 2000/1 - 2500/1 3000/1 - 3200/1 - 4000/1	0.5 1 - 3	1-1.25-1.5 2.5-5-10 15-20-30	

Cylindrical Cartridge Fuse Holders (10x38)



Code	Type	Box Qty	Unit Price
IRTU-KSY011038	1 Pole 10x38	10	GET A QUOTE
IRTU-KSY021038	2 Pole 10x38	8	GET A QUOTE
IRTU-KSY031038	3 Pole 10x38	6	GET A QUOTE
IRTU-KSY041038	4 Pole 10x38	4	GET A QUOTE
IRTU-KSY051038	1 Pole 10x38 LED	10	GET A QUOTE

Cylindrical Cartridge Fuses (10x38)



Code	Type	Box Qty	Unit Price
IRTU-KS1038005	10x38 0.5A	10	GET A QUOTE
IRTU-KS1038010	10x38 1A	10	GET A QUOTE
IRTU-KS1038020	10x38 2A	10	GET A QUOTE
IRTU-KS1038040	10x38 4A	10	GET A QUOTE
IRTU-KS1038060	10x38 6A	10	GET A QUOTE
IRTU-KS1038080	10x38 8A	10	GET A QUOTE
IRTU-KS1038100	10x38 10A	10	GET A QUOTE
IRTU-KS1038120	10x38 12A	10	GET A QUOTE
IRTU-KS1038160	10x38 16A	10	GET A QUOTE
IRTU-KS1038200	10x38 20A	10	GET A QUOTE
IRTU-KS1038250	10x38 25A	10	GET A QUOTE
IRTU-KS1038320	10x38 32A	10	GET A QUOTE

Cylindrical Cartridge Fuse Holders (14x51)



Code	Type	Box Qty	Unit Price
IRTU-KSY011451	1 Pole 14x51	10	GET A QUOTE
IRTU-KSY021451	2 Pole 14x51	8	GET A QUOTE
IRTU-KSY031451	3 Pole 14x51	6	GET A QUOTE

Cylindrical Cartridge Fuses (14x51)



Code	Type	Box Qty	Unit Price
IRTU-KS145106	14x51 6A	10	GET A QUOTE
IRTU-KS145108	14x51 8A	10	GET A QUOTE
IRTU-KS145110	14x51 10A	10	GET A QUOTE
IRTU-KS145112	14x51 12A	10	GET A QUOTE
IRTU-KS145116	14x51 16A	10	GET A QUOTE
IRTU-KS145120	14x51 20A	10	GET A QUOTE
IRTU-KS145125	14x51 25A	10	GET A QUOTE
IRTU-KS145132	14x51 32A	10	GET A QUOTE
IRTU-KS145140	14x51 40A	10	GET A QUOTE
IRTU-KS145150	14x51 50A	10	GET A QUOTE

Cylindrical Cartridge Fuse Holders (22x58)



Code	Type	Box Qty	Unit Price
IRTU-KSY012258	1 Pole 22x58	10	GET A QUOTE
IRTU-KSY022258	2 Pole 22x58	8	GET A QUOTE
IRTU-KSY032258	3 Pole 22x58	6	GET A QUOTE


Cylindrical Cartridge Fuses (22x58)



Code	Type	Box Qty	Unit Price
IRTU-KS2258016	22x58 16A	10	GET A QUOTE
IRTU-KS2258020	22x58 20A	10	GET A QUOTE
IRTU-KS2258025	22x58 25A	10	GET A QUOTE
IRTU-KS2258032	22x58 23A	10	GET A QUOTE
IRTU-KS2258040	22x58 40A	10	GET A QUOTE
IRTU-KS2258050	22x58 50A	10	GET A QUOTE
IRTU-KS2258063	22x58 63A	10	GET A QUOTE
IRTU-KS2258080	22x58 80A	10	GET A QUOTE
IRTU-KS2258100	22x58 100A	10	GET A QUOTE
IRTU-KS2258125	22x58 125A	10	GET A QUOTE



NEW



DC laminated busbars provide compact, reliable connections between power devices in electrical and electronic systems. Their multilayer conductor-and-insulator construction reduces wiring errors and assembly time while providing low inductance and controlled capacitance. Each busbar is engineered for the specific application and can form an integral part of the system design.

Custom dimensions are available to suit project requirements.

WE ARE PROFESSIONAL AND WE PROVIDE BEST SOLUTIONS FOR YOU

Manufacturing Experience

Solution Oriented

Trustworthiness

International Quality Standards



Innovative Perspective

Customer Oriented



ISO 9001:2015 Registration



CE Certificate of Registration



Turk Patent Registration

Why Choose Us?

Experience

We have served the electrical sector since 1995, supported by an experienced and specialist team.

Quality Comes First

From product development to service delivery, quality is a core priority across our operations.

Customer-Focused Approach

We listen closely to customer requirements and value clear communication, reliability and long-term relationships.

High Standards

Our products and systems are supported by internationally recognised certifications and quality documentation.

Solution-Oriented Approach

Our flexible manufacturing capability enables us to develop solutions around customer and project requirements.

Innovative Perspective

We continually improve our products and processes by adopting relevant technologies and responding to changing market needs.

İRTU

İRTU ELEKTROMEKANİK SAN. ve TİC. LTD. ŞTİ.

netra

Elektromekanik San. Tic. Ltd. Şti.

+90 (216) 487 54 65 (pbx)

+90 (216) 487 54 45

irtu@irtugroup.com.tr

www.irtugroup.com.tr

Aydınlı, Aydınlı - İstanbul Ay OSB, Gazi Blv. No:48,
34956 Tuzla/İstanbul